



Camlachie Fire Department  
 Jeff Scott  
 6715 Camlachie Road  
 Camlachie, ON N0N 1E0  
 519 786 3327 Home  
 519 899 2984 Fax  
 jeffdeputybfd@gmail.com



**Exp. Date:** 08/21/2014  
**Quote No:** RCAON-0012      **Job/Order No:** 18141  
**BODY:** 00-10-26      Metalfab Walk In - 05/13

02/16/2017

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			<b>== Metalfab Walk In - 05/13 - 0.000 ==</b>	1	MTL
			<b>CHANGE ORDER D</b>	1	MTL
00-10-2500	S		Metalfab Walk in Rescue/Equipment Unit	1	MTL
			E		
00-20-1000			Company Profile	1	MTL
			E		
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
<b>00-20-2100</b>	<b>S &lt;</b>		<b>Plant Inspection Visits</b>	<b>1</b>	<b>MTL</b>
			<b>1 trip for 2 people for final inspection before delivery.</b>		
00-20-3000			No Bonding Required	1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent	1	MTL
			E		
<b>10-11-0110</b>			<b>Vehicle data recorder included with chassis</b>	<b>1</b>	<b>MTL</b>
10-11-0700			ULC S515-04 Compliance - Rescue/Equipment	1	MTL
10-11-2010	>		ULC Testing - Special Services Vehicle - no pump	1	MTL
10-11-2100			Maximum length not specified	1	MTL
			E		
10-11-2200			Maximum height not specified	1	MTL
			E		
<b>10-11-2400</b>			<b>Overall length is 30' or more</b>	<b>1</b>	<b>MTL</b>
10-11-2500			General Construction	1	MTL
10-11-3000			Manuals - two copies	1	MTL
<b>10-11-3600</b>	<b>S &gt;</b>		<b>Delivery - FOB Fire Department</b>	<b>1</b>	<b>MTL</b>
10-11-4000			Payment Terms - Chassis Net 10 days, Balance COD	1	MTL
<b>10-20-2640</b>			<b>Equipment carrying capacity - ULC/NFPA SSV 40,001 to 50,000 GVW</b>	<b>1</b>	<b>MTL</b>
			CHASSIS INFORMATION	1	MTL
<b>20-11-1000</b>	<b>S</b>		<b>Chassis supplied by Metalfab - Spartan Metro Star</b>	<b>1</b>	<b>MTL</b>
20-11-1500			2013 Emission chassis modifications	1	MTL
<b>20-11-1700</b>	<b>S</b>		<b>Chassis Motor Vehicle Inspection required - ON</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
20-21-0500			Fluid capacity plate	1	MTL
<b>20-21-1030</b>	<b>S</b>		<b>Maximum riders sign - 6 persons - with Spartan chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-21-1510</b>	<b>S</b>		<b>Seat belt warning labels - 4 door chassis - with Spartan chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-21-1550</b>	<b>S</b>		<b>Tire Pressure Indicator Voucher with Spartan chassis</b>	<b>1</b>	<b>MTL</b>
20-21-1600			Apparatus Information Label	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-21-2000			Non removable key	1	MTL
20-21-2500			Shifter lock not required	1	MTL
20-21-3500			Rear step warning label	1	MTL
<b>20-21-3810</b>			<b>Front mudflaps provided with chassis</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
20-31-0100			Fuel tank or step covers not required	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
20-31-1900			Chassis cab not painted	1	MTL
<b>20-41-1200</b>			<b>Transmission programming not required</b>	<b>1</b>	<b>MTL</b>
<b>20-41-1510</b>	<b>S</b>		<b>Extend exhaust pipe - LS front of rear wheels - with Spartan chassis</b>	<b>1</b>	<b>MTL</b>
20-41-1900			Battery boost terminals with chassis	1	MTL
20-41-2000			Chassis batteries remain in OEM location	1	MTL
<b>20-41-2550</b>			<b>Fuel fill at LS rear fender well</b>	<b>1</b>	<b>MTL</b>
20-41-2600			Chassis fuel tank remains in OEM location	1	MTL
<b>20-41-5100</b>			<b>Rear Tow Hook - pintle hook</b>	<b>1</b>	<b>MTL</b>
<b>20-51-0700</b>			<b>Master Battery Disconnect included with chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-2500</b>			<b>Back up alarm included with chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-3100</b>			<b>Air inlet not required</b>	<b>1</b>	<b>MTL</b>
20-51-3400			Protection valve installed for air operated accessories	1	MTL
<b>20-51-5600</b>	<b>S</b>		<b>Flashing headlights w/ daytime running lights - with Spartan Chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-6100</b>	<b>S</b>	<b>&lt; &gt;</b>	<b>120 volt 20 A shore line connection</b>	<b>1</b>	<b>MTL</b>
			Standard 5-20R duplex receptacle in chassis cab, not fused		
			Power to 3 duplex receptacles - Customer to specify		
			locations after receipt of chassis. Photos of cab interior to		
			be sent to department to determine locations:		
			Receptacle 1 - _____		
			Receptacle 2 - _____		
			Receptacle 3 - _____		
			Also power in cab for radios/flashlights - to be specified by		
			Customer		
			Specify locations _____		
<b>20-51-7200</b>	<b>S</b>		<b>Total System Manager - with Spartan chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-7300</b>		<b>&gt;</b>	<b>Low Voltage Alarm in cab - ESM remote panel in rocker switch panel</b>	<b>1</b>	<b>MTL</b>
<b>20-51-8500</b>	<b>S</b>		<b>Engine compartment lights (pair) - with Spartan chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-9001</b>	<b>S</b>		<b>Air horns in bumper with chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-52-3500</b>		<b>&gt;</b>	<b>Chassis steering wheel lined up by Metalfab</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
<b>20-52-4000</b>	<b>S</b>		<b>Rear View Camera system - with Spartan Chassis</b>	<b>1</b>	<b>MTL</b>
20-60-0400			Chassis wheelbase does not change	1	MTL
<b>20-90-0500</b>	<b>S</b>		<b>Walk through from cab to body</b>	<b>1</b>	<b>MTL</b>
<b>20-99-0050</b>	<b>U</b>		<b>Map box in cab</b>	<b>1</b>	
<b>30-51-1500</b>			<b>Power shift PTO - Automatic transmission</b>	<b>1</b>	<b>MTL</b>
<b>30-51-1501</b>			<b>PTO driveshaft</b>	<b>1</b>	<b>MTL</b>
			ELECTRICAL		
<b>50-11-0500</b>			<b>Base electrical system</b>	<b>1</b>	<b>MTL</b>
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
<b>50-11-0900</b>			<b>Rocker switch panel with master warning switch</b>	<b>1</b>	<b>MTL</b>
<b>50-11-1600</b>	<b>S</b>		<b>Siren speaker, in front bumper with Spartan Chassis</b>	<b>1</b>	<b>MTL</b>
<b>50-11-2600</b>			<b>Siren to be accessible to driver and officer</b>	<b>1</b>	<b>MTL</b>
<b>50-11-5810</b>	<b>S</b>	<b>&gt;</b>	<b>Federal JetSOLARIS JLX6002 - NFPA LED light bar w/Spartan Chassis</b>	<b>1</b>	<b>MTL</b>
<b>50-11-7600</b>			<b>Rear LED Signal Master warning lights</b>	<b>1</b>	<b>MTL</b>
<b>50-12-5021</b>	<b>S</b>		<b>Front flashers, intersection lights w/chassis - Federal QL64XF-R</b>	<b>1</b>	<b>MTL</b>

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
50-12-5110			Rear LED flashers (pr)-red Federal QL64XF-R	1	MTL
50-12-5120			Rear LED flashers (pr)-red Federal QL97XF-R	1	MTL
50-12-5310			Body side inter lts (pr)-red LED Federal QL64XF-R	1	MTL
50-12-5320			Body side warning lights (pr)-red LED Federal QL97XF-R	2	MTL
50-21-1600			Parking (ditch) lights in rear fenders	1	MTL
50-21-2700	S	< >	Command Light CL615 Light tower 240V/9000W With back light & green strobe options. Mounted on the roof of the Spartan chassis. The chassis roof is reinforced to hold the weight of the Command light (reinforcement only by Spartan). Light Tower light head orientation to be toward left side. *** Customer requests that when the light tower is not stowed, the vehicle is to be immobile - transmission will not shift. We are researching this as we would want an over ride for emergency situations.***	1	MTL
50-21-5100		>	Compartment lighting - LED tube lights in each compartment (rollup doors)	1	MTL
50-21-5500	S		Door Ajar warning light - with Spartan Chassis	1	MTL
50-21-8005			Step lights for body steps - Rescue	1	MTL
50-21-8510			Rear clearance lights on rubber arms (pr)	1	MTL
50-21-8600			LED clearance lts and reflectors	1	MTL
50-21-8800			LED intermediate turn signal/clearance/reflector length >30'	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-4500		>	35 kw ONAN PTO driven generator	1	MTL
50-31-6000		>	Scene lights (pr) - GHSCENE halogen	4	MTL
50-31-6011			Scene light boxes not required	4	MTL
50-31-6510	S		Ground lighting (halogen) - 4 door chassis - with Spartan chassis	1	MTL
50-31-6540			Ground lighting (halogen) - rescue body	1	MTL
50-35-0500			Installation of customer supplied mobile radio	1	MTL
50-35-0559	S		Mobile radio antenna with chassis E	1	MTL
50-35-0565	S		VHF antenna with base - custom chassis (thick roof)	1	MTL
50-90-0500		>	Rescue Body interior lighting ( 12 v clear halogen) - surface mount	1	MTL
50-90-1000		>	12 volt powered roof vent - two speed	1	MTL
50-90-2600			Refrigerator for Rescue Truck 120 VAC/12VDC	1	MTL
50-99-0050	U		1500 W Tripod Flood with 5-15 attachment cap	2	
51-31-3030	S	< >	120 volt wiring for PTO generator Change Order C - Added second receptacle in the second front left compartment (missed in Change Order A). Move the receptacles in the rear RS compartment from back of compartment out to front of compartment (one each side of front partition).	1	MTL
51-31-3100		>	Automatic 110 volt transfer switch	1	MTL
51-31-4000		< >	Electric cord reel with 200' x 12/3 cable, lighted box One (1) high in each rear side compartment. Junction box receptacles will be 5-20 unless otherwise specified.	2	MTL
51-31-4500			Dielectric strength test for line voltage system BODY	1	MTL
60-10-3000		>	Walk in extruded aluminum Rescue Body 22'	1	MTL
60-10-4100			No "beavertail" rear step supports	1	MTL
60-10-4600			Painted fender surround E	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5450		>	Diamondback 10" rear step	1	MTL
60-10-6000			Extruded rub rail	1	MTL
60-11-0100		>	Front left side compartment to top of wheel well	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
60-11-0150		>	Second front left side compartment to top of wheel well	1	MTL
60-11-0500		>	Front right side compartment to top of wheel well	1	MTL
60-11-0550		>	Second front right side compartment to top of wheel well	1	MTL
60-11-1000		>	Rear left side compartments full height	1	MTL
			E		
60-11-1400		>	Rear right side compartments full height	1	MTL
			E		
60-11-2000		>	High side compartment (over 18") each	2	MTL
60-11-3200		>	Full Height Rear compartment	1	MTL
60-11-4401			Rear entry door not required - Rescue body	1	MTL
			E		
60-11-4410			Flush mount aluminum door - Rescue body side (single)	1	MTL
60-11-5500			Rollup door - standard height	6	MTL
60-11-5520			Rollup door - full height	3	MTL
60-31-4100			Extruded aluminum handrails	1	MTL
60-31-5000			Zico access Ladder at rear of unit	1	MTL
60-31-6500			Compartment matting-Turtle tile	1	MTL
60-31-8000	S		BA bottle compt (ea)-fender well	2	MTL
60-31-8200	S	>	Sliding vertical tool board	1	MTL
60-31-8400	S	<	Fixed vertical partition	3	MTL
			Change Order C - Interchange LS and RS rear compartment notes to reflect the changes made per Change Order A.		
60-31-8700	S	< >	Sliding tray (ea) - 400 pound capacity with gas strut	3	MTL
			Change Order C - Change location of LS tray to a "location to be determined" due to SCBA cylinder storage move per Change Order A.		
			Customer to specify new location of Tray		
60-31-8700	S	>	Sliding tray (ea) - 400 pound capacity with gas strut	1	MTL
60-31-9000	S	>	Tip down tray - 30 degree, 250 pound capacity	2	MTL
60-31-9600	S	>	Adjustable shelf (ea)	4	MTL
60-33-0000			Paint exterior - Imron Elite	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0600	S		Chassis wheels not painted - Aluminum wheels	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
60-33-2200			Lettering - 80 letters up to 3" tall - 3 colour	1	MTL
60-33-3000	S		Reflective stripe - 4" white	1	MTL
60-33-3310			Reflective stripe - red and yellow chevron at rear	1	MTL
60-80-0500	S		Rescue body window - fixed in entry doors (1 total)	1	MTL
60-90-4000	S		Walk in Rescue - Interior white finish and insulation	1	MTL
60-90-5010	S		Bunker gear compartments - aluminum (per compartment)	32	MTL
			E		
60-90-5015			Bunker gear compartment netting (per compartment)	32	MTL
			E		
60-90-6500	S	>	Air Conditioner in Rescue Body - 110 volt	1	MTL
			E		
60-91-0500	S	< >	Compartment SCBA Storage rack	2	MTL
			E		
			Change Order C - Length of Customers SCBA cylinders is 24"		
60-99-0010	U		Fixed shelf	1	
60-99-0020	U	<	Coat hanger bar	1	
			Change Order C - Changed from LS to RS to reflect Change Order A		
60-99-05AA	U	<	Awning - Self Supporting - Electric	1	
			On the right side provide a high capacity self supporting awning.Include manually set auxiliary support struts back to		

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			the body for windy day operation. electrically operated to extend 2.4 meters out from the side of the body. THE AWNING SHOULD RETRACT IN TO A HARD CASE AND BE WIRED TO THE DOOR AJAR SYSTEM.		
			Carefree Eclipse - Gray in colour if possible		
60-99-10AA	U	<	<b>Walk Around Rescue Upper Body Walkway</b> There shall be a walkway on the top of the walk around portion of the rescue body.	1	
60-99-15AA	U	<	<b>70% Extension HD Sliding Tray</b> There shall be a heavy duty sliding tray installed in the rear compartment of the body. The tray shall be approximately 80" Long. The tray shall have a 70% extension.	1	
60-99-20AA	U	<	<b>Coffin Compartments</b> There shall be three coffin compartments located on the top of the walk around portion of the rescue body. There shall be one on each side and one at the front right. Each compartment shall have deckplate doors and gas struts. The doors shall also be wired to the Door Ajar Warning indicator. LED tube lights will be installed to light up the compartment and are activated when the door is opened.	3	
60-99-25AA	U	<	<b>Floor Dry Dispenser</b> There shall be a floor dry dispenser installed on the unit. The floor dry hopper shall be installed on the top of the walk around portion of the rescue body on the front left side. There shall be a pipe that extends down into the front portion of the left side exterior compartment above the rear wheels. There shall be a valve located in that compartment. There shall be a door in the front portion of the left side rear fender well area that when opened will act as a chute for the floor dry. Similar design as Southwold, ON - WO 17729	1	
60-99-30AA	U	<	<b>Deckplate Shroud for Command Light</b> There shall be a deckplate shroud installed on the roof of the chassis cab. The shroud shall protect the command light.	1	
60-99-35AA	U	<	<b>Interior Drawers</b> There shall be three drawers installed in the walk in portion of the rescue body. They shall be located adjacent to the entry door, below the refrigerator.	3	
60-99-40AA	U	<	<b>Radio Shelf</b> There shall be a radio shelf installed in the walk in portion of the rescue body. It shall be adjacent to the entry door, above the refrigerator.	1	
60-99-45AA	U		<b>Installation of Department Supplied Bank Chargers in Chassis Cab</b>	1	
60-99-5000	U		<b>Hooks in bunker compartments ( 2 per compartment)</b>	1	
			ACCESSORIES	1	MTL
80-18-0500			<b>SCBA bracket with strap - compt mount</b>	8	MTL
80-18-0700	S	>	<b>ZICO Quic Index SCBA carousel</b>	2	MTL
80-19-0500			<b>Large folding wheel chock - aluminum (ea) not mounted</b>	2	MTL
80-19-0600		>	<b>Horizontal bracket for folding wheel chock (ea)</b>	2	MTL
80-19-0700		>	<b>Electric Access Step for Rescue</b>	1	MTL

