




Shop Order-00-10-15: Unclassified

Moore's Mills, NB - Side Mount Pumper  
 Room 205, Marysville Place  
 20 McGloin Street  
 Fredericton, NB E3A 5T8



**Exp. Date:** 10/31/2014  
**Quote No:** EMONB-0009      **Job/Order No:** 18228  
**BODY:** 00-10-15      Metalfab Pumper - ULC 05/13

02/14/2017

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			<b>== Metalfab Pumper - ULC 05/13 - 0.000 ==</b>	<b>1</b>	<b>MTL</b>
			<b>CHANGE ORDER D</b>	<b>1</b>	<b>MTL</b>
00-10-1500	S		Metalfab Pumper E	1	MTL
00-20-1000			Company Profile E	1	MTL
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
00-20-1700			Hale Pump Warranty - 5 years	1	MTL
00-20-1800			Ultra Tank Lifetime Warranty	1	MTL
<b>00-20-2100</b>	<b>S</b>		<b>Plant Inspection Visits</b>	<b>1</b>	<b>MTL</b>
00-20-3000			No Bonding Required	1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent E	1	MTL
10-11-0105			Vehicle Data Recorder not requested	1	MTL
<b>10-11-1100</b>	<b>S</b>		<b>ELC S515-13 Compliance</b>	<b>1</b>	<b>MTL</b>
<b>10-11-1500</b>		<b>&gt;</b>	<b>ULC Testing - Pumper</b>	<b>1</b>	<b>MTL</b>
<b>10-11-2100</b>	<b>S</b>		<b>Maximum length - 330"</b>	<b>1</b>	<b>MTL</b>
<b>10-11-2200</b>	<b>S</b>		<b>Maximum height - 109"</b>	<b>1</b>	<b>MTL</b>
10-11-2300			Overall length is less than 30'	1	MTL
10-11-2500			General Construction	1	MTL
<b>10-11-3000</b>	<b>S</b>		<b>Manuals - three copies</b>	<b>1</b>	<b>MTL</b>
<b>10-11-3600</b>	<b>S</b>	<b>&gt;</b>	<b>Delivery - FOB Fire Department</b>	<b>1</b>	<b>MTL</b>
<b>10-11-4300</b>	<b>S</b>		<b>Payment Terms - Chassis and Body NET 30</b>	<b>1</b>	<b>MTL</b>
10-20-1000			Hose bed capacity - standard ULC Pumper	1	MTL
10-20-2000			Equipment carrying capacity - standard ULC Pumper	1	MTL
<b>10-99-05AA</b>	<b>U</b>		<b>Three Sets of Approval Drawings Before Construction</b>	<b>1</b>	
			CHASSIS INFORMATION	1	MTL
<b>20-11-1000</b>	<b>S</b>		<b>Chassis supplied by Metalfab - International 4400</b>	<b>1</b>	<b>MTL</b>
20-11-1500			2013 Emission chassis modifications	1	MTL
<b>20-11-1700</b>			<b>Chassis Motor Vehicle Inspection required - NB</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
20-21-0500			Fluid capacity plate	1	MTL
20-21-0600			Pumping test plate	1	MTL
20-21-1000			Maximum riders sign - 2 persons	1	MTL
20-21-1500			Seat belt warning labels - 2 door chassis	1	MTL
20-21-1550			Tire Pressure Indicators not requested	1	MTL
20-21-1600			Apparatus Information Label	1	MTL
20-21-2000			Non removable key	1	MTL
20-21-2500			Shifter lock not required E	1	MTL
20-21-3500			Rear step warning label	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-21-3800			Front mudflaps	1	MTL
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
<b>20-31-0500</b>			<b>Alum tread fuel tank trim, Conv - 2 door</b>	<b>1</b>	<b>MTL</b>
20-31-1900			Chassis cab not painted	1	MTL
			E		
<b>20-31-7500</b>	<b>S</b>		<b>Console in cab</b>	<b>1</b>	<b>MTL</b>
<b>20-41-0500</b>			<b>Intake air shutoff for engine</b>	<b>1</b>	<b>MTL</b>
			E		
<b>20-41-0900</b>			<b>Auxiliary braking system disabled when pumping</b>	<b>1</b>	<b>MTL</b>
20-41-1100			Transmission programming - Allison WT	1	MTL
20-41-1500			Extend exhaust pipe - RS front of rear wheels	1	MTL
			E		
20-41-1900			Battery boost terminals with chassis	1	MTL
			E		
20-41-2000			Chassis batteries remain in OEM location	1	MTL
20-41-2510			Fuel fill at step fuel tank under cab	1	MTL
20-41-2600			Chassis fuel tank remains in OEM location	1	MTL
20-41-5000			Rear Tow Hooks - under body	1	MTL
<b>20-41-5500</b>			<b>ON SPOT Automatic traction chains</b>	<b>1</b>	<b>MTL</b>
<b>20-51-0700</b>			<b>Master Battery Disconnect included with chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-2500</b>			<b>Back up alarm included with chassis</b>	<b>1</b>	<b>MTL</b>
20-51-3400			Protection valve installed for air operated accessories	1	MTL
<b>20-51-3500</b>			<b>Air outlet</b>	<b>1</b>	<b>MTL</b>
<b>20-51-4000</b>			<b>Auto eject for air inlet - LS</b>	<b>1</b>	<b>MTL</b>
<b>20-51-5600</b>	<b>S</b>		<b>Flashing headlights w/ daytime running lights - with chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-6500</b>			<b>Kussmaul Autocharge 1000 battery conditioner w/battery saver</b>	<b>1</b>	<b>MTL</b>
<b>20-51-7102</b>	<b>S</b>		<b>Electric System Management included with chassis - Diamond Logic</b>	<b>1</b>	<b>MTL</b>
<b>20-51-7500</b>			<b>Super Auto eject for 120 v - 20 A with sealed enclosure</b>	<b>1</b>	<b>MTL</b>
20-51-8500			Engine compartment lights (pair)	1	MTL
<b>20-51-9110</b>			<b>Air horns on hood, chassis OEM switch controlled</b>	<b>1</b>	<b>MTL</b>
			E		
<b>20-52-3500</b>		<b>&gt;</b>	<b>Chassis steering wheel lined up by Metalfab</b>	<b>1</b>	<b>MTL</b>
			E		
<b>20-52-4000</b>	<b>S</b>		<b>Rear View Camera system</b>	<b>1</b>	<b>MTL</b>
20-60-0400			Chassis wheelbase does not change	1	MTL
			PUMP AND PLUMBING	1	MTL
30-11-5600			Hale QFLO Single stage 1050 IGPM	1	MTL
30-12-3300			Mechanical seal for Hale QFLO/QPAK pumps	1	MTL
30-15-0103			Plumbing - Hale manifold pump SM	1	MTL
30-20-0500			Valves and controls - side mount panel	1	MTL
30-20-1001			Valve brand not specified	1	MTL
			E		
<b>30-20-1600</b>			<b>Piping stainless steel - general</b>	<b>1</b>	<b>MTL</b>
<b>30-20-1700</b>	<b>S</b>		<b>1-1/2" thread specifications - Red Head Storz</b>	<b>1</b>	<b>MTL</b>
<b>30-20-1800</b>	<b>S</b>		<b>2-1/2" thread specifications - Red Head Storz</b>	<b>1</b>	<b>MTL</b>
30-20-2000			Piping hydrostatic test	1	MTL
<b>30-20-2500</b>			<b>Anodes in suction and discharge piping</b>	<b>1</b>	<b>MTL</b>
<b>30-21-8510</b>			<b>Tank to Pump 4" butterfly valve SS, handwheel control, check valve manifold pump</b>	<b>1</b>	<b>MTL</b>
<b>30-22-2020</b>			<b>Tank Fill valve 3" SS</b>	<b>1</b>	<b>MTL</b>
<b>30-31-4010</b>	<b>S</b>		<b>Suction - 6" each side manifold pump</b>	<b>1</b>	<b>MTL</b>
<b>30-31-5100</b>	<b>S</b>		<b>Suction - 5" SS piping to rear - 6" connection</b>	<b>1</b>	<b>MTL</b>
<b>30-31-7200</b>		<b>&gt;</b>	<b>Hale master intake suction valve - electric control</b>	<b>3</b>	<b>MTL</b>
<b>30-32-7530</b>			<b>Suction - 2-1/2" left side SS, bleeder, Hale manifold pump</b>	<b>1</b>	<b>MTL</b>
<b>30-32-8030</b>			<b>Suction - 2-1/2" right side SS, bleeder, Hale manifold pump</b>	<b>1</b>	<b>MTL</b>
<b>30-40-2020</b>			<b>4" right discharge SS, plumbed 3", Hale manifold pump</b>	<b>1</b>	<b>MTL</b>
<b>30-41-2020</b>			<b>2-1/2" RS discharge SS, bleeder, Hale manifold pump</b>	<b>1</b>	<b>MTL</b>
<b>30-41-2520</b>			<b>2-1/2" LS discharge SS, bleeder, Hale manifold pump</b>	<b>2</b>	<b>MTL</b>
<b>30-43-1520</b>			<b>2-1/2" rear discharge SS, plumbed 2-1/2", bleeder</b>	<b>2</b>	<b>MTL</b>
<b>30-44-0520</b>			<b>1-1/2" crosslay (each) SS, 2" valve, bleeder</b>	<b>2</b>	<b>MTL</b>
<b>30-44-6520</b>			<b>Piping for monitor SS, plumbed 3", bleeder</b>	<b>1</b>	<b>MTL</b>

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
30-51-0500			Pump shift-Midship air	1	MTL
30-51-0700			Pump Gearbox mounted manual over ride for pump shift	1	MTL
			E		
<b>30-51-6640</b>			<b>Class One "TPG Plus" Governor/Throttle</b>	<b>1</b>	<b>MTL</b>
<b>30-51-7000</b>	<b>S</b>		<b>Suction side relief V/V, manifold pump</b>	<b>3</b>	<b>MTL</b>
30-51-7700			Primer Hale oil less ESP with oil tank Hale	1	MTL
<b>30-51-7800</b>			<b>Pre Primer for gated suction Hale primer</b>	<b>1</b>	<b>MTL</b>
<b>30-51-8100</b>			<b>Heat exchanger included with chassis</b>	<b>1</b>	<b>MTL</b>
30-52-1000			Master drain V/V, 12 port	1	MTL
<b>30-52-2000</b>			<b>Drain valve for foam system header</b>	<b>1</b>	<b>MTL</b>
<b>30-52-5510</b>			<b>Foam system-Hypro FoamPro 2001 Single Tank</b>	<b>1</b>	<b>MTL</b>
<b>30-52-8100</b>			<b>Electric foam fill pump with panel pickup</b>	<b>1</b>	<b>MTL</b>
<b>30-52-9000</b>			<b>Foam Tank drain</b>	<b>1</b>	<b>MTL</b>
<b>30-52-9100</b>			<b>Foam concentrate label at foam tank fill</b>	<b>1</b>	<b>MTL</b>
<b>30-52-9200</b>			<b>Foam System Instruction Plates</b>	<b>1</b>	<b>MTL</b>
<b>30-52-9400</b>			<b>NFPA Foam System certification test</b>	<b>1</b>	<b>MTL</b>
			WATER AND FOAM TANKS	1	MTL
40-11-2100			Ultra-Tank water tank (Imperial gallons)	1	MTL
40-11-2200			Water tank capacity certification (tank manufacturer)	1	MTL
<b>40-11-5000</b>	<b>S</b>		<b>Tank capacity 1000 Imperial Gallons - FINAL CAPACITY TBD</b>	<b>1</b>	<b>MTL</b>
<b>40-12-4500</b>			<b>Foam cell - 20 Imperial gallon</b>	<b>1</b>	<b>MTL</b>
<b>40-13-0100</b>		<b>&gt;</b>	<b>Through the tank tunnel - up to 1200 gallon tank</b>	<b>1</b>	<b>MTL</b>
<b>40-21-1000</b>			<b>4" tank to pump connection</b>	<b>1</b>	<b>MTL</b>
<b>40-22-1500</b>			<b>3" tank fill connection</b>	<b>1</b>	<b>MTL</b>
40-23-0500			1" water level gauge connection	1	MTL
<b>40-23-1000</b>			<b>1" foam level gauge connection</b>	<b>1</b>	<b>MTL</b>
<b>40-23-1050</b>			<b>4" Fireman's Friend connection</b>	<b>1</b>	<b>MTL</b>
<b>40-23-1060</b>			<b>10" Newton dump connection</b>	<b>1</b>	<b>MTL</b>
<b>40-30-0500</b>			<b>Sump drain valve (3" gate valve) with linkage</b>	<b>1</b>	<b>MTL</b>
			E		
40-30-1000			Water Fill Box front left corner	1	MTL
<b>40-31-3500</b>			<b>10" rear Newton dump, stainless steel</b>	<b>1</b>	<b>MTL</b>
<b>40-31-3600</b>			<b>Newton dump - stainless steel 36" telechute</b>	<b>1</b>	<b>MTL</b>
<b>40-31-5500</b>			<b>Electric operator for Newton dump</b>	<b>1</b>	<b>MTL</b>
<b>40-31-9000</b>			<b>4" Storz rear fill, Fireman's Friend</b>	<b>1</b>	<b>MTL</b>
			ELECTRICAL	1	MTL
<b>50-11-0450</b>			<b>Base electrical system - International Diamond Logic multiplex</b>	<b>1</b>	<b>MTL</b>
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
<b>50-11-0900</b>			<b>Rocker switch panel with master warning switch</b>	<b>1</b>	<b>MTL</b>
<b>50-11-1400</b>	<b>S</b>		<b>Whelen Siren 200 Watt, Self-Contained, Removable Microphone</b>	<b>1</b>	<b>MTL</b>
<b>50-11-1625</b>			<b>Siren speaker, 100 watt, behind chassis grille</b>	<b>1</b>	<b>MTL</b>
<b>50-11-2600</b>			<b>Siren to be accessible to driver and officer</b>	<b>1</b>	<b>MTL</b>
<b>50-11-5809</b>	<b>S</b>	<b>&gt;</b>	<b>Whelen GS2RRRR LED light bar red/white per attached</b>	<b>1</b>	<b>MTL</b>
50-11-6501			Rear Directional Light not required	1	MTL
<b>50-11-9010</b>	<b>S</b>		<b>Rear beacons-Whelen L31HRFN LED (pr) - both red</b>	<b>1</b>	<b>MTL</b>
<b>50-12-5020</b>	<b>S</b>		<b>Front flashers (pr)-red Whelen 400 LED</b>	<b>1</b>	<b>MTL</b>
<b>50-12-5110</b>	<b>S</b>		<b>Rear flashers (pr)-red Whelen 400 LED</b>	<b>1</b>	<b>MTL</b>
<b>50-12-5210</b>	<b>S</b>		<b>Front side inter lts (pr)-red Whelen 400 LED</b>	<b>1</b>	<b>MTL</b>
<b>50-12-5310</b>	<b>S</b>		<b>Body side inter lts (pr)-red Whelen 400 LED</b>	<b>1</b>	<b>MTL</b>
<b>50-21-1520</b>	<b>U</b>		<b>Rear floods (pr) - Unity LED or equivalent</b>	<b>1</b>	<b>MTL</b>
<b>50-21-2540</b>			<b>FRC telescoping SPECTRA LED 12V flood (ea)</b>	<b>2</b>	<b>MTL</b>
<b>50-21-3010</b>	<b>S</b>	<b>&gt;</b>	<b>Remote control electric spot (ea) Visibeam - wireless control</b>	<b>1</b>	<b>MTL</b>
<b>50-21-5100</b>		<b>&gt;</b>	<b>Compartment lighting - LED tube lights in each compartment (rollup doors)</b>	<b>1</b>	<b>MTL</b>
50-21-5500			Door Ajar warning light	1	MTL
<b>50-21-5550</b>			<b>Equipment rack not stowed warning light</b>	<b>1</b>	<b>MTL</b>

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
50-21-8001			<b>Step lights for body steps - 4" LED</b>	1	MTL
50-21-8201			<b>Step lights for chassis steps - LED marker type</b>	1	MTL
50-21-8600			LED clearance lts and reflectors	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-6550			<b>Ground lighting (LED Lumabar) - 2 door chassis</b>	1	MTL
50-31-6570			<b>Ground lighting (LED Lumabar) - side mount body</b>	1	MTL
50-35-0500			<b>Installation of customer supplied mobile radio</b>	2	MTL
50-35-0560			<b>VHF antenna with base - commercial chassis</b>	1	MTL
50-35-0570			<b>UHF antenna with base - commercial chassis</b>	1	MTL
50-99-05AA	U		<b>Cell Phone Booster</b>	1	
			BODY	1	MTL
60-10-1400			Single axle extruded aluminum body	1	MTL
60-10-4000			<b>Tapered "beavertail" rear step supports</b>	1	MTL
60-10-4600			Painted fender surround	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5400	>		Diamondback pumphouse steps	1	MTL
60-10-5430	>		Diamondback 19" rear step	1	MTL
60-10-6000			Extruded rub rail	1	MTL
60-11-0300	>		<b>Front left side compartments full height</b>	1	MTL
			E		
60-11-0600	>		<b>Front right side compartments intermediate height</b>	1	MTL
60-11-1000	>		<b>Rear left side compartments full height</b>	1	MTL
			E		
60-11-1300	>		<b>Rear right side compartments intermediate height</b>	1	MTL
60-11-1900	S >		<b>Low side compartment (up to 18") each</b>	1	MTL
60-11-2000	>		<b>High side compartment (over 18") each</b>	1	MTL
60-11-3100			<b>No rear compartment</b>	1	MTL
60-11-4000	S >		<b>Surface mount aluminum door</b>	2	MTL
60-11-5500			<b>Rollup door - standard height</b>	1	MTL
60-11-5510			<b>Rollup door - intermediate height</b>	2	MTL
60-11-5520			<b>Rollup door - full height</b>	2	MTL
60-11-5530	S		<b>Rollup door - to enclose pump panel</b>	1	MTL
60-31-4100			Extruded aluminum handrails	1	MTL
60-31-5500			Steps at rear of body (folding)	1	MTL
60-31-5600			<b>Steps and grab handles at front of body next to pump panel</b>	1	MTL
60-31-5800			<b>Special step over rear dump</b>	1	MTL
60-31-6500			Compartment matting-Turtle tile	1	MTL
60-31-8000			<b>BA bottle compt (ea)-fender well</b>	4	MTL
60-31-8700	>		<b>Sliding tray (ea) - 400 pound capacity with gas strut</b>	4	MTL
60-31-9600	>		<b>Adjustable shelf (ea)</b>	4	MTL
60-32-3560			<b>Three adjustable hose divider (each)</b>	1	MTL
60-32-7500			Hose bed - aluminum	1	MTL
60-33-0000			<b>Paint exterior - Imron Elite</b>	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0500			<b>Paint chassis wheels job colour with silver trim</b>	1	MTL
			E		
60-33-1000			Paint pump and plumbing job colour	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
60-33-2200			<b>Lettering - 80 letters up to 3" tall - 3 colour</b>	1	MTL
60-33-3000			<b>Reflective stripe - 4" white</b>	1	MTL
60-33-3310			<b>Reflective stripe - red and yellow chevron at rear</b>	1	MTL
60-33-3500			Tarp over hose bed - black	1	MTL
60-33-4600	S		<b>Aluminum cover over crosslays - with end tarps (black)</b>	1	MTL
60-40-5500			<b>Suction hose tube (each) with door</b>	2	MTL
60-40-8500	>		<b>Tail light box Fire Extinguisher tubes (pr)</b>	1	MTL
60-40-9001	S >		<b>Tube mount for portable tank, through tank</b>	1	MTL
60-41-1000	S		<b>Pike Pole tube with door</b>	1	MTL
60-41-9001	>		<b>Zico hydraulic Ladder Access system</b>	1	MTL
60-41-9010			<b>ZICO LAS switched at rear above tail light</b>	1	MTL
			E		

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
60-41-9100			<b>Manual locking system for LAS</b>	1	MTL
			INSTRUMENTATION	1	MTL
70-11-0000			Warning Label on Pump Operator's Panel	1	MTL
70-11-0500	S		<b>Side mount instrument panel with rollup door LS only</b>	1	MTL
70-11-1500			<b>Stainless steel instrument panels</b>	1	MTL
70-11-3200			<b>Colour coded tags</b>	1	MTL
70-11-4100	S		<b>Stainless steel side panel hood left side</b>	1	MTL
70-11-4500	S		<b>Diamondback grip type panel hood step right side</b>	1	MTL
70-11-5000			<b>Standard cover over rear top of pump house - no storage</b>	1	MTL
70-11-5500			<b>Right side tread plate pump access door</b>	1	MTL
70-11-7500			<b>Heat pan-aluminum</b>	1	MTL
70-11-8000			<b>Heater in pump compartment</b>	1	MTL
70-20-1500			<b>2-1/2" pressure gauge - dual face 0-600</b>	9	MTL
70-20-2500			<b>Primer control</b>	2	MTL
70-20-3100			<b>Class One Governor Control</b>	1	MTL
70-20-3500			Electric water level gauge on pump panel, Class One	1	MTL
70-20-3610			<b>Remote PSTANK water level indicators each side, rear with driver E</b>	1	MTL
70-20-6500			Test gauge panel	1	MTL
70-20-7500			<b>Heat exchanger control valve</b>	1	MTL
70-21-1500			<b>Electric Foam Level gauge</b>	1	MTL
70-21-5500			<b>Panel readout for Battery Conditioner</b>	1	MTL
70-99-10AA	U		<b>Low Voltage Alarm</b>	1	
			ACCESSORIES	1	MTL
80-11-5000			6" x 10' lightweight suction hose (ea)	2	MTL
80-12-2500	S		<b>6" barrel strainer</b>	1	MTL
80-12-45AA	U		<b>6" low level strainer with 1-1/2" venturi connection</b>	1	
80-13-0500			Rubber mallet	1	MTL
80-13-1200			<b>Clare hose wrenches (double) with holder</b>	3	MTL
80-13-1500			<b>Bar with bracket</b>	1	MTL
80-13-2500			<b>Pike pole, fibreglass handle - 10' long</b>	1	MTL
80-13-2510			<b>Pike pole, fibreglass handle - 6' long</b>	1	MTL
80-13-4000			<b>Axe, pick head, fibreglass handle and bracket</b>	2	MTL
80-14-0500			<b>24' 2 section extension ladder PEL 24</b>	1	MTL
80-14-5500			<b>14' aluminum roof ladder PRL-14</b>	1	MTL
80-14-7500			<b>Padded ladder boot - 2 section and roof ladder</b>	1	MTL
80-14-8500			<b>10' aluminum folding attic ladder FL-10</b>	1	MTL
80-14-9000			<b>Attic ladder bracket (Zico)</b>	1	MTL
80-15-0500			<b>1500 l gallon portable tank - Husky</b>	1	MTL
80-16-1500			<b>Akron 2581 gated wye</b>	1	MTL
80-17-0500	S		<b>20# dry chemical fire extinguisher</b>	1	MTL
80-17-1000	S		<b>15# CO2 fire extinguisher</b>	1	MTL
80-17-1500			<b>2 gallon water extinguisher with mount</b>	1	MTL
80-18-0500			<b>SCBA bracket with strap - compt mount</b>	3	MTL
80-18-0600			<b>SCBA brkt w/strap - ZICO ULLH - crew cab mount</b>	1	MTL
80-18-0840			<b>Pistol grip nozzle holder - ZICO NBM-2</b>	2	MTL
80-19-0500			<b>Large folding wheel chock - aluminum (ea) not mounted</b>	2	MTL
80-19-0600		>	<b>Horizontal bracket for folding wheel chock (ea)</b>	2	MTL
80-99-10AA	U		<b>Air chuck with 25' of 3/8" air hose</b>	1	