



Village de Pointe-Verte
 Vincent Poirier
 375, rue Principale
 Pointe-Verte, NB E8J 2S8
 506-542-2617 W
 506-543-3614 H
 506-542-2638 Fax
 Vincent.poirier@pointeverte.net



Exp. Date: 06/20/2014
Quote No: EPONB-0006 **Job/Order No:** 17977
BODY: 00-10-26 Metalfab Walk In - 05/13

02/13/2017

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			== Metalfab Walk In - 05/13 - 0.000 ==	1	MTL
			CHANGE ORDER A	1	MTL
00-10-2500	S		Metalfab Walk in Rescue/Equipment Unit	1	MTL
			E		
00-20-1000			Company Profile	1	MTL
			E		
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
00-20-2100	S		Plant Inspection Visits	1	MTL
00-20-3000			No Bonding Required	1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent	1	MTL
			E		
10-11-0105			Vehicle Data Recorder not requested	1	MTL
10-11-0700			BLC S515-04 Compliance - Rescue/Equipment	1	MTL
10-11-2010		>	ULC Testing - Special Services Vehicle - no pump	1	MTL
10-11-2100	S		Maximum length- 29' (348")	1	MTL
10-11-2200	S		Maximum height - TBA	1	MTL
10-11-2300			Overall length is less than 30'	1	MTL
10-11-2500			General Construction	1	MTL
10-11-2600	S		Preconstruction Meeting	1	MTL
10-11-3000	S		Manuals - two copies	1	MTL
10-11-3600	S	>	Delivery - FOB Fire Department	1	MTL
10-11-4000			Payment Terms - Chassis Net 10 days, Balance COD	1	MTL
10-20-2630			Equipment carrying capacity - ULC/NFPA SSV 30,001 to 40,000 GVW	1	MTL
			CHASSIS INFORMATION	1	MTL
20-11-1000	S		Chassis supplied by Metalfab - International 4400 SBA 4X2	1	MTL
20-11-1500			2013 Emission chassis modifications	1	MTL
20-11-1700			Chassis Motor Vehicle Inspection required - NB	1	MTL
			E		
20-21-0500			Fluid capacity plate	1	MTL
20-21-1030			Maximum riders sign - 5 persons	1	MTL
20-21-1510			Seat belt warning labels - 4 door chassis	1	MTL
20-21-1550			Tire Pressure Indicators not requested	1	MTL
20-21-1600			Apparatus Information Label	1	MTL
20-21-2000			Non removable key	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-21-2500			Shifter lock not required E	1	MTL
20-21-3500			Rear step warning label	1	MTL
20-21-3800			Front mudflaps	1	MTL
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
20-31-1000			Alum tread fuel tank trim, Conv - 4 door	1	MTL
20-31-1900			Chassis cab not painted E	1	MTL
20-41-1200			Transmission programming not required	1	MTL
20-41-1510			Extend exhaust pipe - LS front of rear wheels	1	MTL
			E		
20-41-1801			Battery boost terminals not required - batteries accessible	1	MTL
20-41-2000			Chassis batteries remain in OEM location	1	MTL
20-41-2510			Fuel fill at step fuel tank under cab	1	MTL
20-41-2600			Chassis fuel tank remains in OEM location	1	MTL
20-41-5100			Rear Tow Hook - pintle hook E	1	MTL
20-51-0700			Master Battery Disconnect included with chassis	1	MTL
20-51-2500			Back up alarm included with chassis	1	MTL
20-51-3400			Protection valve installed for air operated accessories	1	MTL
20-51-4000			Auto eject for air inlet - LS	1	MTL
20-51-6200	S	>	120 volt 20 A shore line connection in body	6	MTL
20-51-6500			Kussmaul Autocharge 1000 battery conditioner w/battery saver	1	MTL
20-51-7100	U		Price Adjustment	1	
20-51-7300	S	>	Low Voltage Alarm in cab - Programmed through Diamond Logic	1	MTL
20-51-7500			Super Auto eject for 120 v - 20 A with sealed enclosure	1	MTL
20-51-8500			Engine compartment lights (pair)	1	MTL
20-51-9110	S		Air horns on hood, chassis OEM switch controlled	1	MTL
			E		
20-52-3000		>	Chassis steering wheel lined up by others	1	MTL
20-52-4000	S		Rear View Camera system	1	MTL
20-60-0400			Chassis wheelbase does not change	1	MTL
20-90-1000			Sealed pass through cab to body	1	MTL
			ELECTRICAL	1	MTL
50-11-0450	S		Base electrical system - International Diamond Logic multiplex	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
50-11-0900			Rocker switch panel with master warning switch	1	MTL
50-11-1400			Federal PA300 100 watt siren	1	MTL
50-11-1625	S		Siren speaker,100 watt, behind chassis grille/bumper	1	MTL
50-11-2600			Siren to be accessible to driver and officer	1	MTL
50-11-6100			Whelan FN60QLED LED light bar NFPA	1	MTL
50-11-6501			Rear Directional Light not required E	1	MTL
50-11-8001		>	Rear beacons not required E	1	MTL
50-12-8500	S		Front LED flashers (pr)-Whelan red LED 400 with integral flasher	1	MTL
50-12-8600	S		Rear LED flashers (pr)-Whelan red LED 400 with integral flasher	1	MTL
50-12-8620			Rear LED flashers (pr)-Whelan red LED 900 with integral flasher	1	MTL
50-12-8700	S		Front side inter lts (pr) - Whelan red LED 400 with integral flasher	1	MTL
50-12-8800	S		Body side inter lts (pr)-Whelan red LED 400 with integral flasher	1	MTL
50-12-8820			Body side inter lts (pr)-Whelan red LED 900 with integral flasher	2	MTL
50-21-5100		>	Compartment lighting - LED tube lights in each compartment (rollup doors)	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
50-21-5500			Door Ajar warning light	1	MTL
50-21-8006			Step lights for body steps - 4" LED - Rescue	1	MTL
50-21-8200	S		Step lights for chassis steps - courtesy lights in chassis door pockets	1	MTL
50-21-8600			LED clearance lts and reflectors	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-6560			Ground lighting (LED Lumabar) - 4 door chassis	1	MTL
50-31-6590			Ground lighting (LED Lumabar) - rescue body	1	MTL
50-35-0500	S		Installation of customer supplied mobile radio	1	MTL
50-35-0559			Mobile radio antenna provided by customer	1	MTL
			E		
50-90-1000		>	12 volt powered roof vent - two speed	2	MTL
50-99-05AA	U		Interior and compartment lights tied to shoreline power	1	
50-99-10AA	U		Rescue Body interior lighting - 12-Volt LED	1	
51-31-3000	S	>	120 volt wiring for portable generator	1	MTL
51-31-3100		>	Automatic 110 volt transfer switch	1	MTL
51-31-4500			Dielectric strength test for line voltage system	1	MTL
			BODY	1	MTL
60-10-2500	S	>	Walk in extruded aluminum Rescue Body 15'	1	MTL
60-10-4100			No "beavertail" rear step supports	1	MTL
60-10-4600			Painted fender surround	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5440		>	Diamondback 14" rear step	1	MTL
60-10-6000			Extruded rub rail	1	MTL
60-11-0100		>	Front left side compartment to top of wheel well	1	MTL
60-11-0700		>	Front right side compartments full height	1	MTL
			E		
60-11-1000		>	Rear left side compartments full height	1	MTL
			E		
60-11-1100		>	Rear right side compartment to top of wheel well	1	MTL
60-11-3100			No rear compartment	1	MTL
60-11-4400			Flush mount aluminum entry door - Rescue body rear (pair)	1	MTL
60-11-4415			Side entry door not required - Rescue body	1	MTL
			E		
60-11-5500			Rollup door - standard height	2	MTL
60-11-5520			Rollup door - full height	2	MTL
60-31-4100			Extruded aluminum handrails	1	MTL
60-31-6500			Compartment matting-Turtle tile	1	MTL
60-31-8400			Fixed vertical partition	2	MTL
60-31-8700		>	Sliding tray (ea) - 400 pound capacity with gas strut	3	MTL
60-31-9600		>	Adjustable shelf (ea)	3	MTL
60-31-9610	S	>	Radio shelf for rescue interior (ea)	1	MTL
60-33-0000			Paint exterior - Imron Elite	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0500			Paint chassis wheels job colour with silver trim	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
60-33-2200	S		Lettering - 80 letters up to 3" tall - 3 colour	1	MTL
60-33-3300	S		Reflective stripe - 4" with special graphics	1	MTL
60-33-3310			Reflective stripe - red and yellow chevron at rear	1	MTL
60-80-0500	S		Rescue body windows - sliding in entry doors (2 total)	1	MTL
60-90-1000	S	>	Bench seat in Rescue Body - no seat belts	2	MTL
60-90-1500	S	>	Command Desk - Rescue Body	1	MTL
60-90-4000	S		Walk in Rescue - Interior white finish and insulation	1	MTL
60-90-5000	S		Interior shelving with doors - Rescue Body	1	MTL
			E		
60-90-5010	S		Bunker gear compartments - aluminum (per compartment)	20	MTL
			E		
60-90-5015			Bunker gear compartment netting (per compartment)	20	MTL
			E		
60-90-5500	S	>	Heater in Rescue Body	1	MTL
			E		

