

| Town of Rive Chief Denis F Department 30 Honour H Riverview, NI 506 387 220 | Pleau of Finance ouse Court 3 E1B 3Y9 | | |
|--|--|---------------|-------|
| Exp. Date: Quote No: | 05/20/2014 ERINB-0008 | Job/Order No: | 18038 |

Metalfab Pumper - ULC 05/13 BODY: 00-10-15

02/13/2017

| 02/13/2017 | | | | | Page 1 |
|------------|---|----------|---|-----|--------|
| PART NO | S | STN CODE | | QTY | ID |
| | | | == Metalfab Pumper - ULC 05/13 - 0.000 == | 1 | MTL |
| | S | | CHANGE ORDER B | 1 | MTL |
| 00-10-1500 | | | Metalfab Pumper E | 1 | MTL |
| 00-20-1000 | | | Company Profile E | 1 | MTL |
| 00-20-1500 | | | Standard Body Warranty | 1 | MTL |
| 00-20-1550 | | | Metalfab Limited Ten (10) Year Paint and Corrosion Warranty | 1 | MTL |
| 00-20-1600 | | | Waterous Pump Warranty - 5 years | 1 | MTL |
| 00-20-1800 | | | Ultra Tank Lifetime Warranty | 1 | MTL |
| 00-20-2100 | S | | Plant Inspection Visits | 2 | MTL |
| 00-20-3000 | | | No Bonding Required | 1 | MTL |
| 00-20-3500 | | | Certification for Fusion Welding of Aluminum | 1 | MTL |
| 00-20-4000 | | | Quality System registered to ISO 9001:2008 | 1 | MTL |
| 00-20-4500 | | | Fire Apparatus Manufacturers' Association Membership | 1 | MTL |
| | | | GENERAL INFORMATION | 1 | MTL |
| 10-11-0000 | | | Intent E | 1 | MTL |
| 10-11-0110 | | | Vehicle data recorder included with chassis | 1 | MTL |
| 10-11-1101 | | | ULC S515-04 and NFPA 1901-2009 Compliance | 1 | MTL |
| | | | E | | |
| 10-11-1500 | | > | ULC Testing - Pumper | 1 | MTL |
| 10-11-2100 | S | | Maximum length - 444" | 1 | MTL |
| 10-11-2200 | S | | Maximum height - 136" | 1 | MTL |
| 10-11-23AA | U | | Maximum Body Width 102" | 1 | |
| 10-11-2400 | | | Overall length is 30' or more | 1 | MTL |
| 10-11-2500 | | | General Construction | 1 | MTL |
| 10-11-2600 | S | | Preconstruction Meeting E | 1 | MTL |
| 10-11-3000 | | | Manuals - two copies | 1 | MTL |
| 10-11-3600 | S | > | Delivery - FOB Fire Department - 4 days training | 1 | MTL |
| 10-11-4300 | S | | Payment Terms - Chassis and Body NET 5 Days, 10% | 1 | MTL |
| | | | Holdback 30 Days | | |
| 10-20-1400 | S | > | Hose capacity exceeding ULC/NFPA requirements - 1020# | 1 | MTL |
| | | | additional | | |
| 10-20-2400 | S | > | Equipment carrying capacity exceeding ULC/NFPA | 1 | MTL |
| | - | - | requirements - 500# additional | - | |
| | | | CHASSIS INFORMATION | 1 | MTL |
| 20-11-1000 | S | | Chassis supplied by Metalfab - Spartan Gladiator | 1 | MTL |
| 20-11-1500 | - | | 2013 Emission chassis modifications | 1 | MTL |
| 20-11-1700 | S | | Chassis Motor Vehicle Inspection required - NB | 1 | MTL |
| 20-21-0500 | - | | Fluid capacity plate | 1 | MTL |
| 20-21-0600 | | | Pumping test plate | 1 | MTL |
| 20-21-1040 | S | | Maximum riders sign - 5 persons - with Spartan chassis | 1 | MTL |
| 20211040 | U | | | | |

| PART NO | S | STN CODE | | QTY | ID |
|--|--------|----------|--|-------------|------------|
| 20-21-1500 | S | | Seat belt warning labels - with Spartan chassis | 1 | MTL |
| 20-21-1520 | S | | Helmet warning label - do not wear helmet - with Spartan | 1 | MTL |
| | | | chassis | | |
| 20-21-1550 | S | | Tire Pressure Indicators - with Spartan chassis | 1 | MTL |
| 20-21-1600 | _ | | Apparatus Information Label | 1 | MTL |
| 20-21-2000 | S | | Non removable key - keyless ignition with Spartan chassis | 1 | MTL |
| 20-21-2500 | • | | Shifter lock not required E | 1 | MTL |
| 20-21-3500 | | | Rear step warning label | 1 | MTL |
| 20-21-3800 | | | Front mudflaps | 1 | |
| 20-21-3000 | | | Rear mudflaps - Metalfab Logo | 1 | |
| 20-21-4000 | | | Fuel tank or step covers not required | 1 | |
| | | | | 1 | |
| 20-31-0200 | 0 | | Fuel fill label -Ultra Low Sulfur Diesel only | | |
| 20-31-1900 | S | | Chassis cab not painted - Two tone by Spartan E | 1 | MTL |
| 20-31-4700 | S | > | Extend front bumper, gravshid with preconnected hosewell | 1 | MTL |
| | | | E | | |
| 20-41-0600 | | | Intake air shutoff for engine not required | 1 | MTL |
| 20-41-0900 | | | Auxiliary braking system disabled when pumping | 1 | MTL |
| 20-41-1200 | S | | Transmission programming - with Spartan chassis | 1 | MTL |
| 20-41-1500 | S | | Extend exhaust pipe - RS front of rear wheels - for Nederman | 1 | MTL |
| 20-41-1800 | • | | Battery boost terminals required | 1 | MTL |
| 20-41-2000 | | | Chassis batteries remain in OEM location | 1 | MTL |
| 20-41-2560 | S | | Fuel fill at LS rear fender well with door | 1 | MTL |
| 20-41-2500 | 3 | | Chassis fuel tank remains in OEM location | 1 | MTL |
| | | | | • | |
| 20-41-5000 | | | Rear Tow Hooks - under body | 1 | |
| 20-51-0700 | | | Master Battery Disconnect included with chassis | 1 | |
| 20-51-2500 | | | Back up alarm included with chassis | 1 | MTL |
| 20-51-3400 | | | Protection valve installed for air operated accessories | 1 | MTL |
| 20-51-4000 | | | Auto eject for air inlet - LS | 1 | MTL |
| 20-51-6510 | | | Kussmaul Autocharge 35/10 battery conditioner w/battery save | 1 | MTL |
| 20-51-7102 | S | | Electric System Management through VMUX - included with | 1 | MTL |
| | | | chassis | | |
| 20-51-7500 | S | | Super Auto eject for 120 v - 30 A with sealed enclosure | | MTL |
| 20-51-8500 | S | | Engine compartment lights (pair) with Spartan chassis | 1 | MTL |
| 20-51-9001 | S | | Air horns with foot switches - with Spartan chassis | 1 | MTL |
| 20-52-3500 | | > | Chassis steering wheel lined up by Metalfab | 1 | MTL |
| | | | E | | |
| 20-60-0400 | | | Chassis wheelbase does not change | 1 | MTL |
| 20-99-0010 | U | | Map box per Tender | 1 | |
| 20-99-0020 | U | | Backboard mount per tender | 1 | |
| 20-99-0030 | U | | Medical compartments per tender | 2 | |
| 20-99-0040 | U | | 12v and 120v power distribution in cab, medical compartments | 1 | |
| 20 00 00 45 | | | Officer side roof mounted convey mirror | | |
| 20-99-0045 | U | | Officer side roof mounted convex mirror | 1 | |
| 20-99-0050 | U | | Rear corner guards for cab | 1 | |
| | | | PUMP AND PLUMBING | 1 | MTL |
| 30-12-3900 | | | Packing for Waterous pumps | 1 | MTL |
| 30-12-5500 | | | Waterous CS single stage 1050 IGPM | 1 | MTL |
| 30-15-0203 | S | | Plumbing - Waterous manifold pump SM E | 1 | MTL |
| | | | L Valves and controls - side mount panel | 1 | MTL |
| 30-20-0500 | | | | | |
| 30-20-0500 | | | Akron valves specified | 1 | MTL |
| 30-20-1002 | | | Piping stainless steel - general | 1 | MTL |
| 30-20-1002 30-20-1600 | ~ | | | 1 | MTL |
| 30-20-1002 30-20-1600 30-20-1700 | S | | 1-1/2" thread specifications NPSH | | |
| 30-20-1002 30-20-1600 30-20-1700 30-20-1800 | S S | | 2-1/2" thread specifications 2-1/2" Storz LOCKING | 1 | MTL |
| 30-20-1002 30-20-1600 30-20-1700 30-20-1800 30-20-2000 | | | 2-1/2" thread specifications 2-1/2" Storz LOCKING Piping hydrostatic test | 1 1 | MTL |
| 30-20-1002 30-20-1600 30-20-1700 30-20-1800 30-20-2000 | S | | 2-1/2" thread specifications 2-1/2" Storz LOCKING Piping hydrostatic test Anodes in suction and discharge piping | 1 1 1 | MTL MTL |
| 30-20-0500 30-20-1002 30-20-1600 30-20-1700 30-20-1800 30-20-2000 30-20-2500 30-21-9515 | | | 2-1/2" thread specifications 2-1/2" Storz LOCKING Piping hydrostatic test Anodes in suction and discharge piping Tank to Pump 4" Ball valve SS, electric control with check | 1 1 | MTL |
| 80-20-1002 80-20-1600 80-20-1700 80-20-1800 80-20-2000 80-20-2500 | S | | 2-1/2" thread specifications 2-1/2" Storz LOCKING Piping hydrostatic test Anodes in suction and discharge piping | 1 1 1 | MTL MTL |

| PART NO | S | STN CODE | | QTY | ID |
|-------------------|---|----------|---|--------|-------|
| 30-22-0500 | S | | Tank Fill valve 4" Ball valve SS, electric control | 1 | MTL |
| 30-31-4010 | S | | Suction - 6" each side manifold pump | 1 | MTL |
| 30-31-6020 | S | | Suction - 5" Stainless piping to rear - Electric control - 5" Storz | 1 | MTL |
| | | | conn | | |
| 30-31-7210 | | > | Waterous master intake suction valve - electric control | 3 | MTL |
| 30-32-7535 | | | Suction - 2-1/2" left side SS, bleeder, Waterous manifold pump | 1 | MTL |
| 30-32-8035 | | | Suction - 2-1/2" right side SS, bleeder, Waterous manifold | 1 | MTL |
| 00 02 0000 | | | pump | • | |
| 30-40-31AA | U | | 5" right discharge - Storz | 1 | |
| 30-41-2025 | U | | 2-1/2" RS discharge SS, bleeder, Waterous manifold pump | 1 | MTL |
| | | | 2-1/2 KS discharge SS, bleeder, Waterous manifold pump 2-1/2" LS discharge SS, bleeder, Waterous manifold pump | | MTL |
| 30-41-2525 | c | | | 2 2 | MTL |
| 30-43-1520 | S | | 2-1/2" rear discharge SS, plumbed 3", bleeder | | |
| 30-44-0720 | S | | 1-1/2" speedlay (each) front of pumphouse SS, plumbed 2" | 2 | MTL |
| 30-44-1020 | - | > | 1-1/2" front trash line SS, plumbed 2", hosewell | 1 | MTL |
| 30-44-3520 | S | | 2-1/2" speedlay SS, plumbed 2-1/2", bleeder | 1 | MTL |
| 30-44-6520 | S | | Piping for monitor SS, plumbed 3" | 1 | MTL |
| 30-51-0500 | | | Pump shift-Midship air | 1 | MTL |
| 30-51-0700 | | | Pump Gearbox mounted manual over ride for pump shift | 1 | MTL |
| | | | E | | |
| 30-51-6700 | | | FRC Pump Boss Governor/Throttle engine display | 1 | MTL |
| 30-51-7000 | | | Suction side relief V/V, manifold pump | 3 | MTL |
| 30-51-8100 | | | Heat exchanger included with chassis | 1 | MTL |
| 30-51-8500 | | | Pump cooler with control valve, check valve | 1 | MTL |
| 30-51-9100 | | | Thermal Relief Valve with warning light | 1 | MTL |
| 30-52-1000 | | | Master drain V/V, 12 port | 1 | MTL |
| 30-52-2000 | | | Drain valve for foam system header | 1 | MTL |
| | | | Panel mount foam Pickup tube and valve Akron | 1 | MTL |
| 80-52-3500 | U | | | 1 | WIL |
| 30-52-3510 | | | Manual flush control on pump panlel | 1 | |
| 30-52-4310 | S | | Foam System - Hypro FoamPro 2002 Dual Tank | 1 | MTL |
| 30-52-6500 | ~ | | FoamPro dual tank selector valve (manual) | 1 | MTL |
| 30-52-8100 | S | | Electric foam fill pump with panel pickup - Class A foam | 1 | MTL |
| 30-52-9100 | | | Foam concentrate label at foam tank fill | 1 | MTL |
| 30-52-9200 | | | Foam System Instruction Plates | 1 | MTL |
| 30-52-9400 | | | NFPA Foam System certification test | 1 | MTL |
| 30-99-05AA | U | | Trident air primer - Four location | 1 | |
| | | | WATER AND FOAM TANKS | 1 | MTL |
| 40-11-2100 | | | Ultra-Tank water tank (Imperial gallons) | 1 | MTL |
| 40-11-2200 | | | Water tank capacity certification (tank manufacturer) | 1 | MTL |
| 40-11-5000 | S | | Tank capacity 1050 Imperial Gallons | 1 | MTL |
| 40-12-4500 | | | Foam cell - 20 Imperial gallon | 1 | MTL |
| 40-21-1000 | S | | 4" tank to pump connection | 1 | MTL |
| 40-22-0500 | S | | 4" tank fill connection | 1 | MTL |
| 40-23-0500 | 0 | | 1" water level gauge connection | 1 | MTL |
| 40-23-1000 | | | 1" foam level gauge connection | 1 | MTL |
| 40-23-1000 | | | 4" direct fill connection | 1 | MTL |
| 40-23-1040 | | | 10" Newton dump connection | 1 | MTL |
| | | | | 1 | MTL |
| 40-30-0500 | | | Sump drain valve (3" gate valve) with linkage | 1 | WIL |
| 10 00 1000 | ~ | | E Water From Fill Davias mid left side | | |
| 40-30-1000 | S | | Water, Foam Fill Boxes mid left side | 1 | |
| 40-31-4500 | | | 10" rear Newton dump, painted steel | 1 | MTL |
| 40-31-5000 | - | | Newton dump - 36" telechute painted steel | 1 | MTL |
| 10-31-5500 | S | | Electric operator for Newton dump | 1 | MTL |
| 40-31-8000 | S | | 4" rear gtd fill with 5" Storz adapter | 1 | MTL |
| | | | ELECTRICAL | 1 | MTL |
| 50-11-0400 | | | Base electrical system - Spartan multiplex | 1 | MTL |
| 50-11-0600 | | | Warning Light Certification | 1 | MTL |
| 50-11-0700 | | | Low Voltage Electrical system test | 1 | MTL |
| 50-11-0800 | | | Low Voltage Electrical System Documents | 1 | MTL |
| 50-11-0900 | | | Rocker switch panel with master warning switch | 1 | MTL |
| 50-11-2000 | S | | Federal Q2B mechanical siren - pedastel mount on bumper | 1 | MTL |
| 0.11-2000 | 0 | | extension | 1 | INT L |
| | | | | | |

| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
|-------------------|---|----------|--|---------|------------|
| 50-11-2600 | | | Siren to be accessible to driver and officer | 1 | MTL |
| 50-11-6110 | | | Whelen light bar included with chassis | 1 | MTL |
| 50-11-6600 | | | Rear LED Traffic Advisor warning lights - surface mount | 1 | MTL |
| 50-11-90AA | U | | Mini Justice JY Series light bars (pr) | 1 | |
| 50-12-8000 | S | | Additional body side intersection light with chassis | 1 | MTL |
| 50-12-8521 | Ū | | Front flashers, intersection lights included with chassis, | 1 | MTL |
| JO-12-0321 | | | Whelen 600 | | 1011 L |
| 50-12-8610 | | | Rear LED flashers (pr)-Whelan red LED 600 with integral | 1 | MTL |
| 50-12-0010 | | | flasher | , | |
| FO 40 0040 | | | | 4 | MTL |
| 50-12-8810 | | | Body side inter Its (pr)-Whelan red LED 600 with integral | 1 | WIL |
| | | | flasher | 4 | |
| 50-13-0500 | | | Opticom emitter - roof mounted with switch in cab | | MTL |
| 50-21-1500 | | | Rear floods (pr)-Unity | 1 | MTL |
| 50-21-2540 | | | FRC telescoping SPECTRA LED 12V flood (ea) | 2 | MTL |
| 50-21-28AA | U | | Willburt Nightscan Chief 2.3 w/ 4 FRC Spectra LED lampheads | 1 | |
| 0-21-5100 | | > | Compartment lighting - LED tube lights in each compartment | 1 | MTL |
| | | | (rollup doors) | | |
| 50-21-5500 | S | | Door Ajar warning light | 1 | MTL |
| 0-21-5550 | - | | Equipment rack not stowed warning light | 1 | MTL |
| 50-21-8001 | | | Step lights for body steps - 4" LED | 1 | MTL |
| 50-21-8201 | S | | Step lights for chassis steps - LED - by Spartan | 1 | MTL |
| 0-21-8600 | 3 | | LED clearance its and reflectors | 1 | MTL |
| 50-21-8600 | | | LED clearance its and reflectors LED intermediate turn signal/clearance/reflector length >30' | 1 | MTL |
| | | | | - | |
| 50-22-0750 | | | Whelan 64 LED CAST 4V tail/brake-turn-backup-warning | 1 | MTL |
| | | | module (pr) | | |
| 0-31-5000 | S | > | 6.0 kw ONAN diesel permanent mount generator | 1 | MTL |
| 60-31-6505 | | | Ground lighting included with chassis | 1 | MTL |
| 50-31-6620 | | | Ground lighting (4" LED) - side mount body | 1 | MTL |
| 51-31-3010 | | > | 120 volt wiring for mounted generator | 1 | MTL |
| 51-31-3100 | | > | Automatic 110 volt transfer switch | 1 | MTL |
| 51-31-4000 | | > | Electric cord reel with 200' x 12/3 cable, lighted box | 1 | MTL |
| 51-31-4500 | | - | Dielectric strength test for line voltage system | 1 | MTL |
| 1 01 4000 | | | BODY | 1 | MTL |
| 60-10-1400 | | | Single axle extruded aluminum body | 1 | MTL |
| | | | No "beavertail" rear step supports | | MTL |
| 60-10-4100 | | | | 1 | |
| 60-10-4600 | | | Painted fender surround E | 1 | MTL |
| 0-10-4700 | | | Integral aluminum fender trim | 1 | MTL |
| 0-10-5400 | | > | Diamondback pumphouse steps | 1 | MTL |
| 60-10-5430 | | > | Diamondback 19" rear step | 1 | MTL |
| 60-10-6500 | S | | Bolt on extruded aluminum rub rail | 1 | MTL |
| 60-11-0300 | | > | Eront left side compartments full height | 1 | MTL |
| | | | E | | |
| 60-11-0700 | | > | Front right side compartments full height | 1 | MTL |
| | | - | E | - | |
| 60-11-1000 | | > | – Rear left side compartments full height | 1 | MTL |
| | | - | F | , | |
| 60-11-1400 | | | - | 1 | MTL |
| | | > | 0 1 0 | 1 | |
| <u>50-11-2000</u> | | > | High side compartment (over 18") each | 3 | MTL |
| 0-11-2500 | | > | Rear compartment at step level | 1 | MTL |
| 60-11-5600 | | | Rollup door - painted job colour - standard height | 4 | MTL |
| 60-11-5620 | | | Rollup door - painted job colour - full height | 4 | MTL |
| 60-11-5640 | | | Drip pan under rollup door roll (each) | 4 | MTL |
| 0-11-5640 | | | Brip pan under rollup door roll (each) | 4 | MTL |
| 0-31-4100 | | | Extruded aluminum handrails | 1 | MTL |
| 0-31-5500 | | | Steps at rear of body (folding) | 1 | MTL |
| 60-31-5600 | | | Steps and grab handles at front of body next to pump panel | 1 | MTL |
| 60-31-6500 | | | Compartment matting-Turtle tile | 1 | MTL |
| | | | | | |
| | | | BA bottle compt (ea)-fender well | 4 | MTL |
| 60-31-8000 | | | | | A 4 |
| | | > > | Sliding tray (ea) - 600 pound capacity Adjustable shelf (ea) | 4 11 | MTL MTL |

| PART NO | S | STN CODE | DESCRIPTION | QTY | Page ID |
|------------|--------|----------|--|-----|------------|
| | S S | STNCODE | Five adjustable hose divider (each) | | |
| 60-32-3570 | 3 | | | 1 | MTL |
| 60-32-7500 | | | Hose bed - aluminum | 1 | MTL |
| 60-33-0000 | | | Paint exterior - Imron Elite | 1 | MTL |
| 60-33-0200 | | | Undercoat vehicle with KROWN rust protection | 1 | MTL |
| 60-33-0600 | | | Chassis wheels not painted | 1 | MTL |
| 60-33-1000 | | | Paint pump and plumbing job colour | 1 | MTL |
| 60-33-1500 | | | Buffed finish compartment interior | 1 | MTL |
| 60-33-2200 | | | Lettering - 80 letters up to 3" tall - 3 colour | 1 | MTL |
| 60-33-3300 | S | | Reflective stripe - 2" - 2" - 2" Yellow/White/Yellow with 1" gap | 1 | MTL |
| 60-33-3310 | S | | Reflective stripe - red and yellow chevron at front and rear | 1 | MTL |
| 60-33-3500 | | | Tarp over hose bed - black | 1 | MTL |
| 60-33-4600 | S | | Speedlay end tarps (black) | 1 | MTL |
| 60-40-4000 | | | 5" Hose tray - top mount (ea) | 2 | MTL |
| 60-41-1000 | | | Pike Pole tube with door | 1 | MTL |
| 60-41-9500 | S | > | Zico Horizontal Ladder Access system | 1 | MTL |
| 60-41-9510 | | | ZICO HLAS switched at rear above tail light | 1 | MTL |
| 60-91-0500 | | > | Compartment SCBA Storage rack | 1 | MTL |
| | | - | E | - | |
| | | | INSTRUMENTATION | 1 | MTL |
| 70-11-0000 | | | Warning Label on Pump Operator's Panel | 1 | MTL |
| 70-11-0500 | | | Side mount instrument panel | 1 | MTL |
| 70-11-1000 | | | Black zolatone instrument panels | 1 | MTL |
| 70-11-3200 | | | Colour coded tags | 1 | MTL |
| 70-11-4500 | S | | Diamondback grip type panel hood step right side LED | 1 | MTL |
| 70-11-4500 | 3 | | lighting | | |
| 70 44 4600 | S | | | 1 | MTL |
| 70-11-4600 | | | Diamondback grip type panel hood step left side LED lighting | | |
| 70-11-5100 | S | | Open storage at top of pump house | 1 | MTL |
| 70-11-5300 | S | | Right side pump access Panel | 1 | MTL |
| 70-11-7500 | • | | Heat pan-aluminum | 1 | MTL |
| 70-11-8000 | S | | Heater in pump compartment with thermostat | 2 | MTL |
| 70-20-0500 | S | | 4-1/2" compound gauge - dual face 0-300/2100 Kpa | 2 | MTL |
| 70-20-1500 | S | | 2-1/2" pressure gauge - dual face 0-300/2100 Kpa | 11 | MTL |
| 70-20-3200 | | | FRC Pump Boss Governor Control | 1 | MTL |
| 70-20-3510 | S | | Electric water level gauge on pump panel and at rear, FRC | 1 | MTL |
| | | | TankVision | | |
| 70-20-6500 | | | Test gauge panel | 1 | MTL |
| 70-20-7500 | | | Heat exchanger control valve | 1 | MTL |
| 70-20-7600 | S | | Pump cooler control valve | 1 | MTL |
| 70-21-1500 | S | | Electric Foam Level gauge - FRC TankVision | 1 | MTL |
| 70-21-5500 | | | Panel readout for Battery Conditioner | 1 | MTL |
| | | | ACCESSORIES | 1 | MTL |
| 80-11-4000 | S | | 5" x 10' lightweight suction hose (ea) Storz with folding | 2 | MTL |
| | | | handles | | |
| 80-14-0500 | S | | 24' 2 section extension ladder Duo Safety | 1 | MTL |
| 80-14-5500 | S | | 14' aluminum roof ladder Duo Safety | 1 | MTL |
| 80-14-8500 | S | | 10' aluminum folding attic ladder Duo Safety | 1 | MTL |
| 80-99-05AA | Ū | | TFT XG18VL-XL Telescoping water way - Supply and | 1 | _ |
| | - | | installation | | |
| 80-99-1000 | U | | Power bar for transformer type adapters | 1 | |
| | - | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |