

Shop Order-00-10-15: Unclassified

ERL Enterprises Ltd. Mike Fitzpatrick 71 Blackmarsh Road St. John's, NL A1E 1S6 City of St. John's Keith McDonald St. John's Regional Fire Department 5 Fort Townshend St. John's, NL A1C 5M2

Exp. Date: 06/12/2015

Quote No: ESTNL-0010 Job/Order No: 18411

BODY: 00-10-15 Metalfab Pumper - ULC 05/13

<u>02/10/2017</u> Page 1

02/10/2017						Page 1
PART NO	S	STN CODE	DESCRIPTION		QTY	ID
			== Metalfab Pumper - ULC 05/13 - 0.000 ==		1	
	S		CHANGE ORDER B		1	MTL
00-10-1500			Metalfab Pumper E		1	MTL
00-20-1000			Company Profile E		1	MTL
00-20-1500			Standard Body Warranty		1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warra	anty	1	MTL
00-20-1600			Waterous Pump Warranty - 5 years		1	MTL
00-20-1800			Ultra Tank Lifetime Warranty		1	MTL
00-20-2100	S		Plant Inspection Visits		1	MTL
00-20-3000			No Bonding Required		1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum		1	MTL
00-20-4000			Quality System registered to ISO 9001:2008		1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership		1	MTL
			GENERAL INFORMATION		1	MTL
10-11-0000			Intent		1	MTL
10-11-0110			Vehicle data recorder included with chassis		1	MTL
10-11-1100	S		ULC S515-13 Compliance		1	MTL
10-11-1500		>	ULC Testing - Pumper		1	MTL
10-11-2100			Maximum length not specified	Е	1	MTL
10-11-2200			Maximum height not specified	Е	1	MTL
10-11-2400			Overall length is 30' or more		1	MTL
10-11-2500			General Construction		1	MTL
10-11-3000			Manuals - two copies		1	MTL
10-11-3600	S	>	Delivery - FOB Fire Department		1	MTL
10-11-4300	S		Payment Terms - Chassis and Body NET 30		1	MTL
10-20-1000			Hose bed capacity - standard ULC Pumper		1	MTL
10-20-2000			Equipment carrying capacity - standard ULC Pumper		1	MTL
			CHASSIS INFORMATION		1	MTL
20-11-1000	S		Chassis supplied by Metalfab - Spartan Metro Star		1	MTL
20-11-1500			2013 Emission chassis modifications		1	MTL
20-11-1600			Chassis Motor Vehicle Inspection not required		1	MTL
20-21-0500			Fluid capacity plate		1	MTL
20-21-0600			Pumping test plate		1	MTL
20-21-1040			Maximum riders sign - 6 persons		1	MTL
20-21-1510			Seat belt warning labels - 4 door chassis		1	MTL
20-21-1550	S		Tire Pressure Indicators - Voucher with Spartan chass	is	1	MTL
20-21-1600			Apparatus Information Label		1	MTL
20-21-2500			Shifter lock not required E		1	MTL
20-21-3500			Rear step warning label		1	MTL
20-21-3810			Front mudflaps provided with chassis		1	MTL
			E			

02/10/2017 Page 2

02/10/2017				Page 2
PART NO	S STN CODE		QTY	ID
20-21-4000		Rear mudflaps - Metalfab Logo	1	MTL
20-31-0100		Fuel tank or step covers not required	1	MTL
20-31-0200		Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
20-31-1900	S	Chassis cab - white over red by Spartan	1	MTL
20-41-0600		Intake air shutoff for engine not required	1	MTL
20-41-0900		Auxiliary braking system disabled when pumping	1	MTL
20-41-1200	S	Transmission programming by Spartan	1	MTL
20-41-1500		Extend exhaust pipe - RS front of rear wheels	1	MTL
		E		
20-41-1900		Battery boost terminals with chassis E	1	MTL
20-41-2000		Chassis batteries remain in OEM location	1	MTL
20-41-2550		Fuel fill at LS rear fender well	1	MTL
20-41-2600		Chassis fuel tank remains in OEM location	1	MTL
20-41-5000		Rear Tow Hooks - under body	1	MTL
20-51-0700		Master Battery Disconnect included with chassis	1	MTL
20-51-2500		Back up alarm included with chassis	1	MTL
20-51-3100		Air inlet not required	1	MTL
		Protection valve installed for air operated accessories	1	MTL
20-51-3400	•		•	
20-51-6501	S	Kussmaul 1200 Pump Plus with Auto eject by Spartan	1	MTL
20-51-7102	S	Electric System Management included with chassis - V_MUX	1	MTL
20-51-7500	S <	Super Auto eject for 120 v - 20 A with sealed enclosure	1	MTL
		Install just above rear step to cab buzzer on left side rear of body		
		unless otherwise specified.		
20-51-8500	S	Engine compartment lights (pair) by Spartan	1	MTL
20-51-9001	S	Air horns with Spartan chassis	1	MTL
20-52-0500		Rear step to cab buzzer	1	MTL
20-52-3500	>	Chassis steering wheel lined up by Metalfab	1	MTL
		E		
20-53-05AA	U	Chassis alignment check when fully loaded	1	
20-60-0400		Chassis wheelbase does not change	1	MTL
20-99-05AA	U	LED Scene lights (pr) Whelen M9LZC - cab mounted	1	
20-99-10AA	Ü	12-Volt LED Brow light, front center of cab - Whelen Pioneer	1	
20 00 10121		PFA2	-	
20-99-15AA	U	Keyed latch for DEF access cover	1	
20-99-20AA	Ū	Extend air tank moisture ejector cables to rubrail and label/tag	1	
20 00 20/131		= xtoria air taint morotaro opostor cabros to rabran aira laboritag		
20-99-25AA	U	Air horn control on pump panel	1	
20-33-23AA		PUMP AND PLUMBING	1	MTL
30-12-3900		Packing for Waterous pumps	1	MTL
		Waterous CSU single stage 1500 IGPM	1	
30-12-6500			•	MTL
30-15-0203		Plumbing - Waterous manifold pump SM	1	MTL
00 00 0500		Volume and acceptable with an end		N ATT
30-20-0500		Valves and controls - side mount panel	1	MTL
30-20-1002		Akron valves specified	1	MTL
30-20-1600		Piping stainless steel - general	1	MTL
30-20-1700	S	1-1/2" thread specifications - NPSH	1	MTL
30-20-1800	S	2-1/2" thread specifications - St. John's thread	1	MTL
30-20-2000		Piping hydrostatic test	1	MTL
30-21-5560		Tank to Pump SS 3" w/ check valve manifold pump	1	MTL
30-22-0520		Tank Fill valve 2" SS	1	MTL
30-31-4010		Suction - 6" not gated each side manifold pump	1	MTL
30-32-7535		Suction - 2-1/2" left side SS, bleeder, Waterous manifold pump	2	MTL
30-32-8035		Suction - 2-1/2" right side SS, bleeder, Waterous manifold	2	MTL
		pump		
30-40-2025		4" right discharge SS, plumbed 3", Waterous manifold pump	1	MTL
30-41-2025		2-1/2" RS discharge SS, bleeder, Waterous manifold pump	2	MTL
30-41-2525		2-1/2" LS discharge SS, bleeder, Waterous manifold pump	2	MTL
30-42-8520		1-1/2" rear discharge SS, plumbed 2"	2	MTL
30 42-0020		. 1/2 Tour disoriarge 55, piunibed 2		171 I L

02/10/2017 Page 3

02/10/2017					Page 3
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
30-44-0520			1-1/2" crosslay (each) SS, 2" valve, bleeder	2	MTL
30-44-1020		>	1-1/2" front trash line SS, plumbed 2", hosewell	1	MTL
30-44-6520			Piping for monitor SS, plumbed 3", bleeder	1	MTL
30-51-0500			Pump shift-Midship air	1	MTL
30-51-0700			Pump Gearbox mounted manual over ride for pump shift	1	MTL
			E		
30-51-6600			Class One Governor/Throttle	1	MTL
30-51-7000			Suction side relief V/V, manifold pump	1	MTL
30-51-7500			Primer electric vane type 12V with oil tank Waterous	1	MTL
30-51-8100			Heat exchanger included with chassis	1	MTL
30-51-8500	S		Pump cooler with control valve, check valve	2	MTL
30-52-1000			Master drain V/V, 12 port	1	MTL
30-52-2000			Drain valve for foam system header	1	MTL
30-52-4210			Foam System - Hypro FoamPro 2002 Single Tank	1	MTL
30-52-9100			Foam concentrate label at foam tank fill	1	MTL
30-52-9200			Foam System Instruction Plates	1	MTL
30-52-9400			NFPA Foam System certification test	1	MTL
00 02 0 700			WATER AND FOAM TANKS	1	MTL
40-11-2100			Ultra-Tank water tank (Imperial gallons)	1	MTL
40-11-2100			Water tank water tank (imperial gallons) Water tank capacity certification (tank manufacturer)	1	MTL
40-11-4000			Tank capacity 500 Imperial Gallons	1	MTL
40-12-5000			Foam cell - 30 Imperial gallon	1	MTL
				_	MTL
40-21-0500			3" tank to pump connection	1	
40-22-0500			2" tank fill connection	1	MTL
40-23-0500			1" water level gauge connection	1	MTL
40-30-0500			Sump drain valve (3" gate valve) with linkage	1	MTL
40.00.4000			E	4	N 4-T-1
40-30-1000			Water Fill Box front left corner	1	
40-31-0400			Rear dump valve not requested E	1	MTL
40-31-6050			Rear fill not requested E	1	MTL
			ELECTRICAL	1	MTL
50-11-0400			Base electrical system - Spartan multiplex	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
50-11-1400	S		Federal PA4000 siren - by Spartan	1	MTL
50-11-1620	S		Siren speaker,100 watt, in front bumper - by Spartan	1	MTL
50-11-2600			Siren to be accessible to driver and officer	1	MTL
50-11-6100	S		Whelen FN60QLED LED light bar NFPA	1	MTL
50-11-6501			Rear Directional Light not required E	1	MTL
50-11-8600	S		Rear LED beacons-Whelen MCFLED2R (pr) Red DS, Amber PS	1	MTL
50-12-8000			Additional body side intersection light not required	1	MTL
50-12-8521			Front flashers, intersection lights included with chassis,	1	MTL
			Whelen 600		
50-12-8610	S		Rear LED flashers (pr)-Whelen red LED 700 with integral	1	MTL
			flasher		
50-12-8810	S		Body side inter Its (pr)-Whelen red LED 600 with integral	1	MTL
	_		flasher		
50-21-30AA	U		Go-Light, Model 3067 Stryker	2	
50-21-5110			Compartment lighting - LED tube lights in each compartment	1	MTL
00 27 0770			(flush doors) E	,	
50-21-5500			Door Ajar warning light	1	MTL
50-21-8001			Step lights for body steps - 4" LED	1	MTL
50-21-8201	S		Step lights for chassis steps - LED by Spartan	1	MTL
50-21-8600			LED clearance its and reflectors	1	MTL
50-21-8800			LED intermediate turn signal/clearance/reflector length >30'	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
	c			•	
50-31-6505	S		Ground lighting included with chassis - LED Ground lighting (4" LED) side mount body	1	MTL
50-31-6620			Ground lighting (4" LED) - side mount body	7	MTL

02/10/2017 Page 4

02/10/2017					Page 4
PART NO	S	STN CODE		QTY	ID
50-99-05AA	U		LED lights above rear tail board	1	
50-99-10AA	U		FRC 12-Volt Model FCA570-V08-ON LED flood light (ea)	2	
			BODY	1	MTL
60-10-1400	S		Single axle extruded aluminum body	1	MTL
60-10-15AA	U		Install emobossed type deckplate over compartments	1	
60-10-4000			Tapered "beavertail" rear step supports	1	MTL
60-10-4500			Aluminum tread plate fender surround - single axle	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5400		>	Diamondback pumphouse steps	1	MTL
60-10-5430		>	Diamondback 19" rear step	1	MTL
60-10-6500			Bolt on extruded aluminum rub rail	1	MTL
60-10-70AA	U		Eluminum 1/2" x 1/2" x 1/8" protective chip guard on lower	1	
			edge of compts		
60-11-0300		>	Front left side compartments full height	1	MTL
			E		
60-11-0700		>	Front right side compartments full height	1	MTL
			Ε		
60-11-1000		>	Rear left side compartments full height	1	MTL
			Ε		
60-11-1400		>	Rear right side compartments full height E	1	MTL
60-11-2000		>	High side compartment (over 18") each	2	MTL
60-11-2500		>	Rear compartment at step level	1	MTL
60-11-3000		>	Rear compartment above intermediate step	1	MTL
60-11-4500			Flush mount aluminum door - single with "D" handle	3	MTL
60-11-4510			Flush mount aluminum door - double with "D" handle	5	MTL
60-31-4100			Extruded aluminum handrails	1	MTL
60-31-5500			Steps at rear of body (folding)	1	MTL
60-31-5600			Steps and grab handles at front of body next to pump panel	1	MTL
60-31-5800	S		Full width step between the two rear compartments - diamond	1	MTL
00 01 0000			back		
60-31-6500			Compartment matting-Turtle tile	1	MTL
60-31-8000			BA bottle compt (ea)-fender well	4	MTL
60-31-8700		>	Sliding tray (ea) - 400 pound capacity with gas strut	4	MTL
60-31-9600	S	>	Adjustable shelf (ea)	7	MTL
60-32-3570	3		Four adjustable hose divider (each)	1	MTL
60-32-7500			Hose bed - aluminum	1	MTL
60-33-0000			Paint exterior - Imron Elite	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0600	S		Chassis wheels not painted - Aluminum wheels	1	MTL
60-33-1000			Paint pump and plumbing job colour	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
<i>60-33-1600</i>	S		Ladder tube(s) interior - gray zolatone	1	MTL
60-33-1000	3		Lettering - 80 letters up to 3" tall - 3 colour	1	MTL
60-33-3200	S		Reflective stripe - 1" - 5" -1" white	1	MTL
60-33-3310	J		Reflective stripe - red and yellow chevron at rear	1	MTL
60-33-3510			Tarp over hose bed - black	1	MTL
60-33-4600			Aluminum cover over crosslays - with end tarps (black)	1	MTL
60-40-4500			6" Hose tray - side mount (ea)	2	MTL
60-40-9000	S	>	Completely enclosed weather tight tube mount for ladders,	2	MTL
00 40 3000			with rear door		
			INSTRUMENTATION	1	MTL
70-11-0000			Warning Label on Pump Operator's Panel	1	MTL
70-11-0500			Side mount instrument panel	1	MTL
70-11-1500			Stainless steel instrument panels	1	MTL
70-11-3200			Colour coded tags	1	MTL
70-11-4000	S		Stainless steel side panel hood right side	1	MTL
70-11-4100	S		Stainless steel side panel hood left side	1	MTL
70-11-42AA	U		LED Pump compartment light (pr)	1	171 T L
70-11-5100	J		Open storage at rear top of pump house	1	MTL
70-11-5500			Right side tread plate pump access door	1	MTL
70 71 3000			ragin oldo troud plato pamp doobaa door	•	.71.1
L					

<u>02/10/2017</u> Page 5

02/10/2017					Page 5
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
70-11-75AA	U		Heat Pan - Aluminum with neoprene rubber seals	1	
70-11-8000			Heater in pump compartment	1	MTL
70-20-0500	S		4-1/2" compound gauge - dual face 0-400	2	MTL
70-20-1500	S		2-1/2" pressure gauge - dual face 0-400	11	MTL
70-20-2500	_		Primer control	1	MTL
70-20-3100			Class One Governor Control	1	MTL
70-20-3500			Electric water level gauge on pump panel, Class One	1	MTL
70-20-6500			Test gauge panel	1	MTL
70-20-7500			Heat exchanger control valve	1	MTL
70-20-7600			Pump cooler control valve	2	MTL
70-21-0110			Class One ENFO IV engine monitor J1939	1	MTL
70-21-1600	_		Electric Foam Level gauge not required	1	MTL
70-21-2000	S	>	Hourmeter - Pump hours	1	MTL
			ACCESSORIES	1	MTL
80-11-5000	S		6" x 10' lightweight suction hose (ea) Northline brand	2	MTL
80-13-0500			Rubber mallet	1	MTL
80-13-1000			Hose wrenches (double) with holder	2	MTL
80-13-1500			Bar with bracket	1	MTL
80-13-2500	S		Pike pole, fibreglass handle - 8' long	1	MTL
80-13-4000			Axe, pick head, fibreglass handle and bracket	2	MTL
80-14-0500	S		24' 2 section extension ladder Duo-Safety	1	MTL
80-14-5500	S		14' aluminum roof ladder Duo-Safety	1	MTL
80-16-0500	_		Akron 3423 Portable/deck monitor with stacked tips	1	MTL
80-18-0840			Pistol grip nozzle holder - ZICO NBM-2	2	MTL
80-99-05AA	U		Dixon Northline Piston Intake Relief Valve	1	WIL
80-99-10AA	Ü		Akron Style 340 Barrel Strainer - 6"	1	
	_			_	
80-99-15AA	U		Akron Style 3405 18" upper deck monitor riser	1	
80-99-20AA	U		Akron Turbomaster 1755 Master stream fog nozzle	1	