



Southwold Fire Department  
 Chief Robert Brown  
 35663 Fingal Line  
 Fingal, ON N0L 1K0  
 firechief@twp.southwold.on.ca



**Exp. Date:** 03/22/2014  
**Quote No:** 10019-0005      **Job/Order No:** 17729  
**BODY:** 00-10-26      Metalfab Walk In - 05/13

02/13/2017

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			<b>== Metalfab Walk In - 05/13 - 0.000 ==</b>	1	MTL
	S		<b>CHANGE ORDER A</b>	1	MTL
00-10-2500	S		<b>Metalfab Walk around Rescue/Equipment Unit</b>	1	MTL
00-20-1000			Company Profile E	1	MTL
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
00-20-2100	S		<b>Plant Inspection Visits</b>	1	MTL
00-20-3000			No Bonding Required	1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent E	1	MTL
10-11-0110			<b>Vehicle data recorder included with chassis</b>	1	MTL
10-11-0700			ULC S515-04 Compliance - Rescue/Equipment	1	MTL
10-11-2010		>	ULC Testing - Special Services Vehicle - no pump	1	MTL
10-11-2100			Maximum length not specified E	1	MTL
10-11-2200			Maximum height not specified E	1	MTL
10-11-2400			<b>Overall length is 30' or more</b>	1	MTL
10-11-2500			General Construction	1	MTL
10-11-3000			Manuals - two copies	1	MTL
10-11-3600	S	>	<b>Delivery - FOB Fire Department</b>	1	MTL
10-11-4000	S		<b>Payment Terms - Chassis Net 10 Days, 90% of Balance COD, 10% 45 days</b>	1	MTL
10-20-2640			<b>Equipment carrying capacity - ULC/NFPA SSV 40,001 to 50,000 GVW</b>	1	MTL
			CHASSIS INFORMATION	1	MTL
20-11-1000	S		<b>Chassis supplied by Metalfab</b>	1	MTL
20-11-1500			2013 Emission chassis modifications	1	MTL
20-11-1700	S		<b>Chassis Motor Vehicle Inspection required - ON</b>	1	MTL
20-21-0500			Fluid capacity plate	1	MTL
20-21-1000	S		<b>Maximum riders sign - with Spartan Chassis</b>	1	MTL
20-21-1500	S		<b>Seat belt warning labels - with Spartan Chassis</b>	1	MTL
20-21-1550	S		<b>Tire Pressure Indicators included with chassis</b>	1	MTL
20-21-1600			Apparatus Information Label	1	MTL
20-21-2000			Non removable key	1	MTL
20-21-2500			Shifter lock not required E	1	MTL
20-21-3500			Rear step warning label	1	MTL
20-21-3810			<b>Front mudflaps provided with chassis</b>	1	MTL
			E		
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-31-0100			Fuel tank or step covers not required	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
20-31-1900			Chassis cab not painted	1	MTL
<b>20-41-1200</b>			<b>Transmission programming not required</b>	<b>1</b>	<b>MTL</b>
<b>20-41-1510</b>			<b>Extend exhaust pipe - LS front of rear wheels</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
20-41-1900			Battery boost terminals with chassis	1	MTL
20-41-2000			Chassis batteries remain in OEM location	1	MTL
<b>20-41-2550</b>			<b>Fuel fill at LS rear fender well</b>	<b>1</b>	<b>MTL</b>
20-41-2600			Chassis fuel tank remains in OEM location	1	MTL
<b>20-41-5010</b>	<b>S</b>		<b>Rear Tow Hooks - through rear of body</b>	<b>1</b>	<b>MTL</b>
<b>20-51-0700</b>			<b>Master Battery Disconnect included with chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-2500</b>			<b>Back up alarm included with chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-3100</b>			<b>Air inlet not required</b>	<b>1</b>	<b>MTL</b>
20-51-3400			Protection valve installed for air operated accessories	1	MTL
<b>20-51-6200</b>	<b>S</b>	<b>&gt;</b>	<b>120 volt 20 A shore line connection in chassis cab</b>	<b>2</b>	<b>MTL</b>
<b>20-51-6600</b>	<b>S</b>		<b>Kussmaul Pump Plus conditioner/compressor</b>	<b>1</b>	<b>MTL</b>
<b>20-51-7102</b>			<b>Electric System Manager included with chassis</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
20-51-7300		<b>&gt;</b>	Low Voltage Alarm in cab - ESM remote panel in rocker switch panel	1	MTL
<b>20-51-7500</b>	<b>S</b>		<b>Super Auto eject for 120 Volt with Spartan Chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-8500</b>	<b>S</b>		<b>Engine compartment lights with Spartan Chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-51-9001</b>	<b>S</b>		<b>Air horns with Spartan chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-52-3500</b>		<b>&gt;</b>	<b>Chassis steering wheel lined up by Metalfab</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
20-60-0400			Chassis wheelbase does not change	1	MTL
<b>20-61-3000</b>	<b>S</b>	<b>&gt;</b>	<b>Enclosed crew cab - integral with body</b>	<b>1</b>	<b>MTL</b>
<b>20-61-4000</b>	<b>S</b>		<b>Interior finish - White plastic Corr-lam</b>	<b>1</b>	<b>MTL</b>
<b>20-61-5000</b>	<b>S</b>		<b>Crew cab windows - sliding (2 total)</b>	<b>1</b>	<b>MTL</b>
<b>20-61-5500</b>	<b>S</b>		<b>Crew cab window - fixed (One only)</b>	<b>1</b>	<b>MTL</b>
<b>30-51-1500</b>			<b>Power shift PTO - Automatic transmission</b>	<b>1</b>	<b>MTL</b>
<b>30-51-1501</b>			<b>PTO driveshaft</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
			ELECTRICAL	1	MTL
50-11-0500			Base electrical system	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
<b>50-11-0900</b>			<b>Rocker switch panel with master warning switch</b>	<b>1</b>	<b>MTL</b>
<b>50-11-2600</b>			<b>Siren to be accessible to driver and officer</b>	<b>1</b>	<b>MTL</b>
<b>50-11-6110</b>			<b>Whelen light bar included with chassis</b>	<b>1</b>	<b>MTL</b>
<b>50-11-6610</b>			<b>Rear LED Traffic Advisor warning lights - flush mount</b>	<b>1</b>	<b>MTL</b>
<b>50-11-8001</b>		<b>&gt;</b>	<b>Rear beacons not required</b>	<b>1</b>	<b>MTL</b>
<b>50-12-8521</b>			<b>Front flashers, intersection lights included with chassis, Whelen 600</b>	<b>1</b>	<b>MTL</b>
<b>50-12-8610</b>			<b>Rear LED flashers (pr)-Whelan red LED 600 with integral flasher</b>	<b>1</b>	<b>MTL</b>
<b>50-12-8620</b>			<b>Rear LED flashers (pr)-Whelan red LED 900 with integral flasher</b>	<b>1</b>	<b>MTL</b>
<b>50-12-8810</b>			<b>Body side inter lts (pr)-Whelan red LED 600 with integral flasher</b>	<b>1</b>	<b>MTL</b>
<b>50-12-8820</b>			<b>Body side inter lts (pr)-Whelan red LED 900 with integral flasher</b>	<b>2</b>	<b>MTL</b>
<b>50-21-1600</b>			<b>Parking (ditch) lights in rear fenders</b>	<b>1</b>	<b>MTL</b>
<b>50-21-2700</b>		<b>&gt;</b>	<b>Command Light CL615 Light tower 240V/9000W</b>	<b>1</b>	<b>MTL</b>
50-21-5100		<b>&gt;</b>	Compartment lighting - LED tube lights in each compartment (rollup doors)	1	MTL
<b>50-21-5500</b>	<b>S</b>		<b>Door Ajar warning light</b>	<b>1</b>	<b>MTL</b>
50-21-8005			Step lights for body steps - Rescue	1	MTL
<b>50-21-8200</b>	<b>S</b>		<b>Step lights for chassis steps</b>	<b>1</b>	<b>MTL</b>

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
50-21-8600			LED clearance lts and reflectors	1	MTL
<b>50-21-8800</b>			<b>LED intermediate turn signal/clearance/reflector length &gt;30'</b>	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
<b>50-31-4500</b>		>	<b>35 kw ONAN PTO driven generator</b>	1	MTL
<b>50-31-6000</b>	S	>	<b>Scene lights (pr) - GHSCENE halogen</b>	4	MTL
<b>50-31-6011</b>			<b>Scene light boxes not required</b>	4	MTL
<b>50-31-6505</b>			<b>Ground lighting included with chassis</b>	1	MTL
<b>50-31-6540</b>	S		<b>Ground lighting (halogen) - rescue body</b>	1	MTL
<b>50-35-0500</b>	S		<b>Prewire for Customer supplied mobile radios</b>	3	MTL
<b>50-35-0565</b>			<b>VHF antenna with base - custom chassis (thick roof)</b>	1	MTL
<b>50-90-0500</b>		>	<b>Rescue Body interior lighting ( 12 v clear halogen) - surface mount</b>	1	MTL
<b>50-90-0520</b>		>	<b>Rescue body interior lighting - 120 v fluorescent (ea) with guard</b> E	1	MTL
<b>50-90-2600</b>			<b>Refrigerator for Rescue Truck 120 VAC/12VDC</b>	1	MTL
<b>50-99-05AA</b>	U		<b>Bank charger for Dept. Supplied Motorola radios</b>	2	
<b>51-31-3030</b>		>	<b>120 volt wiring for PTO generator</b>	1	MTL
<b>51-31-3100</b>	S	>	<b>Automatic 120 volt transfer switch</b>	1	MTL
<b>51-31-4000</b>	S	>	<b>Electric cord reel with 200' x 12/3 cable, lighted box</b>	1	MTL
<b>51-31-4500</b>			<b>Dielectric strength test for line voltage system</b>	1	MTL
			BODY	1	MTL
<b>60-10-3000</b>	S	>	<b>Walk in/Walk Around Aluminum Rescue Body 22'</b>	1	MTL
60-10-4100			No "beavertail" rear step supports	1	MTL
60-10-4600			Painted fender surround	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
<b>60-10-5450</b>		>	<b>Diamondback 10" rear step</b>	1	MTL
60-10-6000			Extruded rub rail	1	MTL
<b>60-11-0100</b>		>	<b>Front left side compartment to top of wheel well</b>	1	MTL
<b>60-11-0350</b>		>	<b>Second front left side compartments full height</b> E	1	MTL
60-11-0600		>	Front right side compartments intermediate height	1	MTL
<b>60-11-0750</b>		>	<b>Second front right side compartments full height</b> E	1	MTL
<b>60-11-1000</b>		>	<b>Rear left side compartments full height</b> E	1	MTL
<b>60-11-1400</b>		>	<b>Rear right side compartments full height</b>	1	MTL
<b>60-11-2000</b>	S	>	<b>High side compartment (over 18") each</b>	2	MTL
<b>60-11-3200</b>		>	<b>Full Height Rear compartment</b>	1	MTL
<b>60-11-4401</b>			<b>Rear entry door not required - Rescue body</b> E	1	MTL
<b>60-11-4410</b>	S		<b>Flush mount aluminum door - Rescue body side (single)</b>	1	MTL
<b>60-11-4510</b>			<b>Flush mount aluminum door - double with "D" handle</b>	1	MTL
<b>60-11-5510</b>			<b>Rollup door - intermediate height</b>	3	MTL
<b>60-11-5520</b>			<b>Rollup door - full height</b>	5	MTL
<b>60-31-4100</b>			<b>Extruded aluminum handrails</b>	1	MTL
<b>60-31-5000</b>	S		<b>Zico access Ladder at rear of unit</b>	1	MTL
60-31-6500			Compartment matting-Turtle tile	1	MTL
<b>60-31-8200</b>		>	<b>Sliding vertical tool board</b>	1	MTL
<b>60-31-8200</b>	S	>	<b>Sliding vertical tool board</b>	1	MTL
<b>60-31-8400</b>			<b>Fixed vertical partition</b>	1	MTL
<b>60-31-8700</b>		>	<b>Sliding tray (ea) - 400 pound capacity with gas strut</b>	4	MTL
<b>60-31-8700</b>	S	>	<b>Sliding tray (ea) - 400 pound capacity with gas strut</b>	2	MTL
<b>60-31-9600</b>		>	<b>Adjustable shelf (ea)</b>	3	MTL
<b>60-31-9600</b>	S	>	<b>Adjustable shelf (ea)</b>	2	MTL
<b>60-33-0000</b>			<b>Paint exterior - Imron Elite</b>	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
<b>60-33-0600</b>			<b>Chassis wheels not painted</b>	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
<b>60-33-2200</b>			<b>Lettering - 80 letters up to 3" tall - 3 colour</b>	1	MTL
<b>60-33-3000</b>			<b>Reflective stripe - 4" white</b>	1	MTL

<b>PART NO</b>	<b>S</b>	<b>STN CODE</b>	<b>DESCRIPTION</b>	<b>QTY</b>	<b>ID</b>
60-33-3310			Reflective stripe - red and yellow chevron at rear	1	MTL
60-90-1000		>	Bench seat in Rescue Body - no seat belts	1	MTL
60-90-1500	S	>	Command Desk - Rescue Body	1	MTL
60-90-4000			Walk in Rescue - Interior white finish and insulation	1	MTL
60-90-5000			Interior shelving with doors - Rescue Body	1	MTL
			E		
60-90-6000			Air Conditioner in Rescue Body - 12 volt	1	MTL
60-90-6010			Air Conditioner installation - subcontractor	1	MTL
60-91-0500		>	Compartment SCBA Storage rack	1	MTL
			E		
60-91-0600	S		Manual awning for rescue truck	1	MTL
60-99-0500	U		Walkway on top of body	1	
60-99-0585	U		Roof top coffin compartments	4	
60-99-0590	U		Adjustable dividers for coffin compartments	4	
60-99-25AA	U		2000 lb Sliding tray - 70% Extension	1	
60-99-3000	U		70% 600 lb sliding tray 5' W x 4' D with cabinet	1	
60-99-60AA	U		Stokes basket Storage	1	
60-99-65AA	U		Quick Dry Hopper	1	
60-99-70AA	U		Helmet hooks/mounts	6	
60-99-75AA	U		Lite box shelf	1	
60-99-8000	U		Storage for medical bags in cab, rear of doghouse	1	
60-99-8500	U		Storage tubes LS compartment over rear wheels	1	
60-99-9000	U		Folding railing at rear of unit	1	
70-21-2100		>	PTO Hourmeter	1	MTL
70-21-5500	S		Readout for Battery Conditioner	1	MTL
			ACCESSORIES	1	MTL
80-18-0830	U		Hydraulic hose reel	2	
80-19-0500	S		Large folding wheel chock - aluminum (ea)	2	MTL
80-19-0700		>	Electric Access Step for Rescue	1	MTL
80-99-05AA	U		Price Adjustment	1	