

## Shop Order-00-10-15: Unclassified

Bonny River Second Falls, NB Room 205, Marysville Place 20 McGloin Street Fredericton, NB E3A 5T8

**Exp. Date:** 10/31/2014

Quote No: EBONB-0018 Job/Order No: 18225

**BODY:** 00-10-15 Metalfab Pumper - ULC 05/13

| 02/13/2017 |   |          |   |     | Page |
|------------|---|----------|---|-----|------|
| PART NO    | S | STN CODE | DESCRIPTION   | QTY | ID   |
|            |   |          | == Metalfab Pumper - ULC 05/13 - 0.000 ==                   | 1   | MTL  |
|            | S |          | CHANGE ORDER G  | 1   | MTL  |
| 00-10-1500 |   |          | Metalfab Pumper E   | 1   | MTL  |
| 00-20-1000 |   |          | Company Profile E   | 1   | MTL  |
| 00-20-1500 |   |          | Standard Body Warranty                                      | 1   | MTL  |
| 00-20-1550 |   |          | Metalfab Limited Ten (10) Year Paint and Corrosion Warranty | 1   | MTL  |
| 00-20-1700 |   |          | Hale Pump Warranty - 5 years                                | 1   | MTL  |
| 00-20-1800 |   |          | Ultra Tank Lifetime Warranty                                | 1   | MTL  |
| 00-20-2100 | S |          | Plant Inspection Visits                                     | 1   | MTL  |
| 00-20-3000 |   |          | No Bonding Required   | 1   | MTL  |
| 00-20-3500 |   |          | Certification for Fusion Welding of Aluminum                | 1   | MTL  |
| 00-20-4000 |   |          | Quality System registered to ISO 9001:2008                  | 1   | MTL  |
| 00-20-4500 |   |          | Fire Apparatus Manufacturers' Association Membership        | 1   | MTL  |
|            |   |          | GENERAL INFORMATION   | 1   | MTL  |
| 10-11-0000 |   |          | Intent E  | 1   | MTL  |
| 10-11-0105 |   |          | Vehicle Data Recorder not requested                         | 1   | MTL  |
| 10-11-1100 | S |          | <b>BLC S515-13 Compliance</b>                               | 1   | MTL  |
| 10-11-1500 |   | >        | ULC Testing - Pumper  | 1   | MTL  |
| 10-11-2100 | S |          | Maximum length - 420"                                       | 1   | MTL  |
| 10-11-2200 | S |          | Maximum height - 144"                                       | 1   | MTL  |
| 10-11-2300 |   |          | Overall length is less than 30'                             | 1   | MTL  |
| 10-11-2500 |   |          | General Construction  | 1   | MTL  |
| 10-11-3000 | S |          | Manuals - three copies                                      | 1   | MTL  |
| 10-11-3600 | S | >        | Delivery - FOB Fire Department                              | 1   | MTL  |
| 10-11-4300 | S |          | Payment Terms - Chassis and Body NET 30                     | 1   | MTL  |
| 10-20-1000 |   |          | Hose bed capacity - standard ULC Pumper                     | 1   | MTL  |
| 10-20-2000 |   |          | Equipment carrying capacity - standard ULC Pumper           | 1   | MTL  |
| 10-99-05AA | U |          | Three Sets of Approval Drawings Before Construction         | 1   |      |
|            |   |          | CHASSIS INFORMATION   | 1   | MTL  |
| 20-11-1000 | S |          | Chassis supplied by Metalfab - International 4400           | 1   | MTL  |
| 20-11-1500 |   |          | 2013 Emission chassis modifications                         | 1   | MTL  |
| 20-11-1700 |   |          | Chassis Motor Vehicle Inspection required - NB              | 1   | MTL  |
|            |   |          | E   |     |      |
| 20-21-0500 |   |          | Fluid capacity plate  | 1   | MTL  |
| 20-21-0600 |   |          | Pumping test plate  | 1   | MTL  |
| 20-21-1000 |   |          | Maximum riders sign - 2 persons                             | 1   | MTL  |
| 20-21-1500 |   |          | Seat belt warning labels - 2 door chassis                   | 1   | MTL  |
| 20-21-1550 |   |          | Tire Pressure Indicators not requested                      | 1   | MTL  |
| 20-21-1600 |   |          | Apparatus Information Label                                 | 1   | MTL  |
| 20-21-2000 |   |          | Non removable key   | 1   | MTL  |
| 20-21-2500 |   |          | Shifter lock not required E                                 | 1   | MTL  |
| 20-21-3500 |   |          | Rear step warning label                                     | 1   | MTL  |
|            |   |          |   |     |      |
|            |   |          |   | 1   | 1    |

| 02/13/2017  |   |          |  |     | Page 2 |
|-------------|---|----------|--|-----|--------|
| PART NO     | S | STN CODE | DESCRIPTION  | QTY | ID     |
| 20-21-3800  |   |          | Front mudflaps   | 1   |        |
| 20-21-4000  |   |          | Rear mudflaps - Metalfab Logo                                | 1   | MTL    |
| 20-31-0200  |   |          | Fuel fill label -Ultra Low Sulfur Diesel only                | 1   | MTL    |
| 20-31-0500  |   |          | Alum tread fuel tank trim, Conv - 2 door                     | 1   | MTL    |
| 20-31-1900  |   |          | Chassis cab not painted E                                    | 1   | MTL    |
| 20-31-4700  | S | >        | Extend front bumper, gravshid with preconnected hosewell     | 1   | MTL    |
| 20 01 4700  | • | •        | E  | •   |        |
| 20-31-7500  | S |          | Console in cab   | 1   | MTL    |
|             | 3 |          |  | 1   | MTL    |
| 20-41-0500  |   |          |  | -   |        |
| 20-41-0900  |   |          | Auxiliary braking system disabled when pumping               | 1   | MTL    |
| 20-41-1100  |   |          | Transmission programming - Allison WT                        | 1   | MTL    |
| 20-41-1500  |   |          | Extend exhaust pipe - RS front of rear wheels                | 1   | MTL    |
|             |   |          | E  |     |        |
| 20-41-1900  |   |          | Battery boost terminals with chassis E                       | 1   | MTL    |
| 20-41-2000  |   |          | Chassis batteries remain in OEM location                     | 1   | MTL    |
| 20-41-2510  |   |          | Fuel fill at step fuel tank under cab                        | 1   | MTL    |
| 20-41-2600  |   |          | Chassis fuel tank remains in OEM location                    | 1   | MTL    |
| 20-41-5000  |   |          | Rear Tow Hooks - under body                                  | 1   | MTL    |
| 20-41-5500  |   |          | ON SPOT Automatic traction chains                            | 1   | MTL    |
| 20-51-0700  |   |          | Master Battery Disconnect included with chassis              | 1   | MTL    |
| 20-51-2500  |   |          | Back up alarm included with chassis                          | 1   | MTL    |
|             |   |          |  | 1   | MTL    |
| 20-51-3400  |   |          | Protection valve installed for air operated accessories      | •   |        |
| 20-51-3500  |   |          | Air outlet   | 1   | MTL    |
| 20-51-4000  | _ |          | Auto eject for air inlet - LS                                | 1   | MTL    |
| 20-51-5600  | S |          | Flashing headlights w/ daytime running lights - with chassis | 1   | MTL    |
| 20-51-6500  |   |          | Kussmaul Autocharge 1000 battery conditioner w/battery savei | 1   | MTL    |
|             |   |          |  |     |        |
| 20-51-7102  | S |          | Electric System Management included with chassis - Diamond   | 1   | MTL    |
|             |   |          | Logic  |     |        |
| 20-51-7500  |   |          | Super Auto eject for 120 v - 20 A with sealed enclosure      | 1   | MTL    |
| 20-51-8500  |   |          | Engine compartment lights (pair)                             | 1   | MTL    |
| 20-51-9110  |   |          | Air horns on hood, chassis OEM switch controlled             | 1   | MTL    |
|             |   |          | E  |     |        |
| 20-52-3500  |   | >        | Chassis steering wheel lined up by Metalfab                  | 1   | MTL    |
|             |   |          | E  |     |        |
| 20-52-4000  | S |          | Rear View Camera system                                      | 1   | MTL    |
| 20-60-0400  | _ |          | Chassis wheelbase does not change                            | 1   | MTL    |
| 20 00 0 100 |   |          | PUMP AND PLUMBING  | 1   | MTL    |
| 30-11-5600  |   |          | Hale QFLO Single stage 1050 IGPM                             | 1   | MTL    |
| 30-12-3300  |   |          | Mechanical seal for Hale QFLO/QPAK pumps                     | 1   | MTL    |
|             |   |          | · '  | 1   | MTL    |
| 30-15-0103  |   |          | Plumbing - Hale manifold pump SM                             | 1   |        |
| 30-20-0500  |   |          | ₩alves and controls - side mount panel                       | 1   | MTL    |
| 30-20-1001  |   |          | Valve brand not specified E                                  | 1   | MTL    |
| 30-20-1600  | _ |          | Piping stainless steel - general                             | 1   | MTL    |
| 30-20-1700  | S |          | 1-1/2" thread specifications - Red Head Storz                | 1   | MTL    |
| 30-20-1800  | S |          | 2-1/2" thread specifications - Red Head Storz                | 1   | MTL    |
| 30-20-2000  |   |          | Piping hydrostatic test                                      | 1   | MTL    |
| 30-20-2500  |   |          | Anodes in suction and discharge piping                       | 1   | MTL    |
| 30-21-8510  |   |          | Tank to Pump 4" butterfly valve SS, handwheel control, check | 1   | MTL    |
|             |   |          | valve manifold pump  |     |        |
| 30-22-2020  |   |          | Tank Fill valve 3" SS  | 1   | MTL    |
| 30-31-4010  | S |          | Suction - 6" each side manifold pump                         | 1   | MTL    |
| 30-31-5000  | S |          | Suction - 4" SS piping to front - 6" connection              | 1   | MTL    |
| 30-31-5100  | S |          | Suction - 5" SS piping to rear - 6" connection               | 1   | MTL    |
| 30-31-7200  |   | >        | Hale master intake suction valve - electric control          | 3   | MTL    |
| 30-31-7200  | S | >        | Hale master intake suction valve - electric control          | 1   | MTL    |
| 30-32-7530  | 3 | -        | Suction - 2-1/2" left side SS, bleeder, Hale manifold pump   | 1   | MTL    |
| 30-32-8030  |   |          | Suction - 2-1/2" right side SS, bleeder, Hale manifold pump  | 1   | MTL    |
|             |   |          |  | -   |        |
| 30-40-2020  |   |          | 4" right discharge SS, plumbed 3", Hale manifold pump        | 1   | MTL    |
| 30-41-2020  |   |          | 2-1/2" RS discharge SS, bleeder, Hale manifold pump          | 7   | MTL    |
|             |   |          |  |     |        |
|             |   |          |  |     | j      |

| 02/13/2017 |   |          |  |     | Page 3  |
|------------|---|----------|--|-----|---------|
| PART NO    | S | STN CODE | DESCRIPTION  | QTY | ID      |
| 30-41-2520 |   |          | 2-1/2" LS discharge SS, bleeder, Hale manifold pump            | 2   | MTL     |
| 30-43-1520 |   |          | 2-1/2" rear discharge SS, plumbed 2-1/2", bleeder              | 2   | MTL     |
| 30-44-0520 | S |          | 1-1/2" crosslay (each) SS, 2" valve, bleeder                   | 2   | MTL     |
| 30-44-1000 | S | >        | 1-1/2" front trash line SS, plumbed 2", hosewell               | 1   | MTL     |
| 30-44-6520 |   |          | Piping for monitor SS, plumbed 3", bleeder                     | 1   | MTL     |
| 30-51-0500 |   |          | Pump shift-Midship air   | 1   | MTL     |
| 30-51-0700 |   |          | Pump Gearbox mounted manual over ride for pump shift           | 1   | MTL     |
|            |   |          | E  |     |         |
| 30-51-6640 |   |          | Class One "TPG Plus" Governor/Throttle                         | 1   | MTL     |
| 30-51-7000 | S |          | Suction side relief V/V, manifold pump                         | 3   | MTL     |
| 30-51-7700 | - |          | Primer Hale oil less ESP with oil tank Hale                    | 1   | MTL     |
| 30-51-7800 |   |          | Pre Primer for gated suction Hale primer                       | 1   | MTL     |
| 30-51-8100 |   |          | Heat exchanger included with chassis                           | 1   | MTL     |
| 30-52-1000 |   |          | Master drain V/V, 12 port                                      | 1   | MTL     |
| 30-52-2000 |   |          | Drain valve for foam system header                             | 1   | MTL     |
| 30-52-5510 | S |          | Foam system-Hypro FoamPro 2001 Single Tank                     | 1   | MTL     |
| 30-52-8100 | 3 |          | Electric foam fill pump with panel pickup                      | 1   | MTL     |
|            |   |          | Foam Tank drain  | 1   | MTL     |
| 30-52-9000 |   |          | Foam concentrate label at foam tank fill                       | -   |         |
| 30-52-9100 |   |          |  | 1   | MTL     |
| 30-52-9200 |   |          | Foam System Instruction Plates                                 | 1   | MTL     |
| 30-52-9400 |   |          | NFPA Foam System certification test                            | 1   | MTL     |
|            |   |          | WATER AND FOAM TANKS   | 1   | MTL     |
| 40-11-2100 |   |          | Ultra-Tank water tank (Imperial gallons)                       | 1   | MTL     |
| 40-11-2200 |   |          | Water tank capacity certification (tank manufacturer)          | 1   | MTL     |
| 40-11-5000 |   |          | Tank capacity 1000 Imperial Gallons                            | 1   | MTL     |
| 40-12-4500 |   |          | Foam cell - 20 Imperial gallon                                 | 1   | MTL     |
| 40-13-0100 |   | >        | Through the tank tunnel - up to 1200 gallon tank               | 1   | MTL     |
| 40-21-1000 |   |          | 4" tank to pump connection                                     | 1   | MTL     |
| 40-22-1500 |   |          | 3" tank fill connection  | 1   | MTL     |
| 40-23-0500 |   |          | 1" water level gauge connection                                | 1   | MTL     |
| 40-23-1000 |   |          | 1" foam level gauge connection                                 | 1   | MTL     |
| 40-23-1050 |   |          | 4" Fireman's Friend connection                                 | 1   | MTL     |
| 40-23-1060 |   |          | 10" Newton dump connection                                     | 1   | MTL     |
| 40-30-0500 |   |          | Sump drain valve (3" gate valve) with linkage                  | 1   | MTL     |
|            |   |          | E  |     |         |
| 40-30-1000 |   |          | Water Fill Box front left corner                               | 1   | MTL     |
| 40-31-3500 |   |          | 10" rear Newton dump, stainless steel                          | 1   | MTL     |
| 40-31-3600 |   |          | Newton dump - stainless steel 36" telechute                    | 1   | MTL     |
| 40-31-5500 |   |          | Electric operator for Newton dump                              | 1   | MTL     |
| 40-31-9000 | S |          | 4" Storz rear fill, Fireman's Friend                           | 1   | MTL     |
| 40-31-3000 | J |          | ELECTRICAL   | 1   | MTL     |
| 50-11-0450 |   |          | Base electrical system - International Diamond Logic multiplex | 1   | MTL     |
| 30-11-0430 |   |          | base electrical system - international biamond Logic multiplex | ı   | IVI I L |
| 50-11-0600 |   |          | Warning Light Cortification                                    | 1   | MTL     |
| 50-11-0600 |   |          | Warning Light Certification Low Voltage Electrical system test | 1   | MTL     |
| 50-11-0700 |   |          |  | 1   | MTL     |
|            |   |          | Low Voltage Electrical System Documents                        | _   |         |
| 50-11-0900 | _ |          | Rocker switch panel with master warning switch                 | 1   | MTL     |
| 50-11-1400 | S |          | Whelen Siren 200 Watt, Self-Contained, Removable Microphone    | 1   | MTL     |
| // /       |   |          |  |     |         |
| 50-11-1625 |   |          | Siren speaker,100 watt, behind chassis grille                  | 1   | MTL     |
| 50-11-2600 |   |          | Siren to be accessible to driver and officer                   | 1   | MTL     |
| 50-11-5809 |   | >        | Federal JetSOLARIS 5450 LED light bar red/white                | 1   | MTL     |
| 50-11-6501 |   |          | Rear Directional Light not required E                          | 1   | MTL     |
| 50-11-9010 |   |          | Rear beacons-Federal Micro Escape LED (pr) - both red          | 1   | MTL     |
| 50-12-5020 |   |          | Front LED flashers (pr)-red Federal QL64XF-R                   | 1   | MTL     |
| 50-12-5110 |   |          | Rear LED flashers (pr)-red Federal QL64XF-R                    | 1   | MTL     |
| 50-12-5210 |   |          | Front side inter Its (pr)-red LED Federal QL64XF-R             | 1   | MTL     |
| 50-12-5310 |   |          | Body side inter Its (pr)-red LED Federal QL64XF-R              | 1   | MTL     |
| 50-21-1520 | U |          | Rear floods (pr) - Unity LED or equivalent                     | 1   |         |
| 50-21-2540 |   |          | FRC telescoping SPECTRA LED 12V flood (ea)                     | 2   | MTL     |
|            |   |          |  |     |         |
|            |   |          |  |     |         |
|            |   |          |  |     |         |

| 02/13/2017 |   |          |  |     | Page 4  |
|------------|---|----------|--|-----|---------|
| PART NO    | S | STN CODE | DESCRIPTION  | QTY | ID      |
| 50-21-3010 | S | >        | Remote control electric spot (ea) Visibeam - wireless control    | 1   | MTL     |
| 50-21-5100 |   | >        | Compartment lighting - LED tube lights in each compartment       | 1   | MTL     |
|            |   |          | (rollup doors)   |     |         |
| 50-21-5500 |   |          | Door Ajar warning light  | 1   | MTL     |
| 50-21-5550 |   |          | Equipment rack not stowed warning light                          | 1   | MTL     |
| 50-21-8001 |   |          | Step lights for body steps - 4" LED                              | 1   | MTL     |
| 50-21-8201 |   |          | Step lights for chassis steps - LED marker type                  | 1   | MTL     |
| 50-21-8600 |   |          | LED clearance Its and reflectors                                 | 1   | MTL     |
| 50-22-0700 |   |          | Whelan 64 LED tail/brake-turn-backup module (pr)                 | 1   | MTL     |
| 50-31-6550 |   |          | Ground lighting (LED Lumabar) - 2 door chassis                   | 1   | MTL     |
| 50-31-6570 |   |          | Ground lighting (LED Lumabar) - side mount body                  | 1   | MTL     |
| 50-35-0500 | S |          | Installation of customer supplied mobile radio                   | 2   | MTL     |
| 50-35-0560 |   |          | VHF antenna with base - commercial chassis                       | 1   | MTL     |
| 50-35-0570 |   |          | UHF antenna with base - commercial chassis                       | 1   | MTL     |
| 50-99-05AA | U |          | Cell Phone Booster   | 1   |         |
| 00 33 00AA | Ū |          | BODY   | 1   | MTL     |
| 60-10-1400 |   |          | Single axle extruded aluminum body                               | 1   | MTL     |
| 60-10-4000 |   |          | Tapered "beavertail" rear step supports                          | 1   | MTL     |
|            |   |          | Painted fender surround E  | -   |         |
| 60-10-4600 |   |          |  | 1   | MTL     |
| 60-10-4700 |   |          | Integral aluminum fender trim                                    | 1   | MTL     |
| 60-10-5400 |   | >        | Diamondback pumphouse steps                                      | 1   | MTL     |
| 60-10-5430 |   | >        | Diamondback 19" rear step  | 1   | MTL     |
| 60-10-6000 |   |          | Extruded rub rail  | 1   | MTL     |
| 60-11-0300 |   | >        | Front left side compartments full height                         | 1   | MTL     |
|            |   |          | E  |     |         |
| 60-11-0600 |   | >        | Front right side compartments intermediate height                | 1   | MTL     |
| 60-11-1000 |   | >        | Rear left side compartments full height                          | 1   | MTL     |
|            |   |          | E  |     |         |
| 60-11-1300 |   | >        | Rear right side compartments intermediate height                 | 1   | MTL     |
| 60-11-1900 |   | >        | Low side compartment (up to 18") each                            | 1   | MTL     |
| 60-11-2000 |   | >        | High side compartment (over 18") each                            | 1   | MTL     |
| 60-11-3200 | S | >        | Full Height Rear compartment                                     | 1   | MTL     |
| 60-11-5500 |   |          | Rollup door - standard height                                    | 2   | MTL     |
| 60-11-5510 |   |          | Rollup door - intermediate height                                | 2   | MTL     |
| 60-11-5520 |   |          | Rollup door - full height  | 2   | MTL     |
| 60-11-5520 | S |          | Rollup door - full height  | 1   | MTL     |
| 60-11-5530 | S |          | Rollup door - to enclose pump panel                              | 1   | MTL     |
| 60-31-4100 |   |          | Extruded aluminum handrails                                      | 1   | MTL     |
| 60-31-5500 |   |          | Steps at rear of body (folding)                                  | 1   | MTL     |
| 60-31-5600 |   |          | Steps and grab handles at front of body next to pump panel       | 1   | MTL     |
| 60-31-5800 |   |          | Special step over rear dump                                      | 1   | MTL     |
| 60-31-6500 |   |          | Compartment matting-Turtle tile                                  | 1   | MTL     |
| 60-31-8000 |   |          | BA bottle compt (ea)-fender well                                 | 4   | MTL     |
| 60-31-8700 |   | >        | Sliding tray (ea) - 400 pound capacity with gas strut            | 4   | MTL     |
| 60-31-9600 |   | >        | Adjustable shelf (ea)  | 5   | MTL     |
| 60-31-9600 | S | -        | Adjustable shelf (ea)  | 2   | MTL     |
| 00-31-9000 | 3 | < >      | •  | 2   | WIL     |
|            |   |          | Install one shelf in the shallow upper portion of the front left |     |         |
|            |   |          | compartment and install one shelf in the shallow upper           |     |         |
|            |   |          | portion of the left rear compartment.                            |     |         |
| 00 00 0700 |   |          | Thurs adjustable hose divides (                                  |     | A 4 T ' |
| 60-32-3560 |   |          | Three adjustable hose divider (each)                             | 1   | MTL     |
| 60-32-7500 |   |          | Hose bed - aluminum  | 1   | MTL     |
| 60-33-0000 |   |          | Paint exterior - Imron Elite                                     | 1   | MTL     |
| 60-33-0200 |   |          | Undercoat vehicle with KROWN rust protection                     | 1   | MTL     |
| 60-33-0500 |   |          | Paint chassis wheels job colour with silver trim                 | 1   | MTL     |
|            |   |          | <i>E</i>   |     |         |
| 60-33-1000 |   |          | Paint pump and plumbing job colour                               | 1   | MTL     |
| 60-33-1600 | S |          | Special paint compartment interior - gray zolatone               | 1   | MTL     |
|            |   |          | E  |     |         |
| 60-33-2200 | U |          | Price Adjustment   | 1   |         |
|            |   |          |  |     |         |
|            |   |          |  |     |         |
|            |   |          |  |     |         |

| 02/13/2017               |   |       |   |     | Page 5  |
|--------------------------|---|-------|---|-----|---------|
| PART NO                  | S | STN C |   | QTY | ID      |
| 60-33-3000               |   |       | Reflective stripe - 4" white                              | 1   | MTL     |
| 60-33-3310               |   |       | Reflective stripe - red and yellow chevron at rear        | 1   | MTL     |
| 60-33-4500               | S |       | Aluminum cover over crosslays - no end tarps              | 1   | MTL     |
| 60-33-5000               | S |       | Aluminum cover over hose bed with end tarps - black       | 1   | MTL     |
|                          |   |       | E   |     |         |
| 60-40-5500               |   |       | Suction hose tube (each) with door                        | 2   | MTL     |
| 60-40-8500               |   | >     | Tail light box Fire Extinguisher tubes (pr)               | 1   | MTL     |
| 60-40-9001               | S | >     | Tube mount for portable tank, through tank                | 1   | MTL     |
| 60-41-1000               | S |       | Pike Pole tube with door                                  | 1   | MTL     |
| 60-41-9001               |   | >     | Zico hydraulic Ladder Access system                       | 1   | MTL     |
| 60-41-9010               |   | •     | ZICO LAS switched at rear above tail light                | 1   | MTL     |
| 00 47 0070               |   |       | E   | ,   |         |
| 60-41-9100               |   |       | Manual locking system for LAS                             | 1   | MTL     |
| 00 41 3100               |   |       | INSTRUMENTATION   | 1   | MTL     |
| 70-11-0000               |   |       | Warning Label on Pump Operator's Panel                    | 1   | MTL     |
| <b>70-11-0500</b>        | S |       |   | 1   | MTL     |
|                          | 3 |       | Side mount instrument panel with rollup door LS only      | -   |         |
| 70-11-1500               |   |       | Stainless steel instrument panels                         | 1   | MTL     |
| 70-11-3200               | _ |       | Colour coded tags   | 1   | MTL     |
| 70-11-4100               | S |       | Stainless steel side panel hood left side                 | 1   | MTL     |
| 70-11-4500               | S |       | Diamondback grip type panel hood step right side          | 1   | MTL     |
| 70-11-5000               |   |       | Standard cover over rear top of pump house - no storage   | 1   | MTL     |
| 70-11-5500               |   |       | Right side tread plate pump access door                   | 1   | MTL     |
| 70-11-7500               |   |       | Heat pan-aluminum   | 1   | MTL     |
| 70-11-8000               |   |       | Heater in pump compartment                                | 1   | MTL     |
| 70-20-1500               |   |       | 2-1/2" pressure gauge - dual face 0-600                   | 9   | MTL     |
| 70-20-1500               | S |       | 2-1/2" pressure gauge - dual face 0-600                   | 1   | MTL     |
| 70-20-2500               |   |       | Primer control  | 2   | MTL     |
| 70-20-3100               |   |       | Class One Governor Control                                | 1   | MTL     |
| 70-20-3500               |   |       | Electric water level gauge on pump panel, Class One       | 1   | MTL     |
| 70-20-3610               |   |       | Remote PSTANK water level indicators each side, rear with | 1   | MTL     |
| 70 20 00 10              |   |       | driver E  | ,   | L       |
| 70-20-6500               |   |       | Test gauge panel  | 1   | MTL     |
| <b>70-20-7500</b>        |   |       | Heat exchanger control valve                              | 1   | MTL     |
|                          |   |       | Electric Foam Level gauge                                 | 1   | MTL     |
| 70-21-1500               |   |       |   | _   |         |
| 70-21-5500               |   |       | Panel readout for Battery Conditioner                     | 1   | MTL     |
| 70-99-10AA               | U |       | Low Voltage Alarm   | 1   | N 4-T-1 |
| 00 44 5000               |   |       | ACCESSORIES   | 1   | MTL     |
| 80-11-5000               | _ |       | 6" x 10' lightweight suction hose (ea)                    | 2   | MTL     |
| 80-12-2500               | S |       | 6" barrel strainer  | 1   | MTL     |
| 80-12-45AA               | U |       | 6" low level strainer with 1-1/2" venturi connection      | 1   |         |
| 80-13-0500               |   |       | Rubber mallet   | 1   | MTL     |
| 80-13-1200               |   |       | Clare hose wrenches (double) with holder                  | 3   | MTL     |
| 80-13-1500               |   |       | Bar with bracket  | 1   | MTL     |
| 80-13-2500               |   |       | Pike pole, fibreglass handle - 10' long                   | 1   | MTL     |
| 80-13-2510               |   |       | Pike pole, fibreglass handle - 6' long                    | 1   | MTL     |
| 80-13-4000               |   |       | Axe, pick head, fibreglass handle and bracket             | 2   | MTL     |
| 80-14-0500               |   |       | 24' 2 section extension ladder PEL 24                     | 1   | MTL     |
| 80-14-5500               |   |       | 14' aluminum roof ladder PRL-14                           | 1   | MTL     |
| 80-14-7500               |   |       | Padded ladder boot - 2 section and roof ladder            | 1   | MTL     |
| 80-14-8500               |   |       | 10' aluminum folding attic ladder FL-10                   | 1   | MTL     |
| 80-14-9000               |   |       | Attic ladder bracket (Zico)                               | -   | MTL     |
| 80-14-9000<br>80-15-0500 |   |       |   | 1   | MTL     |
|                          |   |       | 1500 I gallon portable tank - Husky                       | _   |         |
| 80-16-1500               | _ |       | Akron 2581 gated wye                                      | 1   | MTL     |
| 80-17-0500               | S |       | 20# dry chemical fire extinguisher                        | 1   | MTL     |
| 80-17-1000               | S |       | 15# CO2 fire extinguisher                                 | 1   | MTL     |
| 80-17-1500               |   |       | 2 gallon water extinguisher with mount                    | 1   | MTL     |
| 80-18-0500               |   |       | SCBA bracket with strap - compt mount                     | 3   | MTL     |
| 80-18-0600               |   |       | SCBA brkt w/strap - ZICO ULLH - crew cab mount            | 1   | MTL     |
| 80-18-0840               |   |       | Pistol grip nozzle holder - ZICO NBM-2                    | 2   | MTL     |
| 80-19-0500               |   |       | Large folding wheel chock - aluminum (ea) not mounted     | 2   | MTL     |
|                          |   |       | -, ,  |     |         |
|                          |   |       |   |     |         |

| PART NO    | 3 | SIN CODE   | DESCRIPTION   | QTY | ID  |
|------------|---|------------|---|-----|-----|
| 80-19-0600 |   | STN CODE > | Horizontal bracket for folding wheel chock (ea) Air chuck with 25' of 3/8" air hose | 2   | MTL |
| 80-99-10AA | U |            | Air chuck with 25' of 3/8" air hose   | 1   |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     |     |
|            |   |            |   |     | 1   |