

Shop Order-00-10-26: Unclassified

Westville Fire Department Chief Ken Dunn 2042 Queen Street PO Box 923 Westville, NS B0K 2A0 Ken.dunn@westvill.ca

Exp. Date: 12/04/2013 **Quote No:** JWENS-000

Quote No: JWENS-0009 Job/Order No: 17579

BODY: 00-10-26 Metalfab Walk In - 05/13

| 02/16/2017 | | | | | Page 1 |
|------------|---|----------|-------------------------------------------------------------|-----|--------|
| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
| | | | == Metalfab Walk In - 05/13 - 0.000 == | 1 | |
| | S | | Change Order C | 1 | MTL |
| 00-10-2500 | | | Metalfab Walk in Rescue/Equipment Unit | 1 | MTL |
| | | | E | | |
| 00-20-1000 | | | Company Profile E | 1 | MTL |
| 00-20-1500 | | | Standard Body Warranty | 1 | MTL |
| 00-20-1550 | | | Metalfab Limited Ten (10) Year Paint and Corrosion Warranty | 1 | MTL |
| 00-20-2000 | | | Plant Visits - unlimited at customer expense | 1 | MTL |
| 00-20-3000 | | | No Bonding Required | 1 | MTL |
| 00-20-3500 | | | Certification for Fusion Welding of Aluminum | 1 | MTL |
| 00-20-4000 | | | Quality System registered to ISO 9001:2008 | 1 | MTL |
| 00-20-4500 | | | Fire Apparatus Manufacturers' Association Membership | 1 | MTL |
| | | | GENERAL INFORMATION | 1 | MTL |
| 10-11-0000 | | | Intent E | 1 | MTL |
| 10-11-0105 | | | Vehicle Data Recorder not requested | 1 | MTL |
| | | | E | | |
| 10-11-0700 | | | ULC S515-04 Compliance - Rescue/Equipment | 1 | MTL |
| 10-11-2010 | | > | ULC Testing - Special Services Vehicle - no pump | 1 | MTL |
| 10-11-2100 | S | | Maximum length 27 feet (324") | 1 | MTL |
| 10-11-2200 | | | Maximum height not specified E | 1 | MTL |
| 10-11-2300 | | | Overall length is less than 30' | 1 | MTL |
| 10-11-2500 | | | General Construction | 1 | MTL |
| 10-11-3000 | | | Manuals - two copies | 1 | MTL |
| 10-11-3600 | S | > | Delivery - FOB Fire Department E | 1 | MTL |
| 10-11-4200 | S | | Payment Terms - Chassis and Body COD E | 1 | MTL |
| 10-20-2630 | | | Equipment carrying capacity - ULC/NFPA SSV 30,001 to 40,000 | 1 | MTL |
| | | | GVW | | |
| | | | CHASSIS INFORMATION | 1 | MTL |
| 20-11-1000 | S | | Chassis supplied by Metalfab E | 1 | MTL |
| 20-11-1500 | S | | 2010 Emission chassis modifications | 1 | MTL |
| 20-11-1600 | | | Chassis Motor Vehicle Inspection not required | 1 | MTL |
| 20-21-0500 | | | Fluid capacity plate | 1 | MTL |
| 20-21-1030 | | | Maximum riders sign - 5 persons | 1 | MTL |
| 20-21-1500 | | | Seat belt warning labels - 2 door chassis | 1 | MTL |
| 20-21-1515 | | | Seat belt warning labels - Rescue interior seat | 2 | MTL |
| 20-21-1550 | | | Tire Pressure Indicators not requested | 1 | MTL |
| 20-21-1600 | | | Apparatus Information Label | 1 | MTL |
| 20-21-2000 | | | Non removable key | 1 | MTL |
| 20-21-2500 | | | Shifter lock not required E | 1 | MTL |
| 20-21-3500 | | | Rear step warning label | 1 | MTL |
| | | | | | _ |
| | | | | | |

| 02/16/2017 | | | | | Page 2 |
|--------------------------|---|----------|------------------------------------------------------------------------------------------------------|---------------|------------|
| PART NO | S | STN CODE | | QTY | ID |
| 20-21-3800 | | | Front mudflaps | 1 | MTL |
| 20-21-4000 | | | Rear mudflaps - Metalfab Logo | 1 | MTL |
| 20-31-0200 | | | Fuel fill label -Ultra Low Sulfur Diesel only | 1 | MTL |
| 20-31-0500 | | | Alum tread fuel tank trim, Conv - 2 door | 1 | MTL |
| 20-31-1900 | | | Chassis cab not painted E | 1 | MTL |
| 20-41-1200 | | | Transmission programming not required | 1 | MTL |
| 20-41-1500 | | | Extend exhaust pipe - RS front of rear wheels | 1 | MTL |
| 20 44 4004 | | | E | | 1471 |
| 20-41-1801 | | | Battery boost terminals not required - batteries accessible Chassis batteries remain in OEM location | 1 1 | MTL |
| 20-41-2000 | | | | • | MTL |
| 20-41-2510 20-41-2600 | | | Fuel fill at step fuel tank under cab Chassis fuel tank remains in OEM location | 1 | MTL MTL |
| 20-41-5100 | | | Rear Tow Hook - pintle hook | 1 | MTL |
| 20-51-0500 | | | Master disconnect switch - manual | 1 | MTL |
| 20-51-2600 | | | Back up alarm | 1 | MTL |
| 20-51-3400 | | | Protection valve installed for air operated accessories | 1 | MTL |
| 20-51-4000 | | | Auto eject for air inlet - LS | 1 | MTL |
| 20-51-6200 | S | > | 120 volt 20 A shore line connection | 4 | MTL |
| 20-51-6500 | 3 | | Kussmaul Autocharge 1000 battery conditioner w/battery saver | 1 | MTL |
| 20-31-0300 | | | Tradsman Autoonarge 1000 battery domainment wholtery suver | | W. I L |
| 20-51-7100 | | | Electric System Manager | 1 | MTL |
| 20-51-7300 | | > | Low Voltage Alarm in cab - ESM remote panel in rocker switch | 1 | MTL |
| 20 01 1000 | | • | panel | | |
| 20-51-7500 | | | Super Auto eject for 120 v - 20 A with sealed enclosure | 1 | MTL |
| 20-51-8500 | | | Engine compartment lights (pair) | 1 | MTL |
| 20-51-9001 | | | Air horns not requested E | 1 | MTL |
| 20-52-3000 | | > | Chassis steering wheel lined up by others | 1 | MTL |
| 20-60-0400 | | | Chassis wheelbase does not change | 1 | MTL |
| 20-90-1000 | | | Sealed pass through cab to body | 1 | MTL |
| 30-51-1500 | | | Power shift PTO - Automatic transmission | 1 | MTL |
| 30-51-1501 | | | PTO driveshaft E | 1 | MTL |
| | | | ELECTRICAL | 1 | MTL |
| 50-11-0500 | | | Base electrical system | 1 | MTL |
| 50-11-0600 | | | Warning Light Certification | 1 | MTL |
| 50-11-0700 | | | Low Voltage Electrical system test | 1 | MTL |
| 50-11-0800 | | | Low Voltage Electrical System Documents | 1 | MTL |
| 50-11-0900 | | | Rocker switch panel with master warning switch | 1 | MTL |
| 50-11-1400 | | | Federal PA300 100 watt siren | 1 | MTL |
| 50-11-1620 | | | Siren speaker,100 watt, in front bumper | 1 | MTL |
| 50-11-2600 | | | Siren to be accessible to driver and officer | 1 | MTL |
| 50-11-5810 | | > | Federal SOLARIS Jetsonic 5401 LED light bar all red | 1 | MTL |
| 50-11-7600 | | | Rear LED Signal Master warning lights | 1 | MTL |
| 50-11-8001 | | > | Rear beacons not required E | 1 | MTL |
| 50-12-5020 | | | Front LED flashers (pr)-red Federal QL64XF-R | 1 | MTL |
| 50-12-5110 | | | Rear LED flashers (pr)-red Federal QL64XF-R | 1 | MTL |
| 50-12-5120 | | | Rear LED flashers (pr)-red Federal QL97XF-R | 1 | MTL |
| 50-12-5210 | | | Front side inter Its (pr)-red LED Federal QL64XF-R | 1 | MTL |
| 50-12-5310 | | | Body side inter Its (pr)-red LED Federal QL64XF-R | 1 | MTL |
| 50-12-5320 | • | | Body side warning lights (pr)-red LED Federal QL97XF-R | 2 | MTL |
| 50-21-1600 | S | | Parking (ditch) lights in rear fenders | 1 | MTL |
| 50-21-2505 | | | Extenda Light telescoping 500 watt flood (ea) E-500-PS-SM2-SV | 2 | MTL |
| 50-21-2600 | | | switched on light Extenda Light telescoping 500 watt flood (ea) Tripod type | 2 | MTL |
| 50-21-3000 | | > | Remote control electric spot/flood (ea) Spartan | 1 | MTL |
| 50-21-5100 | | > | Compartment lighting - LED tube lights in each compartment | 1 | MTL |
| 30-21-3100 | | | (rollup doors) | , | WIL |
| 50-21-5500 | | | Door Ajar warning light | 1 | MTL |
| 50-21-8005 | | | Step lights for body steps - Rescue | 1 | MTL |
| 50-21-8200 | | | Step lights for chassis steps - halogen marker type | 1 | MTL |
| 50-21-8600 | | | LED clearance Its and reflectors | 1 | MTL |
| 55 21 5555 | | | 5.54.4.100 1.0 4.14 1011001010 | • | |
| | | | | | |
| L | | | | | |

| 02/16/2017 | | | | | Page 3 |
|----------------------------------|---|----------|--------------------------------------------------------------|-----|--------|
| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
| 50-22-0700 | | | Whelan 64 LED tail/brake-turn-backup module (pr) | 1 | MTL |
| 50-31-4000 | | | 8000 watt hydraulic generator - brand not specified | 1 | MTL |
| | | | E | | |
| 50-31-6500 | | | Ground lighting (halogen) - 2 door chassis | 1 | |
| 50-31-6540 | | | Ground lighting (halogen) - rescue body | 1 | MTL |
| 50-35-0500 | | | Installation of customer supplied mobile radio | 1 | MTL |
| 50-35-0560 | S | | VHF antenna with base - commercial chassis | 1 | MTL |
| 50-90-0500 | | > | Rescue Body interior lighting (12 v clear halogen) - surface | 1 | MTL |
| | | | mount | | |
| 50-90-0520 | | > | Rescue body interior lighting - 120 v fluorescent (ea) with | 1 | MTL |
| | | | guard E | | |
| 50-90-2600 | | | Refrigerator for Rescue Truck 120 VAC/12VDC | 1 | MTL |
| 51-31-3020 | S | > | 120 volt wiring for hydraulic generator | 1 | MTL |
| 51-31-3100 | | > | Automatic 110 volt transfer switch | 1 | MTL |
| 51-31-4500 | | | Dielectric strength test for line voltage system | 1 | MTL |
| 0. 0000 | | | BODY | 1 | MTL |
| 60-10-2800 | | > | Walk in extruded aluminum Rescue Body 18' | 1 | MTL |
| 60-10-4100 | | | No "beavertail" rear step supports | 1 | MTL |
| 60-10-4100 | | | Painted fender surround E | 1 | MTL |
| 60-10-4700 | | | Integral aluminum fender trim | 1 | MTL |
| <i>60-10-4700</i> | | _ | Diamondback 10" rear step | 1 | MTL |
| | | > | • | 1 | MTL |
| 60-10-6000 | | _ | Extruded rub rail | | |
| 60-11-0200 | | > | Front left side compartments intermediate height | 7 | MTL |
| 60-11-0250 | | > | Second front left side compartments intermediate height | 1 | MTL |
| 60-11-0600 | | > | Front right side compartments intermediate height | 1 | MTL |
| 60-11-0650 | | > | Second front right side compartments intermediate height | 1 | MTL |
| 60-11-1000 | | > | Rear left side compartments full height | 1 | MTL |
| | | | E | | |
| 60-11-1400 | | > | Rear right side compartments full height E | 1 | MTL |
| 60-11-1900 | | > | Low side compartment (up to 18") each | 2 | MTL |
| 60-11-3100 | | | No rear compartment E | 1 | MTL |
| 60-11-4405 | | | Flush mount aluminum door - Rescue body rear (single) | 1 | MTL |
| 60-11-4410 | | | Flush mount aluminum door - Rescue body side (single) | 1 | MTL |
| 60-11-4500 | | | Flush mount aluminum door - single with "D" handle | 2 | MTL |
| 60-11-5510 | S | | Rollup door - intermediate height | 4 | MTL |
| 60-11-5520 | S | | Rollup door - full height | 2 | MTL |
| 60-31-4100 | | | Extruded aluminum handrails | 1 | MTL |
| 60-31-6500 | | | Compartment matting-Turtle tile | 1 | MTL |
| 60-31-8200 | | > | Sliding vertical tool board | 4 | MTL |
| 60-31-8700 | S | > | Sliding tray (ea) - 400 pound capacity with gas strut | 1 | MTL |
| 60-31-9600 | S | > | Adjustable shelf (ea) | 4 | MTL |
| 60-31-9610 | S | > | Radio shelf for rescue interior (ea) | 1 | MTL |
| 60-33-0000 | | | Paint exterior - Imron Elite | 1 | MTL |
| 60-33-0200 | | | Undercoat vehicle with KROWN rust protection | 1 | MTL |
| 60-33-0600 | S | | Chassis wheels not painted - Aluminum wheels | 1 | MTL |
| 60-33-1500 | | | Buffed finish compartment interior | 1 | MTL |
| 60-33-2200 | S | | Lettering - 80 letters up to 3" tall - 3 colour | 1 | MTL |
| 60-33-3000 | S | | Reflective stripe - 4" white | 1 | MTL |
| 60-80-0500 | S | | Rescue body windows - sliding in entry doors (2 total) | 1 | MTL |
| 60-80-1000 | S | | Rescue Body windows - sliding in left side of body (1 total) | 1 | MTL |
| 60-90-0500 | | > | SCBA seat in Rescue Body | 2 | MTL |
| 60-90-1000 | | > | Bench seat in Rescue Body - no seat belts | 2 | MTL |
| 60-90-1500 | S | > | Command Desk - Rescue Body | 1 | MTL |
| 60-90-4000 | 9 | - | Walk in Rescue - Interior white finish and insulation | 1 | MTL |
| <i>60-90-5000</i> | S | | Interior shelving with doors - Rescue Body | 1 | MTL |
| 30 30-3000 | - | | E | , | |
| 60-90-5010 | S | | Bunker gear compartments - aluminum (per compartment) | 30 | MTL |
| 50- 3 0 - 3010 | 3 | | E | 30 | WIL |
| 60-00 5045 | | | | 20 | MTI |
| 60-90-5015 | | | Bunker gear compartment netting (per compartment) E | 30 | MTL |
| | | | E | | |
| | | | | | |
| | | | | | |

| 02/16/2017 | | | | | Page 4 |
|------------|---|----------|------------------------------------------------|-----|--------|
| PART NO | S | STN CODE | DESCRIPTION | QTY | ID |
| 60-90-5500 | | > | Heater in Rescue Body E | 1 | MTL |
| 60-91-0500 | | > | Compartment SCBA Storage rack | 2 | |
| | | - | E | _ | |
| 70-21-5500 | | | Panel readout for Battery Conditioner | 1 | MTL |
| 71-21-3101 | | _ | Transmission warning light not required | | MTL |
| 71-21-3101 | | > | Transmission warning light not required | 1 | IVIIL |
| | | | E | | |
| | | | ACCESSORIES | 1 | MTL |
| 80-18-0500 | | | SCBA bracket with strap - compt mount | 24 | MTL |
| 80-18-0600 | | | SCBA brkt w/strap - ZICO ULLH - crew cab mount | 2 | MTL |
| 80-19-0800 | U | | Manual access step for Rescue | 2 | |
| | | | | _ | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| L | | | | | |