

Shop Order-00-10-15: Unclassified

Woods Harbour Shag Harbour Volunteer FD Scott Bubar 20 Seaview Drive Woods Harbour, NS B0W 2E0

Exp. Date: 09/11/2014

Quote No: 10138-0018 **Job/Order No:** 18742

BODY: 00-10-15 Metalfab Pumper - ULC 05/13

02/08/2017

Page 1

PART NO	S STN CODE		QTY	ID
		== Metalfab Pumper - ULC 05/13 - 0.000 ==	1	MTL
	S	Change Order F	1	MTL
00-10-1500		Metalfab Pumper E	1	MTL
00-20-1000		Company Profile E	1	MTL
00-20-1500		Standard Body Warranty	1	MTL
00-20-1550		Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
00-20-1700		Hale Pump Warranty - 5 years	1	MTL
00-20-1800		Ultra Tank Lifetime Warranty	1	MTL
00-20-2000		Plant Visits - unlimited at customer expense	1	MTL
00-20-3000		No Bonding Required	1	MTL
00-20-3500		Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000		Quality System registered to ISO 9001:2008	1	MTL
00-20-4500		Fire Apparatus Manufacturers' Association Membership	1	MTL
		GENERAL INFORMATION	1	MTL
10-11-0000		Intent E	1	MTL
10-11-0110		Vehicle data recorder included with chassis	1	MTL
10-11-1100	S	ULC S515-13 Compliance	1	MTL
10-11-1500	>	ULC Testing - Pumper	1	MTL
10-11-2100		Maximum length not specified E	1	MTL
10-11-2200		Maximum height not specified E	1	MTL
10-11-2400		Overall length is 30' or more	1	MTL
10-11-2500		General Construction	1	MTL
10-11-3000		Manuals - two copies	1	MTL
10-11-3600	S >	Delivery - FOB Fire Department	1	MTL
10-11-4000		Payment Terms - Chassis Net 10 days, Balance COD	1	MTL
10-20-1400	S <>	Hose capacity exceeding ULC/NFPA requirements	1	MTL
10 20 1100		Will carry 1000' of 4" hi-vol (approx 900 lb) plus the ULC	-	
		requirement of 1200' of 2-1/2" double jacket hose (approx 750		
		lb)		
		,		
10-20-2000		Equipment carrying capacity - standard ULC Pumper	1	MTL
		CHASSIS INFORMATION	1	MTL
20-11-1000	S	Chassis supplied by Metalfab - Spartan Metro Star LFD	1	MTL
20-11-1500		2013 Emission chassis modifications	1	MTL
20-11-1600		Chassis Motor Vehicle Inspection not required	1	MTL
20-21-0500		Fluid capacity plate	1	MTL
20-21-0600		Pumping test plate	1	MTL
20-21-1040		Maximum riders sign - 6 persons	1	MTL
20-21-1510		Seat belt warning labels - 4 door chassis	1	MTL
20-21-1540		Tire Pressure Indicators - Tandem Axle	1	MTL
20-21-1600		Apparatus Information Label	1	MTL
20-21-2000	S	Non removable key - with chassis	1	MTL
	_		•	
1				

02/08/2017					Page 2
PART NO	S	STN CODE		QTY	ID
20-21-2500			Shifter lock not required E	1	MTL
20-21-3500			Rear step warning label	1	MTL
20-21-3810			Front mudflaps provided with chassis	1	MTL
20 27 0070			E	•	
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
20-31-0100			Fuel tank or step covers not required	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
	_			-	
20-31-1900	S		Chassis cab painted white over red by Spartan - Special paint line E	1	MTL
20-31-4700	S	>	Extend front bumper, gravshid with preconnected hosewell	1	MTL
			E	-	
20-41-0600			Intake air shutoff for engine not required	1	MTL
20-41-0900			Auxiliary braking system disabled when pumping	1	MTL
20-41-1100			Transmission programming - Allison WT	1	MTL
20-41-1500			Extend exhaust pipe - RS front of rear wheels E	1	MTL
20-41-1900			Battery boost terminals with chassis	1	MTL
20-41-2000			Chassis batteries remain in OEM location	1	MTL
20-41-2560			Fuel fill at LS rear fender well with SCBA style door	1	MTL
20 44 2000			E Chassis fuel tank remains in OEM location	4	MTL
20-41-2600	_			1	
20-41-5010	S		Rear Tow Hooks - through rear of body	1	MTL
20-51-0700			■aster Battery Disconnect included with chassis	1	MTL
20-51-2500			Back up alarm included with chassis	1	MTL
20-51-3100		<	Air inlet not required	1	MTL
			Auto air eject is ordered with the Spartan chassis to match		
			Departments last truck.		
			Dopartinonto laot traotti		
20-51-3400			Protection valve installed for air operated accessories	1	MTL
20-51-6200	S	>	120 volt 20 A shore line connection in chassis cab	2	MTL
		,			
20-51-6501	S		Kussmaul 1200 Battery Charger with 120-V, 20-Amp auto eject	1	MTL
			with chassis		
20-51-7102	S		Total System Manager included with chassis	1	MTL
			E		
20-51-9001	S		Air horns included with chassis	1	MTL
20-52-3500		>	Chassis steering wheel lined up by Metalfab	1	MTL
			E		
20-52-40AA	U		Rear view camera - with Spartan chassis	1	
20-60-0400	U		Chassis wheelbase does not change		MTL
			<u> </u>	1	IVIIL
20-99-0010	U		Sliding tray for Laptop	1	
20-99-05AA	U	<	Air horn control on Pump panel	1	
			SOPT 475		
			DIRECT AND BUILDING		N 4771
			PUMP AND PLUMBING	1	MTL
30-11-8100			Hale QMAX 1250 IGPM single stage pump	1	MTL
30-12-3500			Mechanical seal for Hale QMID/QMAX/QTWO pumps	1	MTL
30-15-0103			Plumbing - Hale manifold pump SM	1	MTL
30-20-0500			E alves and controls - side mount panel	1	MTL
30-20-1001			Valve brand not specified E	1	MTL
30-20-1600			Piping stainless steel - general	1	MTL
	C			-	
30-20-1700	S		1-1/2" thread specifications - NPSH	1	MTL
30-20-1800	S		2-1/2" thread specifications - NSZ1	1	MTL
30-20-2000			Piping hydrostatic test	1	MTL
30-20-2500			Anodes in suction and discharge piping	1	MTL
30-21-9500			Tank to Pump 4" Ball valve, handwheel control with check	1	MTL
			valve manifold pump		
30-22-1500			Tank Fill valve 2-1/2"	1	MTL
30-31-4010	S		Suction - 6" each side manifold pump	1	MTL
30-31-7200		>	Hale master intake suction valve - electric control	2	MTL
30-32-7500		-	Suction - 2-1/2" left side, bleeder, Hale manifold pump	1	MTL
33 32 7300				•	L

02/08/2017					Page 3
PART NO	S	STN CODE		QTY	ID
30-40-2599	U	<	4" Rear discharge, stainless, 4" valve and handwheel control	1	
			SOPT 733		
			Piping to be routed between tank and compartments - back		
			top corner of compartments will be notched slightly for		
			clearance.		
30-41-2000			2-1/2" RS discharge, bleeder, Hale manifold pump	1	MTL
30-41-2500			2-1/2" LS discharge, bleeder, Hale manifold pump	1	MTL
30-43-1500			2-1/2" rear discharge, plumbed 2-1/2", bleeder	1	MTL
30-44-0700	c	<	1-1/2" speedlay (each) front of pumphouse, plumbed 2"	2	MTL
30-44-0700	3	<	With removable hose trays.	2	IVIIL
			Hose storage capacity requirements for each tray is as		
			follows:		
			200 ft of 1-3/4" hose		
			Include vertical rollers each side of opening and horizontal		
			rollers above bottom of each opening to hold speedlay tray		
			in place		
30-44-0799	U	<	Extra speedlay tray	2	
			SOPT 859		
			To be interchangeable with 30-44-0700.		
			Shipped loose.		
			•		
30-44-1000		< >	1-1/2" front trash line, plumbed 2", hosewell	1	MTL
			Connection to be on top of bumper to allow the connection	-	
			of a foam eductor, Hose well to carry 200' x 1-3/4" hose		
			complete with nozzle.		
			complete with nozzie.		
30-44-3500	S		2-1/2" crosslay, plumbed 2-1/2", bleeder	1	MTL
30-44-6500	3			1	MTL
			Piping for monitor, plumbed 3", bleeder	-	
30-51-0500			Pump shift-Midship air	1	MTL
30-51-0700			Pump Gearbox mounted manual over ride for pump shift	1	MTL
			E		
30-51-6700			FRC Pump Boss Governor/Throttle engine display	1	MTL
30-51-7000			Suction side relief V/V, manifold pump	2	MTL
30-51-8100			Heat exchanger included with chassis	1	MTL
30-52-1000			Master drain V/V, 12 port	1	MTL
30-52-3001			Foam system not requested E	1	MTL
30-99-05AA	U		Automatic air primer	1	
30-99-10AA	U		Trident air pre-primer	2	
			WATER AND FOAM TANKS	1	MTL
40-11-2100			Ultra-Tank water tank (Imperial gallons)	1	MTL
40-11-2200			Water tank capacity certification (tank manufacturer)	1	MTL
40-11-7500			Tank capacity 2500 Imperial Gallons	1	MTL
40-21-1000			4" tank to pump connection	1	MTL
40-22-1000			3" tank fill connection	1	MTL
40-23-0500			1" water level gauge connection	1	MTL
40-23-1040			4" direct fill connection	1	MTL
40-23-1060			10" Newton dump connection	1	MTL
			Sump drain valve (3" gate valve) with linkage	1	MTL
40-30-0500			E Sump drain valve (3 gate valve) with linkage	1	WIL
40 20 4400			_		MTI
40-30-1100			Water Fill Box middle left side	1	MTL
40-31-3500			10" rear Newton dump, stainless steel	1	MTL
40-31-3600			Newton dump - stainless steel 36" telechute	1	MTL
40-31-5500			Electric operator for Newton dump	1	MTL
40-31-5600	U	<	Stainless steel rotating dump chute	1	
			There will be a rotating stainless steel dump chute installed		
			on the dump valve		
			SOPT 2		

02/08/2017					Page 4
PART NO	S	STN CODE		QTY	ID
40-31-8000			4" Storz rear gtd fill	1	MTL
			ELECTRICAL	1	MTL
50-11-0500			Base electrical system	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
50-11-0900			Rocker switch panel with master warning switch	1	MTL
50-11-2600			Siren to be accessible to driver and officer	1	MTL
50-11-6110	S	<	Whelen light bar included with chassis	1	MTL
		•	Whelen Freedom FN72QLED 6R2C layout #1		
			mision resource in Equation (a) out in		
50-11-6610			Rear LED Traffic Advisor warning lights - flush mount	1	MTL
50-11-8600			Rear LED beacons-Whelan MCFLED2R (pr) both red	1	MTL
50-12-8521				1	
30-12-6321			Front flashers, intersection lights included with chassis,	7	WIL
70 40 0040			Whelen 600		
50-12-8610			Rear LED flashers (pr)-Whelan red LED 600 with integral	1	MTL
			flasher		
50-12-8810			Body side inter Its (pr)-Whelan red LED 600 with integral	1	MTL
			flasher		
50-12-8905		>	Add'l body side inter Its (pr)-Whelan red LED 600 with integral	1	MTL
			flasher		
50-12-8905	S	>	Add'l body side inter Its (pr)-Whelen red LED 600 with integral	1	MTL
			flasher		
50-21-15AA	U	<	Unity LED rear flood lights (pr)	1	
			SOPT 255A		
50-21-3010	S	>	Remote control electric spot (ea) Visibeam	1	MTL
50-21-5100		>	Compartment lighting - LED tube lights in each compartment	1	
30-21-3100			(rollup doors)		101 T L
50-21-5500			Door Ajar warning light	1	MTL
50-21-5550			Equipment rack not stowed warning light	2	MTL
				2	
50-21-8001	_		Step lights for body steps - 4" LED	7	MTL
50-21-8201	S		LED Step lights for chassis steps - w/chassis	7	MTL
50-21-8510			Rear clearance lights on rubber arms (pr)	1	MTL
50-21-8600			LED clearance Its and reflectors	1	MTL
50-21-8800			LED intermediate turn signal/clearance/reflector length >30'	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-6560	S		LED Ground lighting - w/chassis	1	MTL
50-31-6570	S	<	Ground lighting (LED Lumabar) - side mount body	1	MTL
			Have lights under each compartment		
50-35-0500	S		Installation of customer supplied mobile radio	2	MTL
50-35-0565	S		VHF antenna with base - custom chassis (thick roof)	2	MTL
50-99-20AA	Ü	<	Ditch lights LED with Stainless steel housing (pr)	1	
			Switched in cab and automatically activate when		
			transmission is placed in reverse gear.		
			SOPT 160A		
			001 1 100A		
50-99-2500	U	•	FRC Spectra 12-volt LED surface lights (pr)	5	
30-33-2300	U		Two on each side and one on rear as shown on drawing	J	
			FRC SPA260-Q15 - 12 volt lights switched in cab		
			SOPT		
= 0.00 (= : :					
50-99-45AA	U	<	Hose bed LED lights	1	
			LED tube lights mounted on front partition - Three 20"		
			SOPT 560		
51-31-3000	S	< >	120 volt wiring for Inverter	1	MTL
			For Inverter 51-99-15AA		
			Note that Neutral is bonded to chassis ground.		

02/08/2017					Page 5
PART NO	S	STN CODE		QTY	ID
51-31-3100		>	Automatic 110 volt transfer switch	1	MTL
51-31-4500			Dielectric strength test for line voltage system	1	MTL
51-99-15AA	U	<	3Kw Inverter	1	
			SOPT 341		
			Vanner VLT12-3000 (Metalfab part number 1031842)		
			(
			BODY	1	MTL
60-10-1600		<	Tandem axle extruded aluminum body	1	MTL
00-10-1000		•	***Minimum deck plate on body****	,	IVIIL
			Millimum deck plate on body		
00 40 4400			No "begyarteil" rear aton gunnerte		NATI
60-10-4100			No "beavertail" rear step supports	1	MTL
60-10-4600			Painted fender surround E	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5400		>	Diamondback pumphouse steps	1	MTL
60-10-5430		>	Diamondback 19" rear step	1	MTL
60-10-6000			Extruded rub rail	1	MTL
60-11-0250		>	Second front left side compartments intermediate height	1	MTL
60-11-0300		>	Front left side compartments full height	1	MTL
			E		
60-11-0650		>	Second front right side compartments intermediate height	1	MTL
60-11-0700		>	Front right side compartments full height	1	MTL
			E		
60-11-0900		>	Rear left side compartments intermediate height	1	MTL
60-11-1300		>	Rear right side compartments intermediate height	1	MTL
60-11-1900		>	Low side compartment (up to 18") each	4	MTL
60-11-3100			No rear compartment E	1	MTL
60-11-4000		>	Surface mount aluminum door	4	MTL
60-11-4500			Flush mount aluminum door - single with "D" handle	4	MTL
60-11-5510			Rollup door - intermediate height	4	MTL
60-11-5520			Rollup door - full height	2	MTL
60-11-5530			Rollup door - to enclose pump panel	1	MTL
60-31-4100	S		Extruded aluminum handrails	1	MTL
60-31-5000	3		Zico access Ladder at rear of unit	1	MTL
	S		Steps at rear of body (folding)	1	MTL
60-31-5500	3			-	
60-31-5600			Steps and grab handles at front of body next to pump panel	1	MTL
60-31-5700		<	Pull out step under body (each)	1	MTL
			Under Left side pump house		
00 04 5000			On a siglaton assessment deman		A # T !
60-31-5800		<	Special step over rear dump	1	MTL
			Over rear dump and rear fill - as shown on drawing.		
60-31-6500			Compartment matting-Turtle tile	1	MTL
60-31-8000			BA bottle compt (ea)-fender well	7	MTL
60-31-8700	S	>	Sliding tray (ea) - 400 pound capacity with gas strut	6	MTL
60-31-9600	S	>	Adjustable shelf (ea)	6	MTL
60-32-3550			Two adjustable hose divider (each)	1	MTL
60-32-7500			Hose bed - aluminum	1	MTL
60-33-0000			Paint exterior - Imron Elite	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0600			Chassis wheels not painted	1	MTL
60-33-1000			Paint pump and plumbing job colour	1	MTL
60-33-1600	S		Special paint compartment interior - gray zolatone	1	MTL
			Ė		
60-33-3000	S		Reflective stripe - 4" white	1	MTL
60-33-3310	S		Reflective stripe - red and yellow chevron at rear	1	MTL
60-33-4600	S		Aluminum cover over crosslay - with end tarps (red netting)	1	MTL
60-40-4500			6" Hose tray - side mount (ea)	1	MTL
60-40-5500		<	Suction hose tube (each) with door	2	MTL
11 10 1000			Will be for 15' suction hoses	_	
4					

02/08/2017					Page 6
PART NO	S	STN CODE		QTY	ID
60-41-1015			Pike Pole tube in suction hose tube	2	MTL
60-41-6001		>	Zico hydraulic portable tank rack	1	MTL
60-41-6010			ZICO PTS switched at rear above tail light	1	MTL
60-41-6110			Painted plate on exterior of Zico PTS	1	MTL
60-41-7100			Tread plate on body behind porta tank rack	1	MTL
60-41-9000		>	Zico electric Ladder Access system	1	MTL
60-41-9010			ZICO LAS switched at rear above tail light	1	MTL
			E		
60-41-9100			Manual locking system for LAS	1	MTL
60-99-05AA	U	<	Swing out tool board	1	
	_		SOPT 123B	_	
60-99-10AA	U	~	Hose bed restraint - mesh	1	
00 00 707171			For end of hose bed, speedlay's, and ends of crosslay	,	
			Rear 1/3 and ends only - not full length		
			Black in color		
			Restraints on hose bed cover to be Velcro		
			Restraints on nose bed cover to be veicro		
60 00 45 4 4	,,		Compartment under encedlas (nr)		
60-99-15AA	U		Compartment under speedlay (pr)	1	
60-99-20AA	U	<	Pass through compartment in pump house	7	
			With Surface mount door each end - ref 60-11-4000		
			Between the 2-1/2" Crosslay and the 1-1/2" speedlay's.		
			The plumbing for the 2-1/2" crosslay shall NOT be routed		
			through this compartment - ref 30-44-3500.		
			INSTRUMENTATION	1	MTL
70-11-0000			Warning Label on Pump Operator's Panel	1	MTL
70-11-0501			Side mount instrument panel with rollup door LS only	1	MTL
70-11-1500			Stainless steel instrument panels	1	MTL
70-11-3200	S		Colour coded tags	1	MTL
70-11-4500	S		Diamondback grip type panel hood step right side	1	MTL
70-11-5100			Open storage at rear top of pump house	1	MTL
70-11-5300			Right side painted pump access door	1	MTL
70-11-7500			Heat pan-aluminum	1	MTL
70-11-8000			Heater in pump compartment	1	MTL
70-20-0500			4-1/2" compound gauge - dual face 0-600	2	MTL
70-20-1500			2-1/2" pressure gauge - dual face 0-600	9	MTL
70-20-3200			FRC Pump Boss Governor Control	1	MTL
70-20-3500			Electric water level gauge on pump panel, Class One	1	MTL
70-20-3501	U	-	Tank Level Indicator lights - Whelen TIR3 Super LED	3	IVIIL
70-20-3301	U	•	SOPT 715	3	
			Colors are Green, Blue, Amber and Red with Green towards		
			front on the side mounted lights (Green indicating full and		
			flashing Red indicating empty).		
			On the the rear mounted lights, the Green light will be in the		
			right most position.		
70.00.0500			Test name and	,	NAT!
70-20-6500			Test gauge panel	1	MTL
70-20-7500			Heat exchanger control valve	1	MTL
			ACCESSORIES	1	MTL
80-11-5000			6" x 10' lightweight suction hose (ea)	1	MTL
80-12-2500			6" barrel strainer	1	MTL
80-12-2700			6" floating strainer	1	MTL
80-12-4500		>	6" low level strainer with 1-1/2" venturi connection	1	MTL
80-13-0500			Rubber mallet	1	MTL
80-13-2500			Pike pole, fibreglass handle - 10' long	2	MTL
80-13-4000	S		Axe, pick head, fibreglass handle and bracket	1	MTL
80-13-4500	S		Axe, flat head, fibreglass handle and bracket	1	MTL
80-14-0500			24' 2 section extension ladder PEL 24	1	MTL
80-14-5500			14' aluminum roof ladder PRL-14	1	MTL
-					

02/08/2017					Page 7
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
80-14-8500			10' aluminum folding attic ladder FL-10	1	MTL
80-14-9000			Attic ladder bracket (Zico)	1	MTL
80-15-1010			3000 l gallon portable tank - Husky	1	MTL
80-19-0500			Large folding wheel chock - aluminum (ea) not mounted	2	MTL
80-19-0600	S		Horizontal bracket for folding wheel chock (ea)	2	MTL
80-99-05AA	U	<	6" Suction hose - 15' long	2	
			SOPT 149		
			Mounted in rear access tubes.		
80-99-10AA	U	<	90-degree suction elbow	1	
			SOPT 584		
			Not mounted - shipped loose.		
80-99-25AA	U	<	Akron 3431 Monitor Apollo Hi-Riser	1	
			SOPT 730		
			Ground base to be a 4" Storz inlet		
			Install monitor on piping over pump house.		
			Ground base will shipped loose.		
80-99-35AA	U	<	1.75" hose x 50' lenghts	12	
			SOPT 695		
			4 x Red		
			4 x Blue		
			4 x Yellow		
			Shipped loose.		
80-99-40AA	U		Mount customer supplied bank chargers and TIC	1	