

Shop Order-00-10-11: Unclassified

Belfast Fire Dept Chief Jim Richards 131 Church Street Belfast, Maine 04915 338 3362 firechief@cityofbelfast.org 1 207 463 2788 1 207 463 2826 K & T Fire Equipment Tom York P O Box 360 1143 Crystal Road, Exit 276 I 95 , route 159 east Island Falls, Maine 04747 1 800675 2848 tom.york91@yahoo.com

Exp. Date: 03/26/2016

Quote No: RBEME-0012 Job/Order No: 19324

BODY: 00-10-11 Metalfab Pumper - NFPA 05/13

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			== Metalfab Pumper - NFPA 05/13 - 0.000 ==	1	
	S		Change Order A	1	MTL
00-10-1500			Metalfab Pumper E	1	MTL
00-20-1000			Company Profile E	1	MTL
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
00-20-1700			Hale Pump Warranty - 5 years	1	MTL
00-20-1900			UPF Polytank Lifetime Warranty	1	MTL
00-20-2000			Plant Visits - unlimited at customer expense	1	MTL
00-20-3000			No Bonding Required	1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent	1	MTL
10-11-0100			Vehicle Data Recorder (chassis prewired)	1	MTL
10-11-0500	S		NFPA 1901-2016 Compliance	1	
10-11-2000		>	UL Testing 1901	1	
10-11-2100			Maximum length not specified E	1	MTL
10-11-2200			Maximum height not specified E	1	MTL
10-11-2400			Overall length is 30' or more	1	MTL
10-11-2410			Overall height is 119" or more	1	
10-11-2500			General Construction	1	
10-11-3000			Manuals - two copies	1	
10-11-3500	S	>	Delivery to K&T by Metalfab, K&T will deliver and do	1	MTL
			orientation		
10-11-4000			Payment Terms - Chassis Net 10 days, Balance COD	1	
10-20-1100			Hose bed capacity - standard NFPA Pumper	1	
10-20-2100			Equipment carrying capacity - standard NFPA Pumper	1	MTL
			CHASSIS INFORMATION	1	
20-11-0500	S	>	Metalfab chassis Freightliner M2 106	1	
20-11-1500			2013 Emission chassis modifications	1	
20-21-0500			Fluid capacity plate	1	MTL
20-21-0600			Pumping test plate	1	
20-21-1000			Maximum riders sign - 2 persons	1	
20-21-1500			Seat belt warning labels - 2 door chassis	1	
20-21-1520			Helmet warning label - do not wear helmet	2	
20-21-1530			Tire Pressure Indicators - Single Axle	1	MTL

06/05/2017					Page 2
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-21-1600			Apparatus Information Label	1	MTL
20-21-2000			Non removable key	1	MTL
20-21-2500			Shifter lock not required E	1	MTL
20-21-3500			Rear step warning label	1	MTL
20-21-3810			Front mudflaps provided with chassis	1	MTL
20 21 0010			E	•	
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
20-31-0500			Alum tread fuel tank trim, Conv - 2 door	1	MTL
	C			-	
20-31-1900	S		Chassis cab painted by Freightliner	1	MTL
20-31-4700	>	•	Extend front bumper, gravshid with preconnected hosewell	1	MTL
00.04.0000			E Out the second of the second	4	
20-31-6000			Stainless steel wheel covers - single axle	1	
20-41-0600			Intake air shutoff for engine not required	1	MTL
20-41-1100			Transmission programming - Allison WT	1	MTL
20-41-1500			Extend exhaust pipe - RS front of rear wheels	1	MTL
			E		
20-41-1900			Battery boost terminals with chassis E	1	MTL
20-41-2000			Chassis batteries remain in OEM location	1	MTL
20-41-2510			Fuel fill at step fuel tank under cab	1	MTL
20-41-2600			Chassis fuel tank remains in OEM location	1	MTL
20-41-5000			Rear Tow Hooks - under body	1	MTL
20-51-0700			Master Battery Disconnect included with chassis	1	MTL
20-51-2500			Back up alarm included with chassis	1	MTL
20-51-3400			Protection valve installed for air operated accessories	1	MTL
20-51-4000			Auto eject for air inlet - LS	1	MTL
20-51-6200	>	_	120 volt 20 A shore line connection in chassis cab	1	MTL
20-51-6510	_	•	Kussmaul Autocharge 35/10 battery conditioner w/battery save	1	MTL
20-31-0310			Russillaul Autocharge 33/10 battery conditioner w/battery save	- 1	IVIIL
20-51-7100			Floatria System Manager	1	MTL
			Electric System Manager System Auto picot for 130 yr 20 A with pooled analogues	1	MTL
20-51-7500			Super Auto eject for 120 v - 20 A with sealed enclosure	-	
20-51-8500	_		Engine compartment lights (pair)	1	MTL
20-51-9001	S		Hood mounted air horns with foot switches included with	1	MTL
			chassis		—.
20-52-3000	>	•	Chassis steering wheel lined up by others	1	MTL
20-60-0400			Chassis wheelbase does not change	1	MTL
			PUMP AND PLUMBING	1	MTL
30-11-5700			Hale QFLO Single stage 1250 USGPM	1	MTL
30-12-3300			Mechanical seal for Hale QFLO/QPAK pumps	1	MTL
30-15-0103			Plumbing - Hale manifold pump SM	1	MTL
30-20-0500				1	MTL
30-20-1002			Akron valves specified	1	MTL
30-20-1500			Piping galvanized steel - general	1	MTL
30-20-1700	S		1-1/2" thread specifications - NPSH	1	MTL
30-20-1800	S		2-1/2" thread specifications NST	1	MTL
30-20-2000			Piping hydrostatic test	1	MTL
30-20-2500			Anodes in suction and discharge piping	1	MTL
30-21-5500			Tank to Pump 3" w/ check valve manifold pump	1	MTL
30-22-0500			Tank Fill valve 2"	1	MTL
30-31-4010			Suction - 6" not gated each side manifold pump	1	MTL
30-32-7500			Suction - 2-1/2" left side, bleeder, Hale manifold pump	1	MTL
30-41-2000			2-1/2" RS discharge, bleeder, Hale manifold pump	2	MTL
30-41-2500			2-1/2" LS discharge, bleeder, Hale manifold pump	2	MTL
30-43-1500			2-1/2" rear discharge, plumbed 2-1/2", bleeder	1	MTL
30-44-0500			1-1/2" crosslay (each), 2" valve, bleeder	2	MTL
30-44-1000				1	MTL
	>		1-1/2" front trash line, plumbed 2", hosewell	-	MTL
30-44-6500			Piping for monitor, plumbed 3", bleeder	1	
30-44-8500	< >		Hose reel, 1" X 200', nozzle, electric - compartment mounted	1	MTL
			Located in back compartment sunk into the floor 8/10 inches.		
			Order reel with hose roller and guide rollers.		
			Rewind switch located on compartment side wall left of reel.		

06/05/2017					Page 3
PART NO	S S	TN CODE	DESCRIPTION	QTY	ID
30-51-0500			Pump shift-Midship air	1	MTL
30-51-0700			Pump Gearbox mounted manual over ride for pump shift	1	MTL
			E '		
30-51-6800			FRC InControl Governor/Throttle engine display with throttle	1	MTL
00 07 0000			knob	•	
20 54 7000				1	MTL
30-51-7000			Suction side relief V/V, manifold pump		
30-51-7700			Primer Hale oil less ESP with oil tank Hale	1	MTL
30-51-8100			Heat exchanger included with chassis	1	MTL
30-52-1000			Master drain V/V, 12 port	1	MTL
30-52-2000			Drain valve for foam system header	1	MTL
30-52-4010			Foam System - Hypro FoamPro 1600	1	MTL
30-52-9100			Foam concentrate label at foam tank fill	1	MTL
30-52-9200			Foam System Instruction Plates	1	MTL
30-52-9400			NFPA Foam System certification test	1	MTL
30-32-3400			WATER AND FOAM TANKS	1	MTL
40 44 0000				-	
40-11-2000			Polytank IIE water tank (US gallons)	1	MTL
40-11-2200			Water tank capacity certification (tank manufacturer)	1	MTL
40-11-5100	S		Tank capacity 1200 US Gallons	1	MTL
40-12-5101	S		20 US Gal Foam cell	1	MTL
40-21-0500			3" tank to pump connection	1	MTL
40-22-0500			2" tank fill connection	1	MTL
40-23-0500			1" water level gauge connection	1	MTL
40-23-1070			3" direct fill connection	1	MTL
				1	
40-30-0400			3" plug in sump box	-	MTL
40-30-1000			Water Fill Box front left corner	1	MTL
40-31-0400			Rear dump valve not requested E	1	MTL
40-31-6000			2-1/2" rear gtd tank fill	1	MTL
			ELECTRICAL	1	MTL
50-11-0500			Base electrical system	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
50-11-0900			Rocker switch panel with master warning switch	1	MTL
				-	
50-11-1400			Federal PA300 100 watt siren	1	MTL
50-11-1620			Siren speaker,100 watt, in front bumper	1	MTL
50-11-2600			Siren to be accessible to driver and officer	1	MTL
50-11-6100	S		Whelen LED Lighting Package	1	MTL
50-11-6501			Rear Directional Light not required E	1	MTL
50-11-8600	S		Rear LED beacons-Whelen MCFLED2R (pr) both red	1	MTL
50-12-8510	S		Front LED flashers (pr)-Whelen red LED 400 with integral	1	MTL
			flasher		
50-12-8700	S		Front side inter Its (pr) - Whelen red LED 400	1	MTL
50-12-8800	S		Body side inter its (pr)-Whelen red LED 400	1	MTL
				-	
50-12-8901	S >		Add'l body side inter Its (pr)-Whelen red LED 400 with integral	1	MTL
			flasher		
50-21-1500			Rear floods (pr)-Unity	1	MTL
50-21-5100	>		Compartment lighting - LED tube lights in each compartment	1	MTL
			(rollup doors)		
50-21-5500			Door Ajar warning light	1	MTL
50-21-8001			Step lights for body steps - 4" LED	1	MTL
50-21-8200	S		Step lights for chassis steps - LED Lumabars	1	MTL
50-21-8600	9		LED clearance its and reflectors	1	MTL
				-	MTL
50-21-8800			LED intermediate turn signal/clearance/reflector length >30'	1	
50-22-0750	S		Whelen 64 LED CAST 4V tail/brake-turn-backup-warning	1	MTL
			module (pr)		
50-31-6006	>		Scene lights (pr) - Federal QL97 LED	3	MTL
50-31-6010			Scene light boxes (pr) - tread plate	2	MTL
50-31-6600			Ground lighting (4" LED) - 2 door chassis	1	MTL
50-31-6620			Ground lighting (4" LED) - side mount body	1	MTL
50-99-05AA	U		Whelen Freedom IV LED Light Bar - Full Front with Side Alley	1	
00 00 00AA	J		Lights		
			Ligino		

06/05/2017				Page 4
PART NO	S STN CODE	DESCRIPTION	QTY	ID
		BODY	1	MTL
60-10-1400		Single axle extruded aluminum body	1	MTL
60-10-4100		No "beavertail" rear step supports	1	MTL
60-10-4600		Painted fender surround E	1	MTL
60-10-4700		Integral aluminum fender trim	1	MTL
60-10-5400	>	Diamondback pumphouse steps	1	MTL
60-10-5430	>	Diamondback 19" rear step	1	MTL
60-10-6000		Extruded rub rail	1	MTL
60-11-0300	>	Front left side compartments full height	1	MTL
		E		
60-11-0700	>	Front right side compartments full height	1	MTL
00 11 0100	•	E		
60-11-1000	>	Rear left side compartments full height	1	MTL
	•	E	-	
60-11-1400	>	Rear right side compartments full height E	1	MTL
60-11-2000	>	High side compartment (over 18") each	2	MTL
60-11-3200	>	Full Height Rear compartment	1	MTL
60-11-5500		Rollup door - standard height	2	MTL
60-11-5520		Rollup door - standard neight	5	MTL
60-31-4100		Extruded aluminum handrails	1	MTL
60-31-5500		Steps at rear of body (folding)	1	MTL
60-31-5600			1	MTL
		Steps and grab handles at front of body next to pump panel	-	MTL
60-31-6500		Compartment matting-Turtle tile	1	
60-31-8000		BA bottle compt (ea)-fender well	2	MTL
60-31-9600	>	Adjustable shelf (ea)	4	MTL
60-32-3550		Two adjustable hose divider (each)	1	MTL
60-32-7500		Hose bed - aluminum	1	MTL
60-33-0000		Paint exterior - Imron Elite	1	MTL
60-33-0200	•	Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0500	S	Paint chassis wheels job colour	1	MTL
60-33-1000		Paint pump and plumbing job colour	1	MTL
60-33-1500		Buffed finish compartment interior	1	MTL
60-33-2000		Lettering - no lettering provided	1	MTL
60-33-3300	S	Reflective stripe - special graphics	1	MTL
60-33-3310		Reflective stripe - red and yellow chevron at rear	1	MTL
60-33-3500		Tarp over hose bed - black	1	MTL
60-33-3600		Reflective stripe - inside entry doors	1	MTL
60-33-4600		Aluminum cover over crosslays - with end tarps (black)	1	MTL
60-40-5500		Suction hose tube (each) with door	2	MTL
60-40-9000	>	Tube mount for ladders, with rear door	1	MTL
60-41-1015		Pike Pole tube in suction hose tube	2	MTL
60-41-1500		Attic ladder tube with rear door	1	MTL
70-11-0000		Warning Label on Pump Operator's Panel	1	MTL
70-11-0500		Side mount instrument panel	1	MTL
70-11-1500		Stainless steel instrument panels	1	MTL
70-11-3200		Colour coded tags	1	MTL
70-11-4000		Stainless steel side panel hood right side	1	MTL
70-11-4100		Stainless steel side panel hood left side	1	MTL
70-11-5100		Open storage at rear top of pump house	1	MTL
70-11-5300		Right side painted pump access door	1	MTL
70-11-7500		Heat pan-aluminum	1	MTL
70-11-8000		Heater in pump compartment	1	MTL
70-20-1000		4-1/2" compound gauge - PSI only 0-600	2	MTL
70-20-2000		2-1/2" pressure gauge - PSI only 0-600	10	MTL
70-20-2500		Primer control	1	MTL
70-20-3300		FRC InControl Governor Control	1	MTL
70-20-3510		Electric water level gauge on pump panel and at rear, Class	1	MTL
		One		
70-20-6500		Test gauge panel	1	MTL
70-20-7500		Heat exchanger control valve	1	MTL
		<u> </u>		
4				

06/05/2017				Page 5
PART NO	S	STN CODE DESCRIPTION	QTY	ID
70-21-1600	S	Electric Foam Level gauge not requested		MTL
70-21-5500		Panel readout for Battery Conditioner	1	MTL
70-99-05AA	U	LED Panel Lights - 20" Amdor Lumabar	1	
00 00 0004	S	****ACCESSORIES - supplied and mounted by K&T****	1	MTL
99-99-9901	U	4 " storz discharge adapter 6"x10' suction hose	1	
99-99-9902 99-99-9903	U	6" box strainer	1	
99-99-9904	Ü	6" low level strainer	1	
99-99-9905	Ü	Spanner hydrant sets	1	
99-99-9906	Ü	Rubber hammer	1	
99-99-9907	Ü	Hydrant adapter	1	
99-99-9908	Ŭ	14' roof	1	
99-99-9909	U	24' extension	1	
99-99-9910	U	10 attic	1	
99-99-9911	U	10' pike poles FG	1	
99-99-9912	U	4/6' Closet Hooks	1	
99-99-9913	U	Class A foam 5gals	1	
99-99-9914	U	1250 gpm deck gun	1	
99-99-9915	U	1250 GPM nozzle	1	
99-99-9916	U	stacked tips deck gun	1	
99-99-9917	U	alum wheel chocks 8"	1	