



Hebbsville Fire Department  
 Douglas Peveril  
 215 Century Drive  
 Hebbsville, NS B4V 6V8  
 jdpeveril@eastlink.ca



**Exp. Date:** 04/30/2016  
**Quote No:** JHENS-0019      **Job/Order No:** 19129  
**BODY:** 00-10-15      Metalfab Pumper - ULC 05/13

03/13/2017

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			<b>== Metalfab Pumper - ULC 05/13 - 0.000 ==</b>	<b>1</b>	<b>MTL</b>
			<b>Change Order H</b>	<b>1</b>	<b>MTL</b>
00-10-1500			Metalfab Pumper E	1	MTL
00-20-1000			Company Profile E	1	MTL
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
<b>00-20-1700</b>			<b>Hale Pump Warranty - 5 years</b>	<b>1</b>	<b>MTL</b>
<b>00-20-1800</b>	<b>S</b>		<b>Polypropylene tank Lifetime Warranty</b>	<b>1</b>	<b>MTL</b>
00-20-2000			Plant Visits - unlimited at customer expense	1	MTL
<b>00-20-3000</b>	<b>S</b>		<b>No Bonding Requested</b>	<b>1</b>	<b>MTL</b>
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent E	1	MTL
<b>10-11-0110</b>			<b>Vehicle data recorder included with chassis</b>	<b>1</b>	<b>MTL</b>
<b>10-11-1100</b>	<b>S</b>		<b>ULC S515-13 Compliance</b>	<b>1</b>	<b>MTL</b>
10-11-1500		>	ULC Testing - Pumper	1	MTL
<b>10-11-2100</b>	<b>S</b>		<b>Maximum length 377-1/2"</b>	<b>1</b>	<b>MTL</b>
<b>10-11-2200</b>	<b>S</b>		<b>Maximum height - 10' (120")</b>	<b>1</b>	<b>MTL</b>
<b>10-11-2400</b>			<b>Overall length is 30' or more</b>	<b>1</b>	<b>MTL</b>
10-11-2500			General Construction	1	MTL
<b>10-11-3000</b>			<b>Manuals - two copies</b>	<b>1</b>	<b>MTL</b>
<b>10-11-3600</b>	<b>S</b>	>	<b>Delivery - FOB Fire Department</b>	<b>1</b>	<b>MTL</b>
10-11-4000			Payment Terms - Chassis Net 10 days, Balance COD	1	MTL
<b>10-20-1400</b>	<b>S</b>	< >	<b>Hose capacity exceeding ULC/NFPA requirements</b>	<b>1</b>	<b>MTL</b>
			Customers hose load is as follows;		
			1000' of 4"		
			800' of 2.5"		
			400' of 1.75" in the Crosslays		
			400' of 1.75 in the hose bed		
10-20-2000			Equipment carrying capacity - standard ULC Pumper	1	MTL
			CHASSIS INFORMATION	1	MTL
<b>20-11-1000</b>	<b>S</b>	<	<b>Chassis supplied by Metalfab</b>	<b>1</b>	<b>MTL</b>
			Freightliner M2 112 4 door		
			41,600 lb GVW 14,600 Front Axle 27,000 Rear Axle		
			240" Wheelbase Approx 128" Cab to Axle		
			Cummins ISL 370 HP @ 2000 rpm, 2100 governed rpm,		
			1250 torque @ 1400 rpm		
			Allison 3000 EVS automatic transmission, 275 Amp alternator		
			Polished Aluminum wheels, hubs remain painted black from		

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
			chassis OEM - Nova supplies high hats and SS nut covers		
			189 liter fuel tank, LH		
			Dual hood mounted air horns with foot switches		
			No Rear window		
			ESC		
			Maximum Speed - 105 Km/hr		
			MXL 17N Meritor main driveline		
			Paint is L0006 EB White over L2842 EB Bright Yellow		
			Paint spay outs required for Customer sign off.		
			Paint line to match Saint Louis de Kent - M13-16508		
			See if rear chassis seats can be moved back one hole to give more room for firefighters getting in and out of the cab		
20-11-1500			2013 Emission chassis modifications	1	MTL
<b>20-11-1600</b>	<b>S</b>		<b>Chassis Motor Vehicle Inspection as provided by dealership (Nova)</b>	<b>1</b>	<b>MTL</b>
20-21-0500			Fluid capacity plate	1	MTL
20-21-0600			Pumping test plate	1	MTL
<b>20-21-1030</b>			<b>Maximum riders sign - 5 persons</b>	<b>1</b>	<b>MTL</b>
<b>20-21-1510</b>			<b>Seat belt warning labels - 4 door chassis</b>	<b>1</b>	<b>MTL</b>
<b>20-21-1530</b>			<b>Tire Pressure Indicators - Single Axle</b>	<b>1</b>	<b>MTL</b>
20-21-1600			Apparatus Information Label	1	MTL
20-21-2000			Non removable key	1	MTL
20-21-2500			Shifter lock not required	1	MTL
20-21-3500			Rear step warning label	1	MTL
<b>20-21-3810</b>			<b>Front mudflaps provided with chassis</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
20-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
20-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	1	MTL
<b>20-31-1100</b>			<b>Alum tread fuel tank covers, diamond grip steps, Conv - 4 dr</b>	<b>1</b>	<b>MTL</b>
<b>20-31-1500</b>	<b>S</b>	<b>&gt;</b>	<b>Special compartments in chassis steps</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
<b>20-31-1900</b>	<b>S</b>		<b>Chassis cab painted 2 tone by Freightliner - white over yellow</b>	<b>1</b>	<b>MTL</b>
<b>20-31-7500</b>	<b>S</b>	<b>&lt;</b>	<b>Console in cab</b>	<b>1</b>	<b>MTL</b>
			Console to have a 4" wide area at the rear for 3 customer supplied chargers (ref 20-99-10AA).		
			Front corner near officer to have an area 4" wide suitable for mounting 1 customer supplied charger (ref 20-99-10AA)		
			Install siren, Customer's two radio (ref 50-35-0500) and pump shift in console.		
			Storage area with hinged cover and SCBA style push latch provided at centre of console ahead of chargers - hinged towards the driver. To include a partition to hold two clipboards.		
			Gray Zolatone finish		
			Customer approval required before building the console		
20-41-0600			Intake air shutoff for engine not required	1	MTL
<b>20-41-0900</b>			<b>Auxiliary braking system disabled when pumping</b>	<b>1</b>	<b>MTL</b>
20-41-1100			Transmission programming - Allison WT	1	MTL
20-41-1500			Extend exhaust pipe - RS front of rear wheels	1	MTL
			<b>E</b>		
20-41-1900			Battery boost terminals with chassis	1	MTL
20-41-2000			Chassis batteries remain in OEM location	1	MTL
20-41-2510			Fuel fill at step fuel tank under cab	1	MTL
20-41-2600			Chassis fuel tank remains in OEM location	1	MTL
<b>20-41-5005</b>			<b>Rear Tow Hooks not required</b>	<b>1</b>	<b>MTL</b>
<b>20-41-5200</b>	<b>S</b>		<b>Rear trailer receiver</b>	<b>1</b>	<b>MTL</b>

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-41-5500	S		<b>ON SPOT Automatic traction chains</b>	1	MTL
20-51-0710			<b>Master Battery Disconnect included with Freightliner chassis</b>	1	MTL
20-51-2500			<b>Back up alarm included with chassis</b>	1	MTL
20-51-3400			Protection valve installed for air operated accessories	1	MTL
20-51-4000			<b>Auto eject for air inlet - LS</b>	1	MTL
20-51-6200	S	>	<b>120 volt 20 A shore line connection in chassis cab</b>	4	MTL
20-51-6500	S		<b>Kussmaul Autocharge 1000 battery conditioner w/battery saver</b>	1	MTL
20-51-7100	S		<b>Electric System Manager</b>	1	MTL
20-51-7500			<b>Super Auto eject for 120 v - 20 A with sealed enclosure</b>	1	MTL
20-51-8500			Engine compartment lights (pair)	1	MTL
20-51-9001	S	<	<b>Air horns ordered with Freightliner chassis</b>	1	MTL
			Chassis ordered with: RS momentary push button switch on dash within easy reach of Officer. LS foot switch at Drivers location.		
20-52-3500		>	<b>Chassis steering wheel lined up by Metalfab</b>	1	MTL
			<b>E</b>		
20-52-4000	S		<b>Rear View Camera system</b>	1	MTL
20-60-0400			Chassis wheelbase does not change	1	MTL
20-99-05AA	U		<b>Additional air tank</b>	1	
20-99-10AA	U		<b>Mount customer supplied communication accessories</b>	1	
			PUMP AND PLUMBING	1	MTL
30-11-8100			<b>Hale QMAX 1250 IGPM single stage pump</b>	1	MTL
30-12-3500			<b>Mechanical seal for Hale QMID/QMAX/QTWO pumps</b>	1	MTL
30-15-0104			<b>Plumbing - Hale manifold pump SM SS</b>	1	MTL
30-20-0500	S	<	<b>Valves and controls - side mount panel</b>	1	MTL
			The discharges will be numbered sequentially from the LS pump panel all the way around to the right side panel: 1 - first crosslay next to cab 2 - second crosslay towards storage area 3 - 2-1/2" LS next to cab 4 - 2-1/2" LS next to body 5 - 2-1/2" rear towards middle of body 6 - 2-1/2" rear on outside edge of body 7 - rear 4" 8 - 2-1/2" RS 9 - 4" RS		
30-20-1001			Valve brand not specified	1	MTL
			E		
30-20-1600			<b>Piping stainless steel - general</b>	1	MTL
30-20-1700	S		<b>1-1/2" thread specification - NPSH</b>	1	MTL
30-20-1800	S		<b>2-1/2" thread specifications - NS Standard Thread (NSZ1)</b>	1	MTL
30-20-2000			Piping hydrostatic test	1	MTL
30-20-2500			<b>Anodes in suction and discharge piping</b>	1	MTL
30-21-5560			<b>Tank to Pump SS 3" w/ check valve manifold pump</b>	1	MTL
30-22-0520			<b>Tank Fill valve 2" SS</b>	1	MTL
30-31-4010	S		<b>Suction - 6" gated each side manifold pump</b>	1	MTL
30-31-7200		>	<b>Hale master intake suction valve - electric control</b>	2	MTL
30-40-2020			<b>4" right discharge SS, plumbed 3", Hale manifold pump</b>	1	MTL
30-40-2599	U		<b>4" rear discharge, SS, 3" plumbing, non-manifold pump</b>	1	
30-41-2020			<b>2-1/2" RS discharge SS, bleeder, Hale manifold pump</b>	1	MTL
30-41-2520			<b>2-1/2" LS discharge SS, bleeder, Hale manifold pump</b>	2	MTL
30-43-1520	S		<b>2-1/2" rear discharge SS, plumbed 2-1/2", bleeder</b>	2	MTL
30-44-0520	S	<	<b>1-1/2" crosslay (each) SS, 2" valve, bleeder</b>	2	MTL
			Capacity for 200' of 1.75" hose and nozzle in each hose lay Hose beds to allow two lays of hose per hose bed		
30-51-0500			<b>Pump shift-Midship air</b>	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
30-51-0600			Manual over ride for pump shift on pump panel by Metalfab	1	MTL
30-51-6640			Class One "TPG Plus" Governor/Throttle	1	MTL
30-51-701A	U		Suction side relief valve for MIV	2	
30-51-77AA	U	<	Automatic Trident Air Primer with gauge - 3 location	1	
			SOPT 586 Trident #31.011.22		
			An additional air tank (1580843) shall be installed, complete with DV2 type Auto drain (1580388)		
			See 20-99-05AA		
30-51-8100			Heat exchanger included with chassis	1	MTL
30-51-9100			Thermal Relief Valve with warning light	1	MTL
30-52-1000			Master drain V/V, 12 port	1	MTL
30-52-2000			Drain valve for foam system header	1	MTL
30-52-5510			Foam system-Hypro FoamPro 2001 Single Tank	1	MTL
30-52-9100			Foam concentrate label at foam tank fill	1	MTL
30-52-9200			Foam System Instruction Plates	1	MTL
30-52-9400			NFPA Foam System certification test	1	MTL
30-99-05AA	U		4" Storz Inlet - 3" valve with push/pull control, SSRV	1	
30-99-10AA	U	<	Power Fill foam refill system	1	
			SOPT 165 FRC #3435-0134 (same as M16-18868)		
			Inlet and controls on right side pump panel.		
			WATER AND FOAM TANKS	1	MTL
40-11-2100	S		Polypropylene water tank (Imperial gallons)	1	MTL
40-11-2200			Water tank capacity certification (tank manufacturer)	1	MTL
40-11-5000	S		Tank capacity 1000 Imperial Gallons	1	MTL
40-12-4500	S		Foam cell - 20 Imperial gallon	1	MTL
40-21-0500			3" tank to pump connection	1	MTL
40-22-0500			2" tank fill connection	1	MTL
40-23-0500			1" water level gauge connection	1	MTL
40-23-1000			1" foam level gauge connection	1	MTL
40-30-0500			Sump drain valve (3" gate valve) with linkage	1	MTL
			E		
40-30-1000			Water Fill Box front left corner	1	MTL
40-31-0400			Rear dump valve not requested	1	MTL
40-31-6050			Rear fill not requested	1	MTL
			ELECTRICAL	1	MTL
50-11-0500			Base electrical system	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
50-11-0900		<	Rocker switch panel with master warning switch	1	MTL
			***Install at ceiling of Freightliner cab in center opening similar to Bear River M16-18279		
50-11-1400			Federal PA300 100 watt siren	1	MTL
50-11-1620			Siren speaker, 100 watt, in front bumper	1	MTL
50-11-2600			Siren to be accessible to driver and officer	1	MTL
50-11-6100	S		Whelen F4NOQLED LED light bar NFPA	1	MTL
50-11-6610		<	Rear LED Traffic Advisor warning lights - flush mount	1	MTL
			Whelen model TAL85 - offset to the right to clear the Zico access ladder		
			Control to be installed in center overhead opening similar to Bear River M15-18279		
			Interlock with the Emergency Master switch so control head is only powered when the Emergency Master switch is in the "ON" position.		
			Have a glass cover (ref 50-11-662A) over the recessed hole to make the unit appear cleaner		

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
50-11-662A	U		Lexan cover over Traffic Advisor recessed opening	1	
50-11-8600	S		Rear LED beacons-Whelen MCFLED2R (pr) both red	1	MTL
50-12-8000			Additional body side intersection light not required	1	MTL
50-12-8500	S		Front LED flashers (pr)-Whelen red LED 400 with integral flasher	1	MTL
50-12-8600	S		Rear LED flashers (pr)-Whelen red LED 400 with integral flasher	1	MTL
50-12-8700	S		Front side inter lts (pr) - Whelen red LED 400 with integral flasher	1	MTL
50-12-8800	S		Body side inter lts (pr)-Whelen red LED 400 with integral flasher	1	MTL
50-21-16AA	U	<	Parking ditch lights in rear fenders - LED w/ SS housing (pr) SOPT 160a Switched in cab and also interlocked with reverse gear of transmission.	1	
50-21-252A	U		FRC telescoping SPECTRA LED 12V flood (ea)	4	
50-21-29AA	U		Additional lighting in cab to illuminate floor area (ULC requirement) 4-dr	1	
50-21-3000		< >	Remote control electric spot/flood (ea) Spartan On right side of the hood as shown on the proposal drawing Control mounted on center console 20-31-7500 within easy reach of Officer. Wired to shed with the load management system.	1	MTL
50-21-5100	S	>	Compartment lighting - LED tube lights in each compartment (rollup doors)	1	MTL
50-21-5500	S	<	Door Ajar warning light Mount light above the driver seat position Bilingual Warning label in cab to read: "Do Not Move Apparatus when Light is on" SPECIAL LOCATION - Locate near the seat belt monitoring display	1	MTL
50-21-5550	S	<	Equipment rack not stowed warning light Mount light above the driver seat position Bilingual Warning label in cab to read: "Do Not Move Apparatus when Light is on" SPECIAL LOCATION - Locate near the seat belt monitoring display	1	MTL
50-21-8001			Step lights for body steps - 4" LED	1	MTL
50-21-82AA	U		12" Lumabar LED step lights for four door chassis	1	
50-21-8600			LED clearance lts and reflectors	1	MTL
50-21-8800			LED intermediate turn signal/clearance/reflector length >30'	1	MTL
50-22-0700	S		Whelen 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-6010	S		Scene light boxes (pr) - painted	2	MTL
50-31-6560			Ground lighting (LED Lumabar) - 4 door chassis	1	MTL
50-31-6570			Ground lighting (LED Lumabar) - side mount body	1	MTL
50-31-65AA	U		Hose bed lighting - LED on front partition (ULC requirement)	1	
50-31-70AA	U		Lighting for Zic rear access ladder to meet ULC	1	
50-35-0500	S		Installation of customer supplied mobile radio	2	MTL
50-35-0560	S		VHF antenna with base - commercial chassis	1	MTL
50-35-0590	S		Cellular/TMR antenna with base - commercial chassis	1	MTL
50-99-50AA	U	<	Whelen M6 LED Scene lights (pr) SOPT Each upper side corner as shown on the proposal drawing - Whelen Model M69ZC with chrome bezel	2	
			BODY	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
60-10-1400			Single axle extruded aluminum body	1	MTL
<b>60-10-40AA</b>	<b>U</b>		<b>Squared "beavertail" rear step supports</b>	<b>1</b>	
60-10-4600			Painted fender surround	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5400		>	Diamondback pumphouse steps	1	MTL
60-10-5430		>	Diamondback 19" rear step	1	MTL
60-10-6000			Extruded rub rail	1	MTL
<b>60-11-0300</b>		>	<b>Front left side compartments full height</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
<b>60-11-0600</b>		>	<b>Front right side compartments intermediate height</b>	<b>1</b>	<b>MTL</b>
<b>60-11-1000</b>		>	<b>Rear left side compartments full height</b>	<b>1</b>	<b>MTL</b>
			<b>E</b>		
<b>60-11-1300</b>		>	<b>Rear right side compartments intermediate height</b>	<b>1</b>	<b>MTL</b>
<b>60-11-1900</b>		< >	<b>Low side compartment (up to 18") each</b>	<b>1</b>	<b>MTL</b>
			Right side		
<b>60-11-2000</b>		< >	<b>High side compartment (over 18") each</b>	<b>1</b>	<b>MTL</b>
			Left side		
60-11-3200		>	Full Height Rear compartment	1	MTL
<b>60-11-4500</b>			<b>Flush mount aluminum door - single with "D" handle</b>	<b>1</b>	<b>MTL</b>
<b>60-11-5500</b>			<b>Rollup door - standard height</b>	<b>1</b>	<b>MTL</b>
<b>60-11-5510</b>			<b>Rollup door - intermediate height</b>	<b>2</b>	<b>MTL</b>
<b>60-11-5520</b>			<b>Rollup door - full height</b>	<b>3</b>	<b>MTL</b>
<b>60-31-4100</b>			<b>Extruded aluminum handrails</b>	<b>1</b>	<b>MTL</b>
<b>60-31-5000</b>			<b>Zico access Ladder at rear of unit</b>	<b>1</b>	<b>MTL</b>
<b>60-31-5600</b>			<b>Steps and grab handles at front of body next to pump panel</b>	<b>1</b>	<b>MTL</b>
<b>60-31-5800</b>	<b>S</b>		<b>Step over rear compartment</b>	<b>1</b>	<b>MTL</b>
60-31-6500			Compartment matting-Turtle tile	1	MTL
<b>60-31-8000</b>	<b>S</b>		<b>BA bottle compt (ea)-fender well</b>	<b>4</b>	<b>MTL</b>
<b>60-31-8700</b>		>	<b>Sliding tray (ea) - 400 pound capacity with gas strut</b>	<b>4</b>	<b>MTL</b>
<b>60-31-9600</b>	<b>S</b>	>	<b>Adjustable shelf (ea)</b>	<b>4</b>	<b>MTL</b>
<b>60-31-9600</b>	<b>S</b>	>	<b>Adjustable shelf (ea)</b>	<b>1</b>	<b>MTL</b>
<b>60-32-3560</b>			<b>Three adjustable hose divider (each)</b>	<b>1</b>	<b>MTL</b>
<b>60-32-7500</b>		<	<b>Hose bed - aluminum</b>	<b>1</b>	<b>MTL</b>
			Capacity for the following		
			1000' of 4"		
			800' of 2.5"		
			800' of 1.5" (400' in main hosebed, 400' in Crosslays hosebeds)		
<b>60-33-0000</b>			<b>Paint exterior - Imron Elite</b>	<b>1</b>	<b>MTL</b>
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
<b>60-33-0600</b>			<b>Chassis wheels not painted</b>	<b>1</b>	<b>MTL</b>
60-33-1000			Paint pump and plumbing job colour	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
<b>60-33-2200</b>	<b>S</b>	<	<b>Lettering - 80 letters up to 3" tall - 3 colour</b>	<b>1</b>	<b>MTL</b>
			Match M09-13533 - Vinyl letters, Fire Department to approve details on location and text.		
			Truck number will be "1"		
			Customer will supply door decal		
			Include "Year/Pump/Capacity" on the hood		
			Approval drawing to be provided prior to lettering.		
<b>60-33-3200</b>	<b>S</b>		<b>Reflective stripe - 1" - 4" - 1" white</b>	<b>1</b>	<b>MTL</b>
<b>60-33-3310</b>			<b>Reflective stripe - red and yellow chevron at rear</b>	<b>1</b>	<b>MTL</b>
60-33-3500			Tarp over hose bed - black	1	MTL
60-33-4600			Aluminum cover over crosslays - with end tarps (black)	1	MTL
<b>60-40-4500</b>		<	<b>6" Hose tray - side mount (ea)</b>	<b>1</b>	<b>MTL</b>
			Mount on Zico LAS.		

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
60-40-5500		<	<b>Suction hose tube (each) with door</b> To be completely enclosed and carry as long a suction as possible	2	MTL
60-40-8500		>	<b>Tail light box Fire Extinguisher tubes (pr)</b>	2	MTL
60-40-851A	U		<b>Adjustment bracket 1006-Y to hold extinguisher in tube</b> 60-40-8500	2	
60-41-1000		<	<b>Pike Pole tube with door</b> Right side as shown on the proposal drawing for 10' pike poles 80-13-2500 Door to be stainless steel with a lift and turn latch and rubber bumper	2	MTL
60-41-1500		<	<b>Attic ladder tube with rear door</b> Right side as shown on the proposal drawing for 10' attic ladder 80-14-8500 Attic ladder and pike pole compartment will have a common stainless steel door with a lift and turn latch and rubber bumper	1	MTL
60-41-9000		>	<b>Zico electric Ladder Access system</b>	1	MTL
60-41-9010			<b>ZICO LAS switched at rear above tail light</b> E	1	MTL
60-41-9100			<b>Manual locking system for LAS</b>	1	MTL
60-99-0010	U	<	<b>Aluminum mounting plates in high sides</b> SOPT in binder 3/16" plate mounted 1/2" off back wall of shallow portion of L1, L2, L3 - weld 1/2" aluminum spacers to back wall of compartment. Leave 2" space at sides and top for ventilation, leave 4" space at bottom for adjustable shelf on L1, L2.	1	
<b>INSTRUMENTATION</b>				1	MTL
70-11-0000			Warning Label on Pump Operator's Panel	1	MTL
70-11-0500			Side mount instrument panel	1	MTL
70-11-1500			Stainless steel instrument panels	1	MTL
70-11-3200			<b>Colour coded tags</b>	1	MTL
70-11-4100			Stainless steel side panel hood left side	1	MTL
70-11-4500			<b>Diamondback grip type panel hood step right side</b>	1	MTL
70-11-5100	S		<b>Open storage at rear top of pump house</b>	1	MTL
70-11-5300			<b>Right side painted pump access door</b>	1	MTL
70-11-7500			Heat pan-aluminum	1	MTL
70-11-8000			<b>Heater in pump compartment</b>	1	MTL
70-20-1500			<b>2-1/2" pressure gauge - dual face 0-600</b>	9	MTL
70-20-3100			<b>Class One Governor Control</b>	1	MTL
70-20-3500			Electric water level gauge on pump panel, Class One	1	MTL
70-20-6500			Test gauge panel	1	MTL
70-20-7500			<b>Heat exchanger control valve</b>	1	MTL
70-21-1500	S		<b>Electric Foam Level gauge on pump panel, Class One</b>	1	MTL
70-21-5500			<b>Panel readout for Battery Conditioner</b>	1	MTL
70-99-0010	U	<	<b>Air horn on pump panel</b> SOPT 475 Label "EVACUATION ALERT"	1	
70-99-05AA	U	<	<b>Pictogram listing discharges</b> SOPT Applied at pump operators panel	1	
70-99-15AA	U	<	<b>LED Pump panel lights</b> SOPT 30 Weldon, Metalfab part number 1032051 - 3 each side	1	

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
71-21-60AA	U	<	Volume control for speaker, microphone and connection on panel SOPT 587	1	
			ACCESSORIES	1	MTL
80-11-5000			6" x 10' lightweight suction hose (ea)	3	MTL
80-12-2500			6" barrel strainer	1	MTL
80-13-0500			Rubber mallet	1	MTL
80-13-2500			Pike pole, fibreglass handle - 10' long	2	MTL
80-13-4000			Axe, pick head, fibreglass handle and bracket	1	MTL
80-13-4500			Axe, flat head, fibreglass handle and bracket	1	MTL
80-14-0500			24' 2 section extension ladder PEL 24	1	MTL
80-14-5500			14' aluminum roof ladder PRL-14	1	MTL
80-14-8500			10' aluminum folding attic ladder FL-10	1	MTL
80-17-0500	S		20# dry chemical fire extinguisher	1	MTL
80-17-1000	S		15# CO2 fire extinguisher	1	MTL
80-17-1500			2 gallon water extinguisher with mount	1	MTL
80-19-0500	S		Large folding wheel chock - aluminum (ea) not mounted	2	MTL
80-99-05AA	U	<	SCBA bracket - SmartDock for cab seat For cab seats SOPT 959	4	
80-99-10AA	U	<	6" 45-degree suction elbow - Kocheck KEP6L6-C45 SOPT 584 Not mounted, shipped loose - to be mounted by Customer	1	
80-99-15AA	U	<	Mount customer supplied monitor inside Beavertail SOPT Mount the Customers 8296 Elkhart monitor with the Customers 8296-MB mounting bracket at rear of body as directed by the Customer. Add a rubber latch Base measures 15"x9"x3"	1	
80-99-20AA	U	<	Kocheck K46-2 hose wrenches 1520747 hose wrenches, install one set LS panel, one set RS panel	2	