

Shop Order-00-10-15: Unclassified

Village of Tide Head Curtis Fraser 6 rue Mountain Street Tide Head, NB E3N 4J9 506-789-8632 (Cell)

Exp. Date: 06/05/2016

Quote No: JTINB-0009 Job/Order No: 19186

BODY: 00-10-15 Metalfab Pumper - ULC 05/13

03/20/2017					rayeı
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
	S		Change Order B	1	MTL
00-10-1500			Metalfab Pumper E	1	MTL
00-20-1000			Company Profile E	1	MTL
00-20-1500			Standard Body Warranty	1	MTL
00-20-1550			Metalfab Limited Ten (10) Year Paint and Corrosion Warranty	1	MTL
00-20-1700			Hale Pump Warranty - 5 years	1	MTL
00-20-1800	S		PolypropyleneTank Lifetime Warranty	1	MTL
00-20-2100	S		Plant Inspection Visits - 2 people, 2 visits	1	MTL
00-20-3000	S		No Bonding Requested	1	MTL
00-20-3500			Certification for Fusion Welding of Aluminum	1	MTL
00-20-4000			Quality System registered to ISO 9001:2008	1	MTL
00-20-4500			Fire Apparatus Manufacturers' Association Membership	1	MTL
			GENERAL INFORMATION	1	MTL
10-11-0000			Intent	1	MTL
10-11-0105			Vehicle Data Recorder not requested	1	MTL
10-11-1100	S		BLC S515-13 Compliance	1	MTL
10-11-1500		>	ULC Testing - Pumper	1	MTL
10-11-2100	S		Maximum length - 33' 00"	1	MTL
10-11-2200	S		Maximum height - 10' 00"	1	MTL
10-11-2400			Overall length is 30' or more	1	MTL
10-11-2500			General Construction	1	MTL
10-11-2600	S		Preconstruction Meeting - at Tide Head Fire Hall	1	MTL
10-11-3000			Manuals - two copies	1	MTL
10-11-3600	S	>	Delivery - FOB Fire Department	1	MTL
10-11-4100			Payment Terms - Body only COD(with customer supplied	1	MTL
			chassis		
10-20-1000			Hose bed capacity - standard ULC Pumper	1	MTL
10-20-2000			Equipment carrying capacity - standard ULC Pumper	1	MTL
			CHASSIS INFORMATION	1	MTL
20-11-0500	S	>	Customer supplied Chassis - International	1	MTL
20-11-1500			2013 Emission chassis modifications	1	MTL
20-11-1600			Chassis Motor Vehicle Inspection not required	1	MTL
20-21-0500			Fluid capacity plate	1	MTL
20-21-0600			Pumping test plate	1	MTL
20-21-1030			Maximum riders sign - 5 persons	1	MTL
20-21-1510			Seat belt warning labels - 4 door chassis	1	MTL
20-21-1530			Tire Pressure Indicators - Single Axle	1	MTL
20-21-1600			Apparatus Information Label	1	MTL
20-21-2000	S		Non removable key - keyless ignition with chassis	1	MTL
20-21-2500			Shifter lock not required E	1	MTL
20-21-3500			Rear step warning label	1	MTL

03/20/2017					Page 2
PART NO	S STI	N CODE	DESCRIPTION	QTY	ID
20-21-3800		Front mudflaps		1	MTL
20-21-4000		Rear mudflaps - Met	alfab Logo	1	MTL
20-31-0200		Fuel fill label -Ultra L	ow Sulfur Diesel only	1	MTL
20-31-1000		Alum tread fuel tan	k trim, Conv - 4 door	1	MTL
20-31-7500		Console in cab		1	MTL
20-41-0600		Intake air shutoff for	engine not required	1	MTL
20-41-0900		Auxiliary braking s	ystem disabled when pumping	1	MTL
20-41-1100		Transmission progra	mming - Allison WT	1	MTL
20-41-1500		Extend exhaust pipe E	- RS front of rear wheels	1	MTL
20 44 4004			inale not required betteries essentible		A # T 1
20-41-1801		•	inals not required - batteries accessible	1	—
20-41-2000			main in OEM location	1	MTL
20-41-2510		Fuel fill at step fuel to		1	MTL
20-41-2600			mains in OEM location	1	MTL
20-41-5000		Rear Tow Hooks - ui		1	MTL
20-41-5500		ON SPOT Automati		1	
20-51-0700			connect included with chassis	1	MTL
20-51-2500		Back up alarm incl		1	MTL
20-51-3100		Air inlet not require		1	MTL
20-51-3400			alled for air operated accessories	1	MTL
20-51-3500		Air outlet		1	MTL
20-51-5600			s w/ daytime running lights	1	MTL
20-51-6200	S >	120 volt 20 A shore	line connection in chassis cab	2	MTL
20-51-6600			us conditioner/compressor	1	MTL
20-51-7100		Electric System Man	ager	1	MTL
20-51-7500		Super Auto eject fo	r 120 v - 20 A with sealed enclosure	1	MTL
20-51-8500		Engine compartmen		1	MTL
20-51-9110			chassis OEM switch controlled	1	MTL
		E			
20-52-35AA	U	Chassis steering w	heel lined up prior to delivery	1	
20-52-4000		Rear View Camera		1	MTL
20-60-0400		Chassis wheelbase		1	MTL
			PUMP AND PLUMBING	1	MTL
30-11-5600		Hale QFLO Single st		1	MTL
30-12-3300			Hale QFLO/QPAK pumps	1	MTL
30-15-0103		Plumbing - Hale mai		1	MTL
30-20-0500		₩alves and controls		1	MTL
30-20-1001		Valve brand not spec	•	1	MTL
30-20-1500		Piping galvanized ste		1	MTL
30-20-1700	S	1-1/2" thread speci		1	
30-20-1800	Š	2-1/2" thread speci		1	MTL
30-20-7000	-	Piping hydrostatic tes		1	MTL
30-20-2000			nd discharge piping not requested	1	MTL
30-20-2505			check valve manifold pump	1	MTL
30-21-3500		Tank Fill valve 2"	one on tarre manifold pump	1	MTL
30-31-4010	S	Suction - 6" each s	ide manifold numn	1	MTL
30-31-7200	>		suction valve - electric control	2	MTL
30-32-7500	,		side, bleeder, Hale manifold pump	1	MTL
30-32-7500			ht side, bleeder, Hale manifold pump	1	MTL
30-40-2000			plumbed 3", Hale manifold pump	1	MTL
			e, bleeder, Hale manifold pump	-	MTL
30-41-2000 30-41-2500				1 2	
			bleeder, Hale manifold pump		
30-43-1500			ge, plumbed 2-1/2", bleeder	2 2	MTL
30-44-0500			ch), 2" valve, bleeder	_	MTL
30-44-6500			plumbed 3", bleeder	1	MTL
30-44-8500	< >		', nozzle, electric - compartment mounted	1	MTL
			ly compartment under the dump line.		
			assembly is required and to be ordered		
		with the booster re			
			Il be mounted in a convenient location on		
		right side compartr	nent wall.		

03/20/2017					Page 3
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
30-51-0500			Pump shift-Midship air	1	MTL
30-51-0700			Pump Gearbox mounted manual over ride for pump shift	1	MTL
			E ' '		
30-51-6800			FRC InControl Governor/Throttle engine display with throttle	1	MTL
00 01 0000			knob	•	
20 51 7000			Suction side relief V/V, manifold pump	2	MTL
30-51-7000					
30-51-7700			Primer Hale oil less ESP with oil tank Hale	1	MTL
30-51-7800			Pre Primer for gated suction Hale primer	2	MTL
30-51-8000			Heat exchanger E	1	MTL
30-52-1000			Master drain V/V, 12 port	1	MTL
30-52-2000			Drain valve for foam system header	1	MTL
30-52-5510	S		Foam system-Hypro FoamPro 2001 Single Tank	1	MTL
30-52-8100			Electric foam fill pump with panel pickup	1	MTL
30-52-9100			Foam concentrate label at foam tank fill	1	MTL
30-52-9200			Foam System Instruction Plates	1	MTL
30-52-9400				1	MTL
30-32-9400			NFPA Foam System certification test	1	
	_		WATER AND FOAM TANKS	1	MTL
40-11-2100	S		Polypropylene water tank (Imperial gallons)	1	MTL
40-11-2200			Water tank capacity certification (tank manufacturer)	1	MTL
40-11-5000	S		Tank capacity 1000 Imperial Gallons	1	MTL
40-12-4500	S		Foam cell - 20 Imperial gallon	1	MTL
40-21-0500			3" tank to pump connection	1	MTL
40-22-0500			2" tank fill connection	1	MTL
40-23-0500			1" water level gauge connection	1	MTL
40-23-1000			1" foam level gauge connection	1	MTL
				1	MTL
40-23-1060			10" Newton dump connection	•	
40-30-0500			Sump drain valve (3" gate valve) with linkage	1	MTL
10.00.1000			E	4	N 47T1
40-30-1000			Water Fill Box front left corner	1	MTL
40-31-3500			10" rear Newton dump,stainless steel	1	MTL
40-31-3600			Newton dump - stainless steel 36" telechute	1	MTL
40-31-5500			Electric operator for Newton dump	1	MTL
40-31-6050			Rear fill not requested E	1	MTL
			ELECTRICAL	1	MTL
50-11-0500			Base electrical system	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0700			Low Voltage Electrical System Documents	1	MTL
			•		
50-11-0900			Rocker switch panel with master warning switch	1	
50-11-1400			Federal PA300 100 watt siren	1	MTL
50-11-1625			Siren speaker,100 watt, behind chassis grille	1	MTL
50-11-2600			Siren to be accessible to driver and officer	1	MTL
50-11-5810	S	>	Federal LPX53DS-NFPA LED light bar	1	MTL
50-11-6501			Rear Directional Light not required E	1	MTL
50-11-9015	U		Rear Beacons, Federal NVG10 (pr), both red	1	
50-12-5020	-		Front LED flashers (pr)-red Federal QL64XF-R	1	MTL
50-12-5110			Rear LED flashers (pr)-red Federal QL64XF-R	1	MTL
50-12-5210			Front side inter Its (pr)-red LED Federal QL64XF-R	1	MTL
50-12-5210			Body side inter its (pr)-red LED Federal QL64XF-R	1	MTL
				-	
50-12-8000			Additional body side intersection light not required	1	MTL
50-21-1505	U	<	Unity LED rear flood lights (pr)	1	
			SOPT 255a		
50-21-2540	U		FRC telescoping SPECTRA LED 12V flood (ea)	2	
50-21-29AA	U		Additional lighting in cab to illuminate floor area (ULC reqmt) -	1	
			4 dr chassis		
50-21-3010		< >	Remote control electric spot (ea) Visibeam	1	MTL
35 27 5070		7.7	Rear of light shielded to prevent shining back into chassis	'	· L
			cab.		
			Control will be mounted on console 20-31-7500		
			Control will be incurred on Console 20-31-7300		

03/20/2017					Page 4
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
50-21-5100		>	Compartment lighting - LED tube lights in each compartment	1	MTL
			(rollup doors)		
50-21-5500			Door Ajar warning light	1	MTL
50-21-5550			Equipment rack not stowed warning light	1	MTL
50-21-8001			Step lights for body steps - 4" LED	1	MTL
50-21-8201	U		12" Lumabar LED step lights for four door chassis	1	
50-21-8600			LED clearance Its and reflectors	1	MTL
50-21-8800			LED intermediate turn signal/clearance/reflector length >30'	1	MTL
50-22-0700	S		Whelen 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-6560			Ground lighting (LED Lumabar) - 4 door chassis	1	MTL
50-31-6570			Ground lighting (LED Lumabar) - side mount body	1	MTL
50-35-0560			VHF antenna with base - commercial chassis	1	MTL
50-35-1000	S		Supply and install 16 channel mobile radio - analog Motorola	1	MTL
00 00 1000			CM200d	-	
			BODY	1	MTL
60-10-1400			Single axle extruded aluminum body	1	MTL
60-10-4100			No "beavertail" rear step supports	1	MTL
60-10-4600			Painted fender surround E	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-4700				1	MTL
		>	Diamondback pumphouse steps Diamondback 19" rear step		MTL
60-10-5430		>		1	
60-10-6000			Extruded rub rail	1	MTL
60-11-0300		>	Front left side compartments full height	1	MTL
			<u>E</u>		
60-11-0600		>	Front right side compartments intermediate height	1	MTL
60-11-1000		>	Rear left side compartments full height	1	MTL
			E		
60-11-1300		>	Rear right side compartments intermediate height	1	MTL
60-11-1900		< >	Low side compartment (up to 18") each	1	MTL
			Installed on Right side above rear wheel		
60-11-2000	•	< >	High side compartment (over 18") each	1	MTL
			Installed on left side above rear wheel		
60-11-3200		>	Full Height Rear compartment	1	MTL
60-11-4500	S		Flush mount aluminum door - single with "D" handle	1	MTL
60-11-5500			Rollup door - standard height	1	MTL
60-11-5510			Rollup door - intermediate height	2	MTL
60-11-5520			Rollup door - full height	3	MTL
60-11-5530			Rollup door - to enclose pump panel	1	MTL
60-31-4100			Extruded aluminum handrails	1	MTL
60-31-5500			Steps at rear of body (folding)	1	MTL
60-31-5600		<	Steps and grab handles at front of body next to pump panel	1	MTL
		•	Maximum height between steps is 18"	-	
			Two (2) located right side only to access diamond back		
			step/platform - left side has a roll up door so no folding		
			steps are required.		
60-31-5800	U		Special step over rear compartment	1	
60-31-6500	J		Compartment matting-Turtle tile	1	MTL
60-31-8000			BA bottle compt (ea)-fender well	4	MTL
60-31-8700	S	>	Sliding tray (ea) - 400 pound capacity with gas strut	4	MTL
60-31-9600	S	>		10	MTL
60-31-9600	S	,	Adjustable shelf (ea) Three base divider (each)	10	MTL
	3		Three hose divider (each) Hose bed - aluminum	=	
60-32-7500				1	MTL
60-33-0000			Paint exterior - Imron Elite	1	MTL
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0600			Chassis wheels not painted	1	MTL
60-33-1000			Paint pump and plumbing job colour	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL

03/20/2017					Page 5
PART NO	S	STN CODE	DESCRIPTION	QTY	ID
60-33-2200			Lettering - 80 letters up to 3" tall - 3 colour	1	MTL
60-33-3000			Reflective stripe - 4" white	1	MTL
60-33-3310			Reflective stripe - red and yellow chevron at rear	1	MTL
60-33-4600			Aluminum cover over crosslays - with end tarps (black)	1	MTL
60-33-5000			Aluminum cover over hose bed with end tarps - black	1	MTL
			E		
60-40-5500			Suction hose tube (each) with door	2	MTL
60-40-8500		>	Tail light box Fire Extinguisher tubes (pr)	2	MTL
60-40-851A	U		Adjustment bracket 1006-Y to hold extingisher in tube	2	
			60-40-8500		
60-41-1015			Pike Pole tube in suction hose tube	2	MTL
60-41-9001		>	Zico hydraulic Ladder Access system	1	MTL
60-41-9010			ZICO LAS switched at rear above tail light	1	MTL
			E		
60-41-9100			Manual locking system for LAS	1	MTL
00 41 3100			INSTRUMENTATION	1	MTL
70-11-0000					
			Warning Label on Pump Operator's Panel		MTL
70-11-0501			Side mount instrument panel with rollup door LS only	1	MTL
70-11-1500			Stainless steel instrument panels	1	MTL
70-11-3200			Colour coded tags	1	MTL
70-11-4500			Diamondback grip type panel hood step right side	1	MTL
70-11-5000			Standard cover over rear top of pump house - no storage	1	MTL
70-11-5500			Right side tread plate pump access door	1	MTL
70-11-7500			Heat pan-aluminum	1	MTL
70-11-8000			Heater in pump compartment	1	MTL
				10	
70-20-1500			2-1/2" pressure gauge - dual face 0-600	10	MTL
70-20-2500			Primer control	3	MTL
70-20-3300			FRC InControl Governor Control	1	MTL
70-20-3500			Electric water level gauge on pump panel, Class One	1	MTL
70-20-3610			Remote PSTANK water level indicators each side, rear with	1	MTL
			driver E		
70-20-6500			Test gauge panel	1	MTL
70-20-7500			Heat exchanger control valve	1	MTL
70-21-1500	S		Electric Foam Level gauge on pump panel, Class One	1	MTL
70-21-1500	3		Panel readout for Battery Conditioner	1	MTL
70-21-5500			ACCESSORIES	-	
00 44 5000				1	MTL
80-11-5000			6" x 10' lightweight suction hose (ea)	2	MTL
80-12-2500			6" barrel strainer	1	MTL
80-12-4500		>	6" low level strainer with 1-1/2" venturi connection	1	MTL
80-13-0500			Rubber mallet	1	MTL
80-13-1100	S		Hose wrenches (triple) with holder	2	MTL
80-13-2500	S		Pike pole, fibreglass handle - 10' long	1	MTL
80-13-2510	U		Pike pole, fibreglass handle - 6' long	1	
80-13-4000	S		Axe, pick head, fibreglass handle and bracket	2	MTL
80-14-0500	•		24' 2 section extension ladder PEL 24	1	MTL
			14' aluminum roof ladder PRL-14		
80-14-5500				1	MTL
80-14-7500			Padded ladder boot - 2 section and roof ladder	1	MTL
80-14-8500			10' aluminum folding attic ladder FL-10	1	MTL
80-14-9000			Attic ladder bracket (Zico)	1	MTL
80-14-9100	U <		Air chuck w/ 25' hose of 3/8" air hose	1	
			SOPT 777		
			Not mounted, shipped loose - Customer will mount		
			, 11		
80-16-0500	S		Akron 3423 Portable/deck monitor with stacked tips	1	MTL
80-18-0600	-		SCBA brkt w/strap - ZICO ULLH - crew cab mount	4	MTL
				2	
80-19-0500			Large folding wheel chock - aluminum (ea) not mounted	2	MTL