

Shop Order-00-10-15: Unclassified

Page 1

ID

QTY

New London Rural Community Fire Company Allen Cole 10659 Rte 6 New London PO Box 8031 Kensington New London, PEI COB 1M0 902 886 2737 Home 902 439 4339 Work 902 886 2931 Fax chief@nlfirecompany.com	
Exp. Date: 10/10/2014	

DESCRIPTION

Quote No: JANEPE-0022 Job/Order No: 18194

STN CODE

BODY:

PART NO

02/10/2017

00-10-15

S

Metalfab Pumper - ULC 05/13

== Metalfab Pumper - ULC 05/13 - 0.000 == MTL 1 S CHANGE ORDER E 1 MTL Е 00-10-1500 Metalfab Pumper MTL 1 Company Profile Е 00-20-1000 MTL 1 Standard Body Warranty MTL 00-20-1500 1 Metalfab Limited Ten (10) Year Paint and Corrosion Warranty 00-20-1550 1 MTL 00-20-1700 Hale Pump Warranty - 5 years MTL 1 Ultra Tank Lifetime Warranty 00-20-1800 1 MTL Plant Visits - unlimited at customer expense 00-20-2000 1 MTL No Bonding Required 00-20-3000 1 MTL Certification for Fusion Welding of Aluminum MTL 00-20-3500 1 Quality System registered to ISO 9001:2008 00-20-4000 1 MTL Fire Apparatus Manufacturers' Association Membership MTL 00-20-4500 1 **GENERAL INFORMATION** 1 MTL 10-11-0000 MTL Intent Е 1 Vehicle Data Recorder not requested MTL 10-11-0105 1 **BLC S515-04 Compliance** 1 MTL 10-11-1100 ULC Testing - Pumper 10-11-1500 1 MTL F 10-11-2100 Maximum length not specified 1 MTI

10-11-2100			Maximum length not specified E	1	
10-11-2200			Maximum height not specified E	1	MTL
10-11-2400			Overall length is 30' or more	1	MTL
10-11-2500			General Construction	1	MTL
10-11-3000			Manuals - two copies	1	MTL
10-11-3600	S	>	Delivery - FOB Fire Department	1	MTL
10-11-4000			Payment Terms - Chassis Net 10 days, Balance COD	1	MTL
10-20-1000			Hose bed capacity - standard ULC Pumper	1	MTL
10-20-2000			Equipment carrying capacity - standard ULC Pumper	1	MTL
			CHASSIS INFORMATION	1	MTL
20-11-1000	S		Chassis supplied by Metalfab - Western Star 4700 SB	1	MTL
20-11-1500			2013 Emission chassis modifications	1	MTL
20-11-1600			Chassis Motor Vehicle Inspection not required	1	MTL
20-21-0500			Fluid capacity plate	1	MTL
20-21-0600			Pumping test plate	1	MTL
20-21-1030			Maximum riders sign - 5 persons	1	MTL
20-21-1510	S		Seat belt warning labels - 2 door chassis, with crew cab	1	MTL
20-21-1550			Tire Pressure Indicators not requested	1	MTL
20-21-1600			Apparatus Information Label	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
20-21-2000			Non removable key	1	MTL
20-21-2500			Shifter lock not required E	1	MTL
0-21-3500			Rear step warning label	1	MTL
0-21-3800			Front mudflaps	1	MTL
0-21-4000			Rear mudflaps - Metalfab Logo	1	MTL
				1	
0-31-0200			Fuel fill label -Ultra Low Sulfur Diesel only	•	MTL
0-31-0500			Alum tread fuel tank trim, Conv - 2 door	1	MTL
20-31-1900			Chassis cab not painted E	1	MTL
20-31-7500	S		Console in cab	1	MTL
0-41-0600			Intake air shutoff for engine not required	1	MTL
20-41-0900			Auxiliary braking system disabled when pumping	1	MTL
20-41-1100			Transmission programming - Allison WT	1	MTL
20-41-1700			Special clearance for vertical exhaust pipe	1	MTL
			E		
20-41-1900			Battery boost terminals with chassis E	1	MTL
20-41-2200	S		Chassis batteries relocated to LS compartment under	1	MTL
.0-41-2200	3		speedlays	1	
0 44 0540				4	N ATTI
0-41-2510			Fuel fill at step fuel tank under cab	1	MTL
0-41-2600			Chassis fuel tank remains in OEM location	1	MTL
0-41-5000	-		Rear Tow Hooks - under body	1	MTL
20-41-5500	S		ON SPOT Automatic traction chains	1	MTL
20-51-0700	S		Master Battery Disconnect included with chassis	1	MTL
20-51-2500			Back up alarm included with chassis	1	MTL
20-51-3400			Protection valve installed for air operated accessories	1	MTL
20-51-3500			Air outlet	1	MTL
20-51-4000			Auto eject for air inlet - LS	1	MTL
20-51-6200	S	>	120 volt 20 A shore line connection in chassis cab	3	MTL
20-51-6500	3	-	Kussmaul Autocharge 1000 battery conditioner w/battery save	1	MTL
20-37-0300			Russinaul Autocharge 1000 battery conditioner w/battery saver	'	WIL
			Electric Oustans Manager	4	N ATTI
20-51-7100			Electric System Manager	1	MTL
20-51-7500			Super Auto eject for 120 v - 20 A with sealed enclosure	1	MTL
20-51-8500			Engine compartment lights (pair)	1	MTL
20-51-9001	S		Air horns as supplied with the Western Star chassis	1	MTL
20-51-9110	S		Air horns on roof chassis OEM lanyard controlled	1	MTL
			E		
20-52-3000		>	Chassis steering wheel lined up by others	1	MTL
20-52-4000	S		Rear View Camera system	1	MTL
20-60-0400	-		Chassis wheelbase does not change	1	MTL
20-61-3000	S	>	Enclosed crew cab - aluminum - 3 SCBA Bostrom seats	1	MTL
.0-07-3000	3	,	w/SecureAll	'	WITE
0 04 4500					
20-61-4500			Interior finish - gray quilted vinyl	1	MTL
20-61-5000	U		Price Adjustment	1	
20-61-5000	S <		Crew cab windows - fixed (10 total)	1	MTL
			Each side of crew cab by transverse panel to see the side pump		
			panels(2), each side of crew cab adjacent to transverse panel(2),		
			each side over entry doors(2), each side lower section of each		
			entry door(2) and one (1) transverse front top of crew cab (make		
			as wide as possible) and one (1) transverse back top of crew cab		
			(as wide as possible).		
0 61 5500	c		Crow cab windows - sliding (A total)		AATI
20-61-5500	S		Crew cab windows - sliding (4 total)	1	MTL
0-90-1000			Sealed pass through cab to body	1	MTL
0-99-0010	U		Convex mirrors on cab fenders (pr)	1	
20-99-0015	U		Extend vertical exhaust by 6-8" to clear crew cab	1	
			PUMP AND PLUMBING	1	MTL
80-11-5600			Hale QFLO Single stage 1050 IGPM	1	MTL
80-12-3300			Mechanical seal for Hale QFLO/QPAK pumps	1	MTL
30-15-0101			Plumbing - Hale manifold pump TM	1	MTL
			E		
30-20-1000			L Valves and controls - top mount panel	1	MTL
0-20-1000			varies and controls - top mount panel	1	MIL
					1

PART NO	S	STN CODE		QTY	ID
30-20-1001			Valve brand not specified E	1	MTL
30-20-1500			Piping galvanized steel - general	1	MTL
30-20-1700	S		1-1/2" thread specifications - NPSH	1	MTL
30-20-1800	S		2-1/2" thread specifications - 3.25 x 5 NF	1	MTL
30-20-2000			Piping hydrostatic test	1	MTL
30-20-2500	S		Anodes in suction and discharge piping	1	MTL
30-21-9500			Tank to Pump 4" Ball valve, handwheel control with check	1	MTL
			valve manifold pump		
30-22-0510			Tank Fill valve 2" TM	1	MTL
30-31-4010	S		Suction - 6" each side manifold pump	1	MTL
30-31-7200	-	>	Hale master intake suction valve - electric control	2	MTL
30-32-8500		•	Suction - 2-1/2" left side, TM control, Hale manifold pump	1	MTL
30-32-9000			Suction - 2-1/2" right side, TM control, Hale manifold pump	1	MTL
30-40-3000			4" right discharge, plumbed 4", handwheel, Hale manifold	1	MTL
			pump		
30-40-3500			4" left discharge, plumbed 4", handwheel, Hale manifold pump	1	MTL
30-40-3300			4 len uischarge, plumbeu 4, manuwheel, male mannoù pump	'	
30-41-2010			2-1/2" RS discharge TM, bleeder, Hale manifold pump	1	MTL
30-41-2510			2-1/2" LS discharge TM, bleeder, Hale manifold pump	1	MTL
30-43-1510			2-1/2" rear discharge TM, plumbed 2-1/2", bleeder	2	MTL
30-44-0710	s ·	-	1-1/2" speedlay (each) front of pumphouse TM, plumbed 2"	2	MTL
50-44-07 10	5.	•	Change Order E - January 15.2016	2	MIL
			If there is no room for the installation of hose rollers at the		
			end of the Speedlay's, install stainless steel corners to		
			protect the body paint.		
30-44-6510			Piping for monitor TM, plumbed 3", bleeder	1	MTL
30-51-0500			Pump shift-Midship air	1	MTL
30-51-0700			Pump Gearbox mounted manual over ride for pump shift	1	MTL
			E		
30-51-1500			Power shift PTO - Automatic transmission	1	
30-51-1501			PTO driveshaft E	1	MTL
30-51-6640			Class One "TPG Plus" Governor/Throttle	1	MTL
30-51-7000			Suction side relief V/V, manifold pump	2	MTL
30-51-77AA	U		Trident air primer	1	
30-51-78AA	U		Pre Primer for gated suction - Trident air primer	2	
30-51-8000			Heat exchanger E	1	MTL
30-51-9100	S		Thermal Relief Valve with warning light	1	MTL
30-52-1000			Master drain V/V, 12 port	1	MTL
30-52-2000			Drain valve for foam system header	1	MTL
30-52-4210	S		Foam System - Hypro FoamPro 2002 Single Tank	1	MTL
30-52-9100	-		Foam concentrate label at foam tank fill	1	MTL
30-52-9200			Foam System Instruction Plates	1	MTL
30-52-9400			NFPA Foam System certification test	1	MTL
			WATER AND FOAM TANKS	1	MTL
40-11-2100			Ultra-Tank water tank (Imperial gallons)	1	MTL
40-11-2200			Water tank capacity certification (tank manufacturer)	1	MTL
40-11-2200			Tank capacity 1000 Imperial Gallons	1	MTL
40-11-3000 40-12-4500			Foam cell - 20 Imperial gallon	1	MTL
	S		Through the tank tunnel - up to 1200 gallon tank	1	MTL
40-13-0100	3	>			
40-21-1000			4" tank to pump connection 2" tank fill connection	1	MTL
40-22-0500				1	MTL
40-23-0500			1" water level gauge connection	1	MTL
40-30-0500			Sump drain valve (3" gate valve) with linkage	1	MTL
10.00.1000					
40-30-1000			Water Fill Box front left corner	1	MTL
40-31-0400			Rear dump valve not requested E	1	MTL
40-31-6050			Rear fill not requested E	1	MTL
40-99-10AA	U		4" Direct tank fill - RS Pump panel - manual actuation ELECTRICAL	1	MTL

PART NO	S	STN CODE	DESCRIPTION	QTY	Page ID
50-11-0500			Base electrical system	1	MTL
50-11-0600			Warning Light Certification	1	MTL
50-11-0700			Low Voltage Electrical system test	1	MTL
50-11-0800			Low Voltage Electrical System Documents	1	MTL
50-11-0900			Rocker switch panel with master warning switch	1	MTL
50-11-1400			Federal PA300 100 watt siren	1	MTL
50-11-1620	S		Siren speaker,100 watt, in front bumper	1	MTL
50-11-2600			Siren to be accessible to driver and officer	1	MTL
50-11-5810		>	Federal JetSOLARIS 5401 LED light bar all red	1	MTL
50-11-6501			Rear Directional Light not required E	1	MTL
50-11-8900			Rear beacons-Federal Sentry (pr) 1 red, 1 amber	1	MTL
50-12-5020			Front LED flashers (pr)-red Federal QL64XF-R	1	MTL
50-12-5110			Rear LED flashers (pr)-red Federal QL64XF-R	1	MTL
50-12-5210			Front side inter Its (pr)-red LED Federal QL64XF-R	1	MTL
50-12-5210			Body side inter Its (pr)-red LED Federal QL64XF-R	1	MTL
50-12-5310				1	MTL
		>	Additional body side inter Its (pr)-red LED Federal QL64XF-R		
50-21-1500			Rear floods (pr)-Unity	1	MTL
50-21-1600			Parking (ditch) lights in rear fenders	1	MTL
50-21-5100		>	Compartment lighting - LED tube lights in each compartment	1	MTL
			(rollup doors)		
50-21-5500			Door Ajar warning light	1	MTL
50-21-8001			Step lights for body steps - 4" LED	1	MTL
50-21-8110			Step lights for walkway - 4" LED	1	MTL
50-21-8201			Step lights for chassis steps - LED marker type	1	MTL
50-21-8600			LED clearance Its and reflectors	1	MTL
50-21-8800			LED intermediate turn signal/clearance/reflector length >30'	1	MTL
50-22-0700			Whelan 64 LED tail/brake-turn-backup module (pr)	1	MTL
50-31-4000	S		8000 watt hydraulic generator - brand not specified	1	MTL
			E		
50-31-6000	S	< >	Scene lights (pr) - GHSCENE halogen	3	MTL
	-		Each upper side corners and rear of truck	-	
			Switches to be on Pump panel in addition to the ones in cab		
50-31-6010			Scene light boxes (pr) - tread plate	2	MTL
50-31-6550			Ground lighting (LED Lumabar) - 2 door chassis	1	MTL
50-31-6580	S		Ground lighting (LED Lumabar) - 2 0001 chassis	1	MTL
30-37-0300	3	•	Include a light under each compartment with the exception of	1	
			the front left side compartment - blocking compartment		
			60-80-0100 is under this compartment.		
	•				
50-35-0500	S		Installation of customer supplied mobile radios		
50-35-0559	S		Mobile radio antenna provided by customer	1	MTL
	-		E		
50-35-0560	S		VHF antenna with base - commercial chassis	1	MTL
50-99-30AA	U	<	Firecom Radio Interface and headset	1	
			There shall be a Firecom radio interface and wired headset (to be		
			worn under the helmet) installed in the chassis cab for the driver		
			and officer.		
			1 x 5200D Intercom		
			2 x MR-Cable		
			2 x UHW-51		
			2 x Single Channel base		
			2 x headset hanger hook - Location to be determined at Shop		
			Visit		
50-99-40AA	U		Command light - Knight LED Whelen	1	
50-99-40AA 51-31-3020	S		120 volt wiring for hydraulic generator	1	MTL
	3	>			
51-31-4500			Dielectric strength test for line voltage system	1	MTL
~ ~ ~ ~ ~ ~ ~ ~ ~	~		BODY	1	MTL
	S		Single axle extruded aluminum body	1	MTL
60-10-1400	U		. ,	1	

PART NO	S	STN CODE	DESCRIPTION	QTY	ID
60-10-4100			No "beavertail" rear step supports	1	MTL
50-10-4600			Painted fender surround E	1	MTL
60-10-4700			Integral aluminum fender trim	1	MTL
60-10-5400		>	Diamondback pumphouse steps	1	MTL
60-10-5430		>	Diamondback 19" rear step	1	MTL
50-10-6000		-	Extruded rub rail	1	MTL
60-11-0150	S	>	Second front left side compartment to top of wheel well	1	MTL
60-11-0300	U	>	Front left side compartments full height	1	MTL
00-11-0300		-	E	,	1011 L
60-11-0550	S	>	Second front right side compartment to top of wheel well	1	MTL
60-11-0700		>	Front right side compartments full height	1	MTL
			E		
60-11-1000		>	Rear left side compartments full height	1	MTL
		-	E	-	
60-11-1400		>	Rear right side compartments full height E	1	MTL
60-11-2000		>	High side compartment (over 18") each	2	MTL
50-11-3200		>	Full Height Rear compartment	1	MTL
60-11-4500		-	Flush mount aluminum door - single with "D" handle	2	MTL
60-11-4500 60-11-5500			Rollup door - standard height	2	MTL
60-11-5500 60-11-5520			Rollup door - standard neight	∠ 5	MTL
60-31-4100			Extruded aluminum handrails	5	MTL
				•	
60-31-5500			Steps at rear of body (folding)	1	MTL
60-31-5600			Steps and grab handles at front of body next to pump panel	1	MTL
60-31-6500			Compartment matting-Turtle tile	1	MTL
60-31-8000	-		BA bottle compt (ea)-fender well	4	MTL
60-31-8700	S	>	Sliding tray (ea) - 400 pound capacity with gas strut	4	MTL
60-31-8700	S	>	Sliding tray (ea) - 400 pound capacity with gas strut	1	MTL
60-31-9600	S	>	Adjustable shelf (ea)	4	MTL
60-31-9600	S	>	Adjustable shelf (ea)	12	MTL
60-32-3550			Two adjustable hose divider (each)	1	MTL
60-32-7500			Hose bed - aluminum	1	MTL
60-33-0000			Paint exterior - Imron Elite	1	MTL
60-33-0001	U <	<	Two tone paint on crew cab	1	
			Change Order B - Customer to approve the paint break -		
			reference drawing FT-10562 Rev 3.		
60-33-0200			Undercoat vehicle with KROWN rust protection	1	MTL
60-33-0600			Chassis wheels not painted	1	
60-33-1000			Paint pump and plumbing job colour	1	MTL
60-33-1500			Buffed finish compartment interior	1	MTL
60-33-1500	S		Lettering - 80 letters up to 3" tall - 3 colour	1	MTL
60-33-2200 60-33-3000	S		Reflective stripe - 4" white	1	MTL
	3		Tarp over hose bed - black	1	MTL
60-33-3500 60-40-5500	S <		Suction hose tube (each) with door		MTL
00-40-3300	১ <			3	WIL
			Change Order E - January 15.2016 - Remove reference to		
			suction hose storage in hose bed (remove present tube in		
			hose bed and install a cover over the hole in front partition		
			that was cut for the suction hose to go through)- The third		
			suction hose to be stored in a suction hose tray that is to be		
			mounted on the left side fender top. The actual Suction hose		
			will be shortened to fit this tray. Add reflective tape on the		
			couplings on the ends of this modified suction hose to		
			differentiate it from the two 12 foot ones.		
60-40-9500	S	>	Tube for portable tank storage through tank	1	MTL
60-40-9500 60-41-1015	5	-	Pike Pole tube in suction hose tube	2	MTL
					WIL
60-41-1500	U		Price Adjustment	1	1471
60-41-8600	S <	<	Top Mount ladder slideway	1	MTL
			Change Order E - January 15.2016 - Extend the sides of the		
			ladder tube to act as an extra hose lay.		

PART NO	S STN CODE		QTY	ID
60-80-0100	U	Blocking compartment under Rescue body (each)	1	
		INSTRUMENTATION	1	MTL
70-11-0000		Warning Label on Pump Operator's Panel	1	MTL
70-11-1500		Stainless steel instrument panels	1	MTL
70-11-2000		Top mount instrument panel	1	MTL
70-11-2500		Transverse walkway	1	MTL
70-11-2700		No tread plate overlay on back of chassis cab	1	MTL
		E		
70-11-3100		Mansaver bars not required E		MTL
70-11-3200	S <	Colour coded tags	1	MTL
		Match M95-9202 where possible	1	
		Colours to be as follows:		
		Crosslay #1 - Brown		
		Crossly #2 - Yellow		
		LS 2.5" #3 - Green		
		LS 4" #4 - our choice		
		LS rear 2.5" #5 - Blue	1	
		RS rear 2.5" #6 - White		
		RS 2.5" #7 - Dark Red		
		RS 4: #8 - our choice		
		Monitor #9 - our choice		
70-11-3501		Compartments in ends of walkway not required	1	MTL
70-11-4500		Diamondback grip type panel hood step right side	1	MTL
70-11-4600		Diamondback grip type panel hood step light side	1	MTL
				WITL
70-11-5100	U	Storage at rear top of pump house with deck plate doors	1	
70-11-5500		Right side tread plate pump access door	1	MTL
70-11-5600		Left side tread plate pump access door	1	MTL
70-11-5700		Transverse tread plate pump access door	1	MTL
70-11-7500		Heat pan-aluminum	1	MTL
70-11-8000		Heater in pump compartment	1	MTL
70-20-2500		Primer control	3	
70-20-3100		Class One Governor Control	1	
70-20-3500		Electric water level gauge on pump panel, Class One	1	MTL
70-20-3610		Remote PSTANK water level indicators each side, rear with	1	MTL
		driver E		
70-20-6500		Test gauge panel	1	MTL
70-20-7500		Heat exchanger control valve	1	MTL
70-21-1600		Electric Foam Level gauge not required	1	MTL
70-21-5500		Panel readout for Battery Conditioner	1	MTL
71-99-05AA	U	Hand wheel control	13	
71-99-10AA	Ŭ	FRC Insight Ultimate Flowmeter and Pressure gauge	9	
71-99-15AA	-	Totalization of flow for multiple flowmeters (pump output)		
11-99-15AA	U		1	MTI
00 44 5000	0	ACCESSORIES	1	MTL
80-11-5000	S	6" lightweight suction hose (ea)	3	MTL
80-12-2500		6" barrel strainer	1	MTL
30-13-0500		Rubber mallet	1	MTL
80-13-1000	S	Hose wrenches (double) with holder	3	MTL
80-13-1500	S	Bar with bracket	1	MTL
80-13-2500	S	Pike pole, fibreglass handle	2	MTL
80-13-4000	S	Axe, pick head, fibreglass handle and bracket	1	MTL
80-13-4500	S	Axe, flat head, fibreglass handle and bracket	1	MTL
	J			
80-14-0500		24'2 section extension ladder PEL 24	1	MTL
80-14-5500		14' aluminum roof ladder PRL-14	1	MTL
80-14-8500		10' aluminum folding attic ladder FL-10	1	MTL
80-14-9000	S <	Attic ladder bracket (Zico)	1	MTL
		Install on the right side fender top - towards the outside edge,		
		away from the body.		
	-		1	
80-15-1005	S	2500 l gallon portable tank - Husky	1	MTL

02/10/2017					Page
PART NO	S	STN CODE		QTY	ID
80-16-0500			Akron 3423 Portable/deck monitor with stacked tips	1	MTL
80-17-0500	S		20# dry chemical fire extinguisher and mount	1	MTL
80-17-1000	S		15# CO2 fire extinguisher and mount	1	MTL
80-19-0700	•	>	Electric Access Step for Rescue	2	MTL
80-99-0500	U		4" Storz to 2-1/2" swivel female adapter only	1	
80-99-05AA	Ū		45-degree Kocheck 6" Suction fitting	1	
80-99-15AA	Ŭ		6" NH Female to 5" NH Male reducer	1	
80-99-2000	Ŭ		Mount customer supplied extrication tools	1	
80-99-5000	Ŭ		Additional speedlay trays	2	
80-99-55AA	Ŭ		Coat hooks in enclosed crew cab	3	
00-33-33AA	U		Coal nooks in enclosed crew cab	3	